

Bowen Therapy for Horses

Equine Studies course manual



Heather Hartley

Australian College of Animal Bowen & Complementary Therapies

Copyright and disclaimer

Bowen Therapy for Horses

The Equine Studies course manual

Heather Hartley

Australian College of Animal Bowen & Complementary Therapies

Charleston, South Australia

First edition 2016. Second edition, working draft 0.2 · September 2026.

Copyright © Heather Hartley. All rights reserved. No part of this book may be reproduced without written permission from the author.

ISBN: to be assigned

Disclaimer

The course presented does not dispense medical advice or medical treatments either directly or indirectly. The contents of this document are presented for information and discussion purposes only.

The information contained herein is not recommended as an alternative to seeking sound medical or veterinary advice from a professional practitioner. The use of the information contained in this book is at the discretion, and is the responsibility, of the individual.

Heather: the college contact details from the 2016 cover (PO Box 139 Charleston SA 5244, 0401 691 329, heather.hartley@bigpond.com) are left off until you confirm them.

Blessed are the hands that heal
Hands beneath whose touch we feel
Pain relieved and strength renewed
I think with constant gratitude of hands that serve humanity

Hands that well and skilfully,
Bruised and broken bodies tend
Hands that save and soothe and mend
Helping, assisting, comforting, dressing, feeding and bandaging

I remember gratefully the hands that have bestowed on me
Life's best gift, its greatest wealth
The gift of healing and of health.

Anonymous

About the author

Heather: you asked for a call about this page. It is set here as it was in 2016 until we speak; it will need cutting to a short biography.

Heather Hartley Dip.B.T.

Heather studied sports and remedial massage and has been involved with the Cycling Federation of Australia as the State Development Officer and the Australian Team Manager and masseur. She was in the Australian Revolver and Pistol Association as a coach, team manager and competitor. Her interests and involvement extended into St John Ambulance as a volunteer, and she was a member of several winning teams competing nationally in first aid practices.

Heather's study and interests lie in holistic therapies such as Reiki, animal communication, Reconnection Healing, Photonic Therapy and general animal husbandry. Heather is a Justice of the Peace and is at present studying Community Law.

Heather became interested in Bowen Therapy after reading about Tom Bowen's death and his life work in 1982. She has practised this technique since 2001, after completing formal studies.

Heather also extended her service as a Bowen Therapist by practising, when necessary, as a transitional advocate. In this capacity she has been able to help human patients access mainstream medical services that had otherwise been delayed or denied to them.

As an animal lover, Heather then decided to extend the service she provided to her human patients to animals. They also suffer from muscular and stress-related problems in a similar way to humans. Heather has been involved with animals for approximately 50 years and has adapted the human technique to animals by observing their movements and their reaction to the moves she has performed on them. She has continued to study the animals she treats so as to improve their quality of life.

Since that time Heather has successfully used Bowen Therapy techniques to treat horses, goats, cats, dogs, alpacas, sheep, rabbits, cattle, birds, reptiles and native animals.

Heather has completed Equine Studies in South Australia and holds a Certificate IV in Training and Assessment, and has studied Photonic Therapy under Dr Brian McLaren B.V.Sc., QDAH, P/Grad.Dip., M.App.Sc., Dip.Phot.Thpy., Adv.Dip.App.Neurophysiol., Member of the International Association for the Study of Pain, Member of the Bioelectromagnetic Society. She is a member of the Australasian College of Zookeepers.

Currently Heather is running a successful human practice based in a medical centre and is contracted to several government departments. She is also teaching Bowen Therapy in specialised animal courses. This is a relatively new field with much scope, and she enjoys and finds rewarding her involvement in being able to provide relief for animals. As part of this, the RSPCA contacted Heather to request her assistance in rescue and rehabilitation.

Heather also provides her services to the Lions Hearing Dogs free of charge.

Acknowledgements

Heather would like to thank Dr Brian McLaren B.V.Sc., Q.D.A.H., P/G Dip. (I.V.A.S.), Grad. Dip. Acup., M.App.Sc. for giving her permission to use his diagnostic technique for horses. Thanks also to Teri O'Neil RN, RM, Dip. T., B.Ed., Professional Development, Grad. Dip. Legal Studies for providing content structure during the creation of this curriculum.

- Richmond College of Equine Studies
- *Understanding your horse's lameness* by Diane Turner
- Craig from Bonnetts Saddlery
- *All Systems Go* by Nancy Loving DVM
- *Animal Points* by Jack Meagher
- Master Farriers Association of South Australia
- Government of South Australia, Primary Industries and Resources
- *Health for Race Horses*
- Rural Industries Research and Development Corporation

Thanks also to all friends and colleagues who have provided critical review, proof reading and other help, encouragement and support in this project.

Thanks especially to all clients, past and present, animal and human. They are the inspiration for the creation of this work and they provide the major vehicle for learning and refinement of skill and technique.

Heather's philosophy: you need to be a detective. Treat what you see, feel and hear.

Contents

	Copyright and disclaimer	1
	About the author	3
	Acknowledgements	4
	Administration	6
	Flexible learning	4
	Competency-based standards and training	8
	Student facilities, staff and assessment	10
	Eligibility, counselling and recognition of prior learning	13
	Fees, withdrawal, what you need and the code of conduct	16
1	History of Bowen Therapy	19
	Bowen Therapy history	20
2	Explanation of Bowen Therapy	21
	Explanation of this technique	22
	Underpinning knowledge and assessment map	23
	Anatomy, physiology and the schools of Bowen	25
	Professional expertise	26
3	Occupational health and safety	27
	Occupational health and safety guidelines	28
	Anti-discrimination legislation	28
	Insurance	30
4	Client information: the first visit	31
	Client and owner information, first visit	32
	Client data	33
5	Your presentation	34
	Professional presentation	35
6	Code of ethics	36
	Code of ethics	37
7	Clinical record and assessment	38
	Care advice before and after a Bowen treatment	39
	You need to be a detective	41
	Equine analysis form	42
	Health care chart (dog and cat)	43
	Case card (horse)	44

	Exact markings to be shown	46
	Horse outline for marking	47
8	Equine skeletal points and human comparison	48
	Skeleton of horse and man compared	49
	Points of the horse	51
	Deeper muscles of the horse	53
9	Observe and assess movement	54
	Diarthrodial joints: movements of the limbs	55
	Striding leg interference	56
	Hoof care	57
	Defects in the way of going	58
	Conformation and flight patterns: the hoof and pastern	59
	Conformation of the legs	60
	Conformation of the deviation of the pastern	62
	Evaluation of farriery procedures	63
10	Working within a Bowen Therapy framework	64
	Work within a Bowen framework	65
	Assessment, treatment and the philosophy of Bowen Therapy	69
	Complementary therapies and their relationship to Bowen	74
	Representing Bowen Therapy to the community	77
	Clinic guidelines and the client's rights	79
	Legal and regulatory requirements	83
11	Plan a treatment	84
	Plan the Bowen Therapy treatment strategy	85
	Medical terminology	87
12	Perform a treatment	89
	Provide the Bowen Therapy treatment	90
	Manage, apply, advise and review	92
	Contra-indications: regional avoidance	95
	Cautions	96
	Further cautions and other considerations	98
	Apply basic Bowen Therapy techniques	100
	The stress points	107
13	Record observations and treatment given	135
	Record forms	136
14	Assessment techniques: be a detective	137
	Apply the Bowen Therapy assessment framework	138
	Perform a Bowen Therapy health assessment	140

15	Infection control	144
16	When to call the veterinarian	157
17	Equine first aid	162
	Suggestions for an animal first aid kit	163
	Bandaging: the three standard bandages	180
	Vital signs: pulse, respiration, gut sounds and dehydration	185
	Parts of a saddle and bridle	194
	Diagnosis aids and the tendon palpation exercise	196
	The lower leg: tendons and the palpation exercise	197
18	Incident and injury reporting	199
19	Student section	202
	Assessment	203
	Learning journal	204
20	Course and lecturer evaluation	205
	Course assessment form	206
	Feedback form	207
	Index	208

FOR STUDENTS

Administration

How the course runs: standards, assessment, your rights and responsibilities as a student.

Flexible learning

The thought of full-time study can be a little daunting for some people who need to balance their time with study, family and work. The learning program offers students access to tutorial programs in addition to, or instead of, attending some classes. Extra tuition is available to those students who may wish to test or expand their knowledge.

Students are also encouraged to go to the internet to expand or confirm their studies. Students who previously have had difficulty with study may be considered for a flexible learning program. Please arrange an interview with your trainer or lecturer to discuss.

The College has a strong emphasis on preparing students in the area of animal health.

Competency-based standards and training

COMPETENCY-BASED STANDARDS FOR THE COMPLEMENTARY HEALTH CARE THERAPIES.

Courses are Competency Based so if a student does not reach this standard they may apply to repeat the section so that competency is attained.

The competency standards include both non specific and specific modalities of practice. The standard documents were accepted onto the Register of Professions Competency Standards in 1997. Seven of these documents are being used as the basis for curricula and course assessment panels Australia wide. Professions for which a standards document has been prepared are; Bowen Therapy, Acupuncture, Bioenergetic Medicine, Herbal Medicine, Remedial Massage Therapy, Herbal Medicine, Naturopathy, Traditional Chinese Medicine and Trichology.

The Competency Standards outline three levels of independent practice, the minimum proposed by the Federation, for independent practice, is Australian Standards Framework Level 5. This involves specification of standards for interaction with the patient, designing and implementing the treatment plan.

OBJECTIVES OF COMPETENCY-BASED STANDARDS AND TRAINING

The aim is to establish a minimum standard to which all natural and traditional therapy colleges must conform in order to graduate practitioners of natural and traditional therapies. This includes Establishing a Practice, legal requirements, conducting a consultation.

Your study commitment may involve both attendance at workshops and home study projects. You are also expected to complete a period of unsupervised practicum where you service your own clients and present case histories and treatment records and case history for assessment. The language of training may seem a little formal and confusing, but it should make it easier for you to build a skills profile.

- A COMPETENCY is the skill or knowledge that you can apply to your work.
- ASSESSMENT CRITERIA is the evidence that you must present to show that you can both do and repeat the skill.
- A STANDARD is the level at which you are expected to perform the work or skill.
- PERFORMANCE CRITERIA are the other elements that must be taken into account when judging your practical work and presentation.
- Copies of the nationally endorsed units are also available online on www.ntis.gov.au
- Copies of the College's units are available from the Principal.

Since standards set out the outcomes in a different order from the way the course is presented in the classroom or for study modules, you will also be given outcome statements on your session sheets. When you are assessed against these outcomes to a competency standard this provides you with evidence of a skills standard achievement. You can use this when seeking employment, Recognition of Prior Learning or extra study.

COURSE OUTCOMES

The major outcome is to produce a confident skillful practitioner who enjoys their work

Student facilities, staff and assessment

STUDENT FACILITIES

The main venue is located in Charleston. The venue will also change periodically according to the needs of the course.

A round yard and crush is available for practical sessions.

Other sundry restraints and practice equipment is available.

The College also has a wide range of books and videos to assist in the learning process

CAR PARKING

There is plenty of free car parking available.

EDUCATION STAFF

Administration Office - Box 139 Charleston S.A. 5244

Office Hours

8.30am – 6pm Telephone - 0401691329 Email – heather.hartley@bigpond.com

Course Coordinator - Heather Hartley

Lecturer/Tutors –

Guest lecturers will be in attendance at appropriate times.

ASSESSMENT

Student Assessment

The assessments are based on the therapeutic work you will perform and on the theoretical knowledge required to make informed assessment of the client's presenting condition and/or core issues and the most appropriate treatment required to alleviate the condition. Students are primarily measured against set industry standards. Where tests and examinations are used it is with the purpose of consolidating learned knowledge and the intent of highlighting strengths and weaknesses for the individual themselves to rectify.

Assessments take place at all stages of the course, not just for the final outcomes. It is important to establish that a certain level of knowledge has been acquired, or that the level of competence attained is to the set standard, measurable and able to be repeated consistently. Some components of the

course require you to practice as a therapist under case supervision and you will be advised in advanced of how this is to be assessed and recorded.

Some assessments are conducted in 'closed book' conditions. An example of this is the short answer tests or examinations for Medical Terminology which are designed to test your retention of underlying concepts. For all other types of assessment, there is nothing 'hidden' about the assessment process. Some competency assessments will take place when you feel you are ready for it, not at any set time or dictated by the needs of other students. For practical assessments your lecturer/trainer will give you checklists which outline the standards against which you will be matched during any practical session or examination. An example of what this type of assessment entails is;

- Skill to be performed- Observe client, decide on treatment to be given and why.
- Record reaction to treatment...
- Health and safety issues All relevant Codes of Practice observed, care techniques demonstrated at all times and Duty of Care observed towards others in all areas.
- Business Practices Government/legal requirements.
- Client Standards
- Client treated with courtesy and empathy at all times, client safety and welfare demonstrated at all times.

NOTE; All assignments must be satisfactorily and accurately completed before we can make a judgment of competence and issue Statements of Attainment or Qualifications.

NOTE; always make a copy of any material sent in and record the date. This will safeguard you should your assignments be lost in transit. It will also make it easier for you to continue work on your final assessments, or to study for examinations, while waiting for the marking process to be completed.

Feedback Forms

These will be given to you at the end of each study component or workshop. If you have any comments or queries you should use this form to communicate with your lecturer/trainer. Any longer enquiries may be made direct to Principle or by phone, fax or email.

RESULTS

Each topic will be checked off a central record and signed off by your trainer each time you complete assignments, or from your practical session assessment checklists. If there are any special instructions resulting from the marking process, your trainer will give you written comments to follow.

Academic work will be assigned a grade and is required for satisfactory completion of any course module or academic component of the course.

Assessments conducted against Units of Competency shall be judged under the following criteria.

CA = Competency achieved

NYC = Not yet competent The judgment of competency must meet the appropriate work level standard for on-job performance.

Completion of only the home study program or theory workshops, alone does not make a competent practitioner. In order for you to claim to be a competent practitioner, we must, by law, actually see you demonstrate your professional skills to the standards set.

Written testing

If a student has a difficulty with a written test they are to contact the trainer/lecturer prior to test to organize an alternative means of testing.

Appeals against assessment outcome If you disagree with the assessment decision, you can make an appeal. The College supports your right to do so, whether it is an RPL or coursework assessment.

If you receive a NYC (not yet competent) result without being given the appeal form and you wish to appeal please contact the office to obtain one. The RPL assessors report should also be accompanied by an appeal form.

The procedures for appealing and assessment or RPL decision are

- You should begin an appeal within one month of receiving the assessment with which you disagree. This is because it is wise to discuss your claims while the events and content of the disputed assessment are still fresh in everyone's mind.
- Your first action should be to lodge a notice of appeal on the appropriate form and discuss this directly with your trainer or assessor.
- If the explanation you are given for being judged 'Not Yet Competent' against a particular assessment does not resolve your issues, you may next discuss the result with the Principal.

Eligibility

The course is not solely dependent on school results of candidates. Our aim is to attract students from diverse backgrounds, who will enhance the development of Bowen Therapy. Consequently applications are encouraged from both school leavers with formal qualifications and from students who have had appropriate hands on experience or show interest in the field of animal care. Skills required by all learners include

- Love of and the desire to help the animals.
- All students will hold current anatomy and physiology certificates.
- Current First aid certificates preferred but can be obtained during course.
- Current driver's license.
- Comfortable handling all animals.
- Police check.
- Willingness to be introduced to new concepts.
- Keep an open mind.
- Ability to take notes.
- Ability to devote time to study.

Eligibility, counselling and recognition of prior learning

- Ability to communicate effectively.
- Lecturers of Bowen Therapy for Animals will not limit access to any student on basis of gender, social or educational background.

COUNSELLING

All students are encouraged to discuss any difficulties or personal issues which could impact on their ability to complete course requirements. All such disclosures will be kept in strict confidence and no third party shall be consulted without the consent of the student.

Where the issue falls outside of the ability or expertise of the training or administrative staff, the student will be referred to the appropriate external agency for assistance.

STUDENT WITH SPECIAL LEARNING NEEDS

Students generally require at least a functional literacy level of year 11 to complete the course requirements. This does not exclude students who might be accepted and who might have specific physical, language or educational needs that can be catered for with a reasonable adjustment to learning an assessment method.

If you have any special learning difficulties or needs please contact us so we can make arrangements to provide support.

The College will refer you to the most appropriate staff member or external support agency to assist you to overcome the difficulties.

Recognition of RPL

Under RPL, you may be eligible for status if you have completed any courses, work experience or clinical practice which is equivalent to the work you will do in these courses. If you feel you are competent in any area of the course standards, you should bring this to the attention of the Principal who can then consider an application for Recognition of Prior Learning.

If you wish to proceed with a claim for RPL, you will need to:

- make a formal application for RPL.
- self-assess against the competency standards in the manual.
- gather suitable evidence as instructed in the manual.

You may be able to participate in a 'skills gap' training to upgrade some of the components or provide alternative assessments by work place evidence. Your assessor will discuss your options with you after your application for RPL has been examined.

We can only grant RPL against full Units of Competency.

Please provide originals of Qualification or Statement of Attainment which list the relevant Units to gain immediate credit into our courses.

The qualifications must be current.

These qualifications or Statements should bear one of these statements;

- This Statement of Attainment is recognized within the Australian Qualifications Framework.
- The Qualification certified herein is recognized within the Australian Qualifications Framework.

If you are supplying the evidence of this through a photocopy of the original, the photocopy must be notarized as a true and exact copy by a Justice of the Peace.

Complaints/Grievance Policy

If you have a grievance or dispute that cannot be resolved by direct discussion between the parties, then you should:

- First discuss this with a senior staff member.
- Formal mediation may commence which may include the principal educator.
- If the issue revolves around personal conflicts, the College may refer the parties to an appropriate external mediator or councillor.
- In the last resort, you may take your case to common law through the local Magistrate's Court. Please refer to the Policy and Procedures section for the avenues of mediation available. ALL students have the right to pursue natural justice for a grievance without fear of reprisal or recrimination. All legitimate complaints will be taken seriously and we will support you in your right to have the matter resolved in a satisfactory manner.

All outcomes of the grievance resolution process will be recorded and you will be given a copy of the resulting agreement to sign. A copy will also be kept on file.

POLICIES AND PROCEDURES

The policies and procedures apply directly to both the Student Services and the Management of your study program.

You are required to undertake an Induction Program and to sign a form indicating that you have been issued with all relevant information and that you have read them.

The major points which apply are your rights and responsibilities as listed in this document.

Fees and Charges Policy

Certificate in Bowen Therapy for animals TBA

First Aid for Animals TBA

First Aid for Humans TBA

Business Management TBA

A 20% deposit is usually required to secure a place in the course with the balance due at enrolment unless arrangements for deferred payment plan have been made.

Tuition refund policy / Deferrals Please read the copy of the Refund Policy which is included in your enrolment pack, before making a claim for refunds.

Students eligible to obtain a full or partial refund must return all relevant documentation (in good order with the original receipt).

Fees, withdrawal, what you need and the code of conduct

Students who wish to withdraw from the course after 14 days, due to unavoidable circumstances are able to request deferment of their studies to a future course upon negotiation with the Principal. In these circumstances, their fees, or such unused portion of fees that apply, will be held in the separate trust account until such time as the deferred studies commence.

If you have paid for a full course, but have to withdraw for any reason please refer to the Principal to view your rights and responsibilities.

In all cases, you should inform the Principal of your reasons for withdrawing and discuss the full implications of leaving the course early.

Short Courses

Short course will be offered in a number of different areas to assist the student with their studies and to provide extended tuition to promote further learning in these areas.

WHAT YOU WILL NEED FOR THE COURSE

Learning guides will lead you through a series of topics. In each topic you will be asked to complete associated learning and practice activities. These activities and tasks will assist you to gain knowledge and skills. You will be required to read notes, write answers to questions and undertake practical exercises.

It may take a few hours to complete the theory activities but it may take weeks to complete the practice activities.

Please contact your Lecturer or Workplace Trainer if you have any difficulties in completing a learning guide.

All tasks must be completed and signed off prior to progressing to the next level...

TAKE THE RESPONSIBILITY FOR YOUR OWN LEARNING

- Complete the activities on time.
- Read/research information about the topic.
- Repetition of an activity will help develop your skills.
- Short test with model answers will let you know how you are going.
- Feedback from your lecturer will help you to apply your knowledge and skills.
- Extension exercises set by your workplace trainer or lecturer will further challenge and expand your knowledge and skills.
- Ask your workplace trainer to clarify a point if necessary.

- View videos on topic.
- Research internet on topic.

In order to complete the practical course you will need the following:

- pen/pencil
- Eraser
- Paper
- coloured pencils/pens

COMMUNICATION

- Both hard copy and email contact are acceptable.
- If a student is ill on a workshop or field day it is expected you will contact your lecturer trainer at your earliest convenience.
- You may contact lecturers by email or phone at the office numbers.
- You may submit assignments by email CODE OF CONDUCT FOR PRACTICAL COURSE WORK.

Behaviour:

- You will be expected to role model, at all times, the professional behaviour and lifestyle ethos presented in this course. You are required to behave in a responsible manner at all times and to display respect, tolerance and non-discriminatory attitudes to all fellow students, staff and clients.

Course attendance:

- Students must attend all the classes, workshops retreats as set out for their chosen course of study.
- Home study components will require submission assessments and the instructions for these will be given out with course notes.

Punctuality:

- Students must be punctual for classes. Please arrive 10 minutes before the class begins.

Dress Code:

- All clothing must be modest, neat, clean and comfortable.
- Closed non-slip shoes are recommended for all practical workshops in the interests of safety.
- If there are any special dress and safety requirements for a particular topic your lecturers/trainers will give you advance notice.
- It is also recommended that loose fitting jewellery be removed for safety reasons.

Valuables:

- We cannot accept any responsibility for personal or valuable items.
- It is advisable to keep all purses, wallets and bags under your personal supervision at all times or you should leave them at home.

Duty of Care:

- The safety and welfare of clients, patients and staff are paramount.
- At all times you will display courteous, empathetic attitudes and be prepared to exercise Duty of Care to patients, clients, students and staff.
- All client/patient disclosures must be treated with the utmost confidentiality and their full consent must be given to any treatment offered.
- Should any client/patient sustain injury through any action or negligence on your part you will be immediately judged not competent and may be counseled out of the course.

Telephone Calls:

- No calls will be taken on your behalf, other than genuinely urgent messages. All mobile phones must be switched off during training session.

Food, Alcohol, Drugs, Smoking:

- No eating is allowed in the class or study areas.
- No alcohol or drugs are allowed on any premises at any time. Students who attend classes under the influence of alcohol or drugs will be withdrawn from course. Smokers must ensure that they use only designated smoking areas and they remain sensitive to the rights of others. This includes outdoor areas.
- No smoking in study areas.

Visitors:

- No visitors are allowed in the training areas for reasons of safety, privacy, and confidentiality of patients, clients and students. If there is an emergency the person should contact the office to arrange contact with you.

Housekeeping:

- Please notify trainers if an area is not as safe or clean as it should be.
- You are expected to leave areas clean and tidy.

Health and Safety:

- Always check that the area you are working in is clear of any dangerous objects i.e. ropes, rugs, feed bins, electrical cords, chemicals, damaged appliances or connections, other animals.
- Never run or hurry through an area where there are animals. Wet floors can be dangerous if these have not been marked please notify trainers.
- Observe all industry Codes of Practice relating to prevention of cross infection, handling and disposal of body and chemical wastes, chemical and body substance spills and back care.

SECTION 1

History of Bowen Therapy

Tom Bowen, Geelong, and how a technique for people came to be used on horses.

Bowen Therapy history

Mr. Thomas A Bowen (1916-1982) developed the therapy known as The Bowen Technique in Geelong, Victoria. After returning from World War II, (1945) Mr. Bowen became interested in alleviating the suffering in humans and developed this technique over the next several years. Mr. Bowen developed the technique without any formal training in the health field and claimed the work was simply a 'gift from God'. He eventually opened his clinic full time and practiced in Geelong until his passing in 1982.

The 1975 Victorian Government inquiry into Alternative Health Care Professionals cited Mr. Bowen as seeing some 13,000 patients per year (as assessed over a 27 week period).

Mr. Bowen did not have any charts or manuals but allowed six men to observe and document his technique. This was subsequently verified by Mr. Bowen and his assistant, Mrs. Rene Horwood, as a true representation of the original technique.

Mr. Bowen did treat horses on occasion but preferred his human patients.

Because this technique is so effective, it has now been accepted by a wide range of people throughout the world and has the capability to address many different problems.

DEVELOPMENT OF TOM BOWEN'S TECHNIQUE

A truly gifted man Mr. Thomas Bowen (1919-1982) developed his own outstanding and innovative technique but did not record how or why his technique was performed. He described it as energy being temporally trapped in one area, then being released.

As an example - as a musician must tune his instrument for it to perform efficiently, so to the body also reacts to these small deviations to vibration frequency or tone. Therefore the gentle non manipulative, subtle moves of Bowen treatment also stimulates the body creating a balance and stimulating energy flow enabling the body to heal itself.

The Bowen technique has now been expanded to treat animals and humans health problems from birth to old age.

As a complementary technique it can be used very successfully by itself or included into any other healing modality.

Bowen therapy is now taught worldwide.

SECTION 2

Explanation of Bowen Therapy

What the technique is, what it works on and the schools that grew from it.

Explanation of this technique

The technique provides a very gentle, non-manipulative, non-aggressive sequence of moves or holding positions. These create stimulation of the lymphatic system and assist in the elimination of waste products, speed the flow of nutrients and oxygen that revitalise the body, which in turn improves muscle function and creates a deep sense of relaxation. In theory this then allows the body to re-pattern energy fields to enable physical, mental and emotional healing.

By combining moves, both in placement and combination, the practitioner is able to address the body as a whole or target a specific problem.

Bowen Therapy is a "complementary" modality, which means it will enhance and complement, and not interfere with, other medical attention.

The technique is simple once mastered and **works on human and animal complaints**, including:

- | | |
|------------------------------------|---|
| 1. relieving pain | 11. sciatica |
| 2. sore shins | 12. TMJ |
| 3. back and neck problems | 13. stress |
| 4. bowel problems | 14. musculo-skeletal problems from lumbar to neck |
| 5. jaw problems | 15. increasing energy |
| 6. sport and work related injuries | 16. improving behavioural problems |
| 7. foot and ankle problems | 17. encouraging natural movement |
| 8. digestive complaints | 18. correcting uneven gait |
| 9. respiratory complaints | 19. lameness |
| 10. frozen shoulder | 20. and many more |

The information contained herein is not recommended as an alternative to seeking sound medical advice from a professional medical practitioner.

The use of information contained in this document or discussed by the course presenters is at the discretion, and is the responsibility, of the individual.

Bowen theories

Bowen is based on Tom Bowen's work, with some of the newer theories being Myopractic, Fascial Kinetics, NST, ISBT, EMRT (equine muscle release therapy) and others.

Information regarding any of these theories can be researched on the internet.

Underpinning knowledge and assessment map

Heather: you removed these two pages in your written list and then asked on the phone for all the assessment material to go back in for the course. They are in the course manual only; say if they should go.

Knowledge of the history and development, philosophies and beliefs of Bowen Therapy and its common interpretations, within the health care framework See Under “Work within a Bowen framework”
 Knowledge of the variations of the moves/ procedures from the different interpretations of Bowen Therapy The following are some of the variations of different interpretations of Bowen therapy:-

1. Myopractic- development by Neil Skilbeck, a student of Tom Bowen.

Uses both muscle and skeletal diagnostics to determine the clients problems. Moves are designed for maximum grip with a pronounced stop at the end of the move to create some vibration in the tissues.

2. Smart Bowen- Uses some basic body diagnosis. Developed from Bowtech methods combined with trigger point positions.

3. NST Derived mainly from Bowtech with some influence from Kevin Ryan’s interpretation. Uses muscle testing for its diagnostics.

4. Fascial Kinetics- Derived from Bowtech. Has a strong explanation as to how it works, gathered from eastern philosophy and linking it to the body tissue fascia, hence the name. Moves are very smooth without any pronounced vibration.

5. ISBT- Derived from Bowtech. Has an eastern influence both in its treatment points and philosophy.

6. Bowtech- Developed by Oswald Rentsch a student of Tom Bowen. Traditionally developed without any diagnostics using a prescription treatment method of set routines.

Knowledge and understanding of advanced Bowen Therapy techniques.

Assessed at the workshop Ability to recognise when advanced Bowen Therapy techniques are required in a treatment plan for the best outcome for the client/ patient Assessed at the workshop Ability to effectively apply the advanced Bowen Therapy techniques from any of the different interpretations of Bowen Therapy Assessed at the workshop Ability to observe, recognise and record the influence of the application of the advanced Bowen Therapy techniques on the client/ patient Assessed at the workshop Knowledge and understanding of the best practice Bowen Therapy See under “Work within a Bowen therapy framework-Clinic guidelines” Knowledge of ethical issues in Bowen Therapy See under 5.1 Principles of Bowen therapy Knowledge of OHS requirements in the workplace See Under “Work within a Bowen framework” Knowledge of the rationalistic, analytical approach to an understanding of disease See under “Work within a Bowen framework” Knowledge of the effects of Bowen Therapy on the body structures See under “Work within a Bowen framework”. In addition to this bones and consequently joints are strongly influenced by the cross fibre moves. Well designed moves will realign the skeleton, balance the hormones and nervous system.

Ability to identify prominent bones/ structure, body landmarks and skeletal muscles Assess at the workshop 17 areas connected to an understanding of the human body

Refer to Anatomy and Physiology

ELEMENT 1. DEMONSTRATE KNOWLEDGE OF COMPLEMENTARY THERAPIES

1.1 PRINCIPAL THERAPIES COMPLEMENTARY TO BOWEN THERAPY ARE IDENTIFIED

1.2 General information on principal complementary therapies is provided 1.3 Primary focus and major differences between physiotherapy, osteopathy, chiropractic therapy, massage therapy and Bowen therapy are explained 1.4 The characteristics of allopathic and naturopathic approaches to treatment are described.

1.5 Relationships between conventional, complementary and alternative medicine or approached to treatment are outlined with the role of Bowen therapy described within this framework.

1.1 PRINCIPAL THERAPIES COMPLEMENTARY TO BOWEN THERAPY ARE IDENTIFIED

See under “Work within a Bowen framework” 1.2 General information on principal complementary therapies is provided See under “Work within a Bowen framework” 1.3 Primary focus and major differences between physiotherapy, osteopathy, chiropractic therapy, massage therapy and Bowen therapy are explained See under “work within a Bowen framework”. No.3.3 1.4 The characteristics of allopathic and naturopathic approaches to treatment are described See under “Work within a Bowen framework”. No. 3.4 1.5 Relationships between conventional, complementary and alternative medicine or approaches to treatment are outlined with the role of Bowen therapy described within this framework.

See under “Work within a Bowen framework”. No. 3.5

ELEMENT 2. APPLY KNOWLEDGE OF ANATOMICAL AND PHYSIOLOGICAL TERMINOLOGY

and principles to Bowen therapy treatments 2.1 Relevant anatomical and physiological terminology is used in the development of treatment plans.

All your records of assessment and treatment plans would be written in the common language used by all health professionals which is medical terminology. This not only assists other practitioners they may from time to time have to take over your clients in your absence, but will be an accepted source of information in legal cases and in referrals.

Anatomy, physiology and the schools of Bowen

Heather: this page and page 23 are from the human Cert IV framework. Not on your list, so they stay for now.

2.2 Relevant anatomical and physiological terminology is explained as necessary to the client/ patient in performance of Bowen therapy treatments.

As a Bowen therapist, education should be your chief work and so it will be necessary to explain some of the client's problems using commonly known medical terminology. Although you will need to interpret those areas that they may not understand.

2.3 The relevant knowledge of anatomy and physiology is applied in Bowen therapy treatments. Bowen therapy is a modality that lives anatomy and physiology. All its discoveries are based on the body's principles. Muscles move bones is a clear example as to how Bowen therapy works side by side with physiology. When bones are clearly out of alignment then you will be able to apply the relationship to the muscle that was responsible for the movement. 2.4 Relationships of the body's systems and functions are integrated in the conduct of Bowen therapy treatments.

This was clearly mentioned above.

2.5 Principles of the body's systems and functions as they relate to Bowen therapy treatments are applied in the provision of aftercare recommendations, service and advice. Addressing Postural issues is an important aspect of the successful recovery of a client. To put it simply poor posture is a state of muscular imbalance whereby one or more muscle groups are dominant while the other opposing groups are weak. Applying this principle client homework in the form of corrective stretches and exercises is utilising the body's principles to bring about a positive change.

Element 3. Apply techniques of different Bowen schools or advanced Bowen techniques in Bowen therapy treatments

3.1 DIFFERENT SCHOOLS OF BOWEN THERAPY ARE IDENTIFIED

Myopratic, Smart Bowen, NST, Fascial, ISBT and Bowtech 3.2 Factors that may interfere with the effectiveness of proposed advanced Bowen treatments are outlined. The client may be too sensitive to the treatment, The problem may have been there too long. The client may be too old or sick to obtain benefits from the technique. 3.3 Advanced techniques of any school additional to those in traditional basic Bowen moves are demonstrated in treatment of prescribed conditions.

Assessed at workshop

3.4 ADDITIONAL TECHNIQUES EMPLOYED ARE DETAILED AND RECODED

It is important to keep a record of all your treatments techniques including the additional ones that you employ to obtain the improvement that you are looking for.

Professional expertise

3.5 ATTRIBUTED OUTCOMES ASSOCIATED WITH THE TECHNIQUES EMPLOYED ARE EVALUATED IN A CLINICAL SETTING IN TERMS OF PATIENT RESPONSE

In order to measure your success or failure with your techniques it is important to use a measurement of some kind. For example, having the patient rotate their head from side to side before treatment and afterwards supplies you with a patient response that will tell you whether you have succeeded or not, and to what degree the technique worked.

Element 4. Develop professional expertise

4.1 CONDITIONS AND/OR TREATMENTS IN WHICH RESEARCH IS TO BE UNDERTAKEN ARE DEFINED

It is obvious that when you undertake any research with your work as a Bowen therapist that you define the area of research. Are you researching a structural imbalance, a disease, or a new technique?

4.2 RESEARCH OBJECTIVES AND REQUIREMENTS ARE IDENTIFIED

List your objectives and also the requirements that you will need to complete the task.

4.3 RESEARCH STRATEGIES ARE DESCRIBED

The strategies that you will need to employ to be able to reach your objectives need to be defined. For example, if you are researching a new technique, will you perform the research on everyone who has a particular problem, or on all people?

4.4 LITERATURE AND/OR CLINICAL STUDIES ARE ACCESSED, ANALYSED AND EVALUATED

If available, you need to be able to access information that other people have developed. There is an old saying: "why reinvent the wheel".

4.5 RESEARCH OUTCOMES IN CASE PRESENTATIONS AND/OR LITERATURE REVIEWS ARE PROFESSIONALLY PRESENTED

When it comes time to release your research outcomes, ensure they are professionally presented. Perhaps you could use other researchers' articles as guidelines. For example, scientific studies are published in journals such as JAMA. Journals such as these are available in hospital libraries.

Item 3.6 removed at Heather's request.

SECTION 3

Occupational health and safety

Every animal can bite, scratch or kick. Safety checks before you start.

Occupational health and safety guidelines

WorkCover OHS regulations will be adhered to.

No matter how experienced you are, please prepare yourself for an adverse reaction from the animal you are treating. No matter how small or large, or how long you have been working with or handling an animal, they can all bite, scratch or kick.

Whilst all reasonable care has been taken to ensure the health, safety and welfare of both humans and animals attending this course, we cannot be held responsible for accidents occurring which are beyond our control.

Safety requirements: animal

1. Check the area is safe, with no dogs, ropes or other equipment around that could cause you or your patient damage.
2. Electric fences are off.
3. Ensure leads are in good condition.
4. Remove any other animal if possible, so as not to upset the animal in your care.
5. Is the area safe from interruption?
6. Is the area free of objects lying on the ground?
7. Is a safe area available?
8. Is it as flat as possible?
9. Is a competent person available to assist you?
10. Carry all equipment with you.

Safety requirements: location

1. Note emergency exits, both on the property and on roads travelled, in case of fire.
2. Many locations have their own fire drill. It is your responsibility to be aware of these.
3. Is there a problem with the terrain? Can you get your vehicle on and off the property?
4. Obtain clear directions to the property.
5. Obtain clear information on the condition of the animal.
6. Is there mobile phone reception?

Anti-discrimination legislation

At no stage will discrimination be tolerated in any form by lecturers, students or clients, and such breaches should be brought to the notice of the office.

Reference: Anti-Discrimination Act 1991.

Insurance

It is suggested that for your own protection some insurance be obtained, for example income protection. Contact an insurance company for advice.

Membership of the Bowen Therapist Association of Australia will provide the necessary information on professional insurance at successful completion of the course.

The student will need an up-to-date Medicare card and/or private health insurance. Students are responsible for their own health care costs.

The Flexible Learning paragraphs that followed on this page in 2016 repeated page 6 and have been dropped.

SECTION 4

Client information: the first visit

What to settle with the owner before you arrive, and the record you keep.

Client and owner information, first visit

1. Time taken for the first visit can depend on the problems you are presented with, but allow at least one hour for the initial consultation.
2. Gather as much information as you can on the location of the property and the problem with the patient. This could assist with what you need to take with you.
3. Explain costs: hourly rate plus travelling?
4. Is WorkCover to be considered?
5. After-hours service: phone number and charges provided.
6. Home visits are recommended for all animals. They are more relaxed in their own environment and the treatment is not "undone" on the way home.
7. Proof of qualification and identity: carry these with you in case they are requested.
8. Explain the preferred conditions for treatment, for example a shed, shade or a flat area, and how the animal is to be contained or restrained. Remember the OH&S information.
9. Ask the owner if there are any questions.
10. Give the owner a care plan for the next few days.

Client data

NAME _____ PARTNER'S NAME _____

ADDRESS _____

PHONE _____ MOBILE _____

EMAIL _____

PET'S NAME _____ BREED _____

AGE / DOB _____ SEX _____ DESEXED _____

PET'S NAME _____ BREED _____

AGE / DOB _____ SEX _____ DESEXED _____

NOTES

SECTION 5

Your presentation

How you arrive, greet, explain and leave.

Professional presentation

1. Arrive on time, or contact the client to keep them informed of any delays.
2. Introduce yourself in a professional manner.
3. Greet the patient in the manner of its breed. This will be explained in the course.
4. Ask to be taken to the patient.
5. Explain to the client what you want them to do if the patient reacts to your treatment, and what the patient's reaction could be.
6. Ask the client to walk the patient out (if possible) so you can watch the patient's movements and check for results.
7. Ask for the client's observations of the patient.
8. Explain to the client the expectations of the treatment and the changes which could occur over the next few days.
9. Give exercise information if necessary.
10. Wash hands and boots prior to leaving the property.
11. Be polite but firm with your information and follow-up treatment requests.
12. Record all client information.
13. Always be clean, neat and tidy.
14. Remember privacy regulations.

SECTION 6

Code of ethics

The standards every practitioner trained by the College works to.

Code of ethics

- Demonstrate commitment to provide the highest quality Bowen Therapy and animal care to those who seek our professional service.
- Acknowledge the inherent worth and individuality of each person by supporting and treating colleagues, peers and clients with courtesy.
- Demonstrate professional excellence through regular self-assessment of strengths, limitations and effectiveness, and by continued education and training.
- Acknowledge the confidential nature of the professional relationship with clients and respect the client's right to privacy.
- Conduct all business and professional activities within our scope of practice and project a professional image.
- Avoid claims of cure or alleviation of medical conditions.
- Accept responsibility to do no harm to the physical, mental or emotional wellbeing of ourselves, our clients and associates.
- Work with respect and integrity to the highest good of the client and refrain from sexual misconduct.

SECTION 7

Clinical record and assessment

Care advice, the palpation and flexion tests, being a detective, and the forms.

Care advice before and after a Bowen treatment

- Animals may relax and may even go to sleep after treatment.
- If an animal falls asleep during treatment it has had enough.
- Animals may drink a large amount of water after treatment.
- An animal's personality may change.
- Gentle walking after the treatment, or light exercise as you recommend for the welfare of your patient. Depending on the animal's situation a week off work may be beneficial.
- Any vaccinations should be at least 4 days after a treatment or at least 1 week prior.
- Do not worm the animal for at least 4 days before or after a treatment.
- Any dental work should be finalised 4 days prior to treatment.
- Do not put the animal on a walker or swim it in one direction.
- Try not to constrain the animal for at least 2 days so the healing process has the best opportunity to work.
- Do not use heat or cold pads, ultrasound etc. for at least 4 days after treatment.
- Changes in the animal could be noticed up to 5 days after treatment.
- A follow-up treatment is recommended in 1 week.
- If there is a possibility the animal has re-injured itself, a repeat treatment is recommended as soon as possible.

Contra-indications

Do not use the coccyx procedure if there is a possibility of pregnancy.

Possible changes to the animal during or after treatment

- The back may straighten
- Gait may improve
- Hair may stand up
- Lustre and texture of the coat may improve; the removal of toxins by improved lymphatic drainage will improve the condition of the coat
- The coat could change direction
- Fluid could move into the legs

Palpation tests

Spinal: gentle pressure along both sides of the spine to check for flinching or bounce.

Nerve: does the animal flinch when you run your fingers approximately 3 inches (8 cm) from the edge of the spine?

Shoulder: bend the front foot back; it should nearly touch the lower leg. The greater the distance from the foot to the leg, the greater the problem in the shoulder on that side.

Diagnostic technique for a horse

Dr Brian McLaren has very kindly given his consent for his technique to be taught in this course.

Flexion tests

Flexion tests are non-conclusive, but nevertheless are a tool to guide us to a lameness site. The diagnostic technique for horses will present you with this information first.

Interpretation of a suspect problem as a result of a flexion test or a reaction to palpation should be confirmed by ultrasound or radiograph if you or the owner requests that service. Only then can a more accurate diagnosis result.

Assessment checks for animals

These can vary with the animals presented.

- Do not pat or rub the animal during treatment
- Focus on the animal
- Do not make eye contact
- Stay relaxed but alert yourself
- Don't overdo the treatment: less is best
- Watch if the animal is sore; it may get aggressive

You need to be a detective

Treat what you see and feel.

Use your eyes

Watch the animal walk from all directions if possible: front, side and back.

- What is the head doing?
- What are the legs doing?
- What is the tail doing?
- Is it stepping short?
- Is it swinging its legs?
- Is the rump level?
- Is there any clicking in the joints?
- Is the animal placing its back legs in line with the front? (Tracking correctly)
- What are the shoulders doing?
- Is there any swelling?
- Is there any deformity?
- Is the animal dragging a foot?
- Watch the animal at an easy trot or run if possible from all sides and see if any of the above change
- What is the surface of the ground like?
- Are there any visible injuries?
- What is the condition of the feet?
- What does the animal do when asked to move in a circle, in both directions?

Use your hands

- Is there any heat?
- Is there any spasm?
- Is there any other reaction to your touch?


Equine analysis form

NAME _____

SIRE _____

DAM _____

AGE _____



Key points

- | | | |
|--------------------------------|---------------------------------------|------------------------------------|
| ☐ Long | ☐ Masseuse | ☐ Worse |
| ☐ Where | ☐ Chiropractor | ☐ Lifestyle |
| ☐ When | ☐ Acupuncture | ☐ History |
| ☐ Vet | ☐ Alternatives | ☐ Future |

Does your horse suffer from

- | | | |
|--|--|--|
| ☐ Abscesses | ☐ Haematomas | ☐ Lactic acid associated problems |
| ☐ Sore shins | ☐ Vertebrae problems | ☐ After-race stiffness |
| ☐ Joint and tendon problems | ☐ Foot problems | ☐ Pulled ligaments |
| ☐ Sore or cold back | ☐ Lymphatic and swelling problems | ☐ Muscle and jarred shoulder problems |
| ☐ Swollen knees | | |

Additional comments

Health care chart (dog and cat)

DATE _____ CLIENT _____ PET _____ DOG / CAT _____

Heart	Normal ☐	Ears	Normal ☐
Urogenital system	Normal ☐	Eyes	Normal ☐
Digestive system	Normal ☐	Mucous membranes	Normal ☐
Lungs	Normal ☐	Teeth score	1 · 2 · 3 · 4 · 5
Skin	Normal ☐	Lymph nodes	Normal ☐
Nervous system	Normal ☐	Body score	1 · 2 · 3 · 4 · 5
Musculoskeletal system	Normal ☐		
Body weight	 kg	Vaccination	Current / overdue
Pulse		Flea control	Current / overdue
Respiration		Parasite prevention	Current / overdue
Temperature		Heartworm	Current / overdue

Comments

Treatment plan

Teeth score: 1 healthy teeth and gums · 2 gingivitis · 3 early periodontal disease · 4 moderate periodontal disease · 5 severe periodontal disease. **Body score:** 1 emaciated · 2 poor · 3 ideal · 4 solid · 5 obese.

Case card (horse)

OWNER _____

ADDRESS _____

POST CODE _____

PHONE (H) _____

PHONE (W) _____

MOBILE _____

VET _____

VET PHONE _____

FARRIER _____

FARRIER PHONE _____

HORSE'S NAME _____

BREED _____

COLOUR _____

SIZE _____

WEIGHT _____

BORN / AGE _____

MARKINGS _____

DISCIPLINE _____

DATE _____


Conditioning: Low ☐ Moderate ☐ High ☐ Overweight ☐ Underweight ☐

Major complaints: where, what, when and how

History of present problems

History of past problems

Examination and palpation




Treatment

Maintenance program

Exact markings to be shown

Please tick the box if there are no white markings ☐


Fill in the diagrams with the exact position of markings, brands and permanent scars.




Heather: the front view of the head from the 2016 form still needs drawing in the new style; the two side views are in.

Horse outline for marking



Use these outlines to mark where you find heat, spasm, swelling or a reaction to touch. Near side on the left, off side on the right.



Near side



Off side




SECTION 8

Equine skeletal points and human comparison


Where the bones and muscles are, and how they map onto our own.

Skeleton of horse and man compared

The horse stands on the equivalent of our fingertips and toes. Once you see which joint answers to which, the horse's leg makes sense.



The horse. Left side view.




Man. Front view.


HORSE	HUMAN EQUIVALENT	NOTE
Shoulder blade (scapula)	Shoulder blade	The horse has no collarbone; the forequarter hangs in a sling of muscle.
Elbow	Elbow	Sits against the body, level with the bottom of the chest.
Knee	Wrist	The horse's "knee" is the carpus, a wrist.
Cannon bone	Middle finger bone (metacarpal)	One bone carries the leg; the splint bones are the vestiges of two more fingers.
Fetlock	Knuckle	The joint that drops almost to the ground at the gallop.
Pastern	Finger bones	The long and short pastern bones.
Hoof	Fingernail and fingertip	The coffin (pedal) bone sits inside the hoof.

Stifle	Knee	The true knee, with a kneecap (patella).
Hock	Ankle and heel	The point of the hock is the heel bone.
Hip	Hip	The point of the hip is the tuber coxae of the pelvis.

Points of the horse




- | | | |
|-------------------------|---------------------------------|-----------------------------|
| 1 Withers | 14 Loin | 27 Flank |
| 2 Cannon bone | 15 Angle of heel | 28 Curb groove |
| 3 Fetlock joint | 16 Crest | 29 Frog |
| 4 Pastern | 17 Point of hip | 30 Forelock |
| 5 Coronet | 18 Stifle joint | 31 Forearm |
| 6 Dock | 19 Ribs | 32 Sole |
| 7 Second thigh | 20 White line | 33 Poll |
| 8 Foot | 21 Fetlock | 34 Wall |
| 9 Chestnut | 22 Tendons | 35 Point of shoulder |
| 10 Ergot | 23 Elbow | 36 Hip joint |
| 11 Cleft of frog | 24 Shoulder | 37 Point of stifle |
| 12 Knee | 25 Gullet | 38 Croup |
| 13 Hock | 26 Projecting cheek bone | 39 Heels |



The foot from below. 11 cleft of frog · 15 angle of heel · 20 white line · 29 frog · 32 sole · 34 wall · 39 heels

Deeper muscles of the horse



The muscle groups of the horse, left side. The stress points in Section 12 sit on the muscles named on each page.

The big groups you will work most: the muscles of the neck (brachiocephalicus, splenius, the multifidus chain), the shoulder (supraspinatus, infraspinatus, triceps), the back (longissimus dorsi and iliocostalis, running the length of the spine), the hindquarter (the gluteals, biceps femoris, semitendinosus and semimembranosus) and the gaskin (gastrocnemius).

Heather: this drawing is unlabelled. If you want individual muscles named on it, tell me which ones and they will be added with leader lines.


SECTION 9

Observe and assess movement


Joints, the way of going, hoof and pastern, conformation and farriery.

Diarthrodial joints: movements of the limbs


A diarthrodial joint is a freely moving joint. The joints of the limbs move in four ways.




A • Flexion. The joint closes.



B • Extension. The joint opens.



C • Abduction. The limb moves away from the midline.




D • Adduction. The limb moves towards the midline.

Supporting leg interference

This occurs when the striding hoof contacts the opposite limb (the supporting leg). Front legs can hit each other, or hind legs can hit each other, at the hoof, pastern, fetlock, cannon or knee. This is commonly called "brushing".

Striding leg interference

Striding leg interference occurs when the hind leg and the folding foreleg on the same side come into contact.




Forging. The toe of the hind hoof about to strike the front hoof at the trot.

- **Forging.** The toe of the hind hoof contacts the sole or shoe of the front hoof. This is the "click click" sound commonly heard at a slow trot. It often occurs in young, unbalanced horses but usually disappears as the horse matures and gains strength.
- **Over-reaching.** The toe of the hind hoof hits the heel of the front hoof, often resulting in deep lacerations.
- **Scalping.** The toe of the front hoof hits the front of the hind hoof, at about the coronet.
- **Speedy cutting.** The front hoof (usually the outside quarter of the hoof) hits the inside of the hind leg, anywhere between the pastern and the hock, at a canter or gallop.


Hoof care

Most of the faults below come from overuse of the rasp.




Correct

Correct. A full bearing surface at the toe and both heels.



Dumped toe

Dumping the toe. Excessive toe has been rasped away. This reduces the bearing surface and may expose the underlying soft horn.




Uneven bearing

Uneven bearing surface. The toe and the opposite heel, or one side of the foot, have been over-dressed, so the hoof no longer meets the ground level.

Defects in the way of going


These defects can be classified as deviations in the flight of the hoof, striding leg interference and supporting leg interference.

Deviations in the flight of the hoof




Straight

Correct. The hoof travels forward in a straight line.




Paddling

Paddling or winging out. Associated mostly, but not always, with pigeon toes. The hoof swings outwards as it is carried forward.



Dishing

Dishing or winging in. Associated with toed-out conformation. The hoof swings inwards in flight.



Rolling

Rolling. The horse places the hoof in front of the opposite leg, as if tightrope walking.


- **Choppy action.** A short, quick, irregular stride.
- **Pounding.** Associated with a straight shoulder, an excessively heavy forequarter or a long weak back. The front hooves contact the ground with a heavy concussive force.

Conformation and flight patterns: the hoof and pastern

Normal conformation and deviation from normal


Viewed from the side, the hoof should be at the same angle as the pastern. A broken angle results in excessive stress on the joints of the lower leg. The angle of the pastern to the ground should be 45 to 50 degrees, because this angle is best for absorbing concussion and greatly reduces the risk of injuries to the joint, tendons or ligaments.

The hoof should be of good size, rounded and set wide at the heels. The frog should be large and fleshy. When the hoof hits the ground the heels spread and the frog comes in contact with the ground. This absorbs the concussive shock and pumps blood back up the leg, a vital aspect of lower leg circulation. The hoof wall expands slightly at the neck and heels when the hoof hits the ground; this action also absorbs concussion.




a · Normal

Normal foot. Hoof and pastern on one axis at 45 to 50 degrees.



b · Sloping

Sloping foot. A long, low axis.



c · Upright

Upright (stumpy) foot. A short, steep axis.

Stride elevation



Sloping pastern

Sloping pastern. A long, low stride.



Upright pastern


Upright pastern. A short, high, jarring stride.

Conformation of the legs


In the diagrams below the ideal conformation results in an imaginary line running down the centre of the leg from the point of the shoulder to the centre of the hoof. The weight is borne evenly down the leg and, in action, the leg moves forward in a straight line.

The limb deviations shown result in excessive stress along one side of the limb, which may result in strains or concussive injury. The deviations will also affect the swing of the legs: for example, the pigeon-toed stance will result in a winging-out or paddling action, whilst the toed-out stance will result in winging-in or dishing, which may cause interference with the opposite limb. Stress forces move away from the centre of the leg. These affect both the length of stride and the wear and tear of the joints of the foreleg.


Front legs, seen from the front



Front legs, seen from the side




Hind legs, seen from behind



Conformation of the deviation of the pastern


When the pastern and hoof do not align with the leg, the uneven stress predisposes the horse to degenerative diseases of the pastern joints (for example ring bone).

The pastern should be of medium length with a good slope, between 45 and 50 degrees, to provide good shock-absorbing capacity. If the pastern is too short or too upright then concussion is poorly absorbed, giving a jarring stride. If the pastern is too long or too sloping then the fetlock is poorly supported, resulting in excessive strain of the ligaments and tendons along the back of the leg, and sometimes the sesamoid bones at the back of the fetlock become damaged.




Correct pastern

Correct. One unbroken axis.



Upright

Upright. Short and steep; concussion is poorly absorbed.




Broken angle

Sloping with a broken angle. The pastern slopes more than the hoof; the fetlock is poorly supported.


At every stride when galloping, or landing over a jump, the fetlock joint comes almost to the ground. This stretching is controlled by the flexor tendons and the suspensory ligament, and the strain is shared by these structures. Extra stress usually falls upon the suspensory ligament and some of its fibres may be torn. Over-flexion of the fetlock joint can result in strained tendons and ligaments and fractured sesamoids.

Evaluation of farriery procedures


All horse owners need to develop basic skills in evaluating farriery procedures. Many unsoundness problems or poor performance could result from less than good hoof care. Four checks:




From the front. The plumb line from the centre of the leg should split the hoof in half: A should equal B.



From the side. Check the hoof-pastern angle: one straight axis at 45 to 50 degrees.



From the rear. Check for a level bearing surface: both heels meet the ground together.



From the side, in motion. Check the flight pattern: the hoof should travel forward in a smooth, low arc.

SECTION 10

Working within a Bowen Therapy framework

Philosophy, principles, the schools, and the clinic and legal guidelines.

Work within a Bowen framework

Heather: this section (pages 62 to 77) is the human Cert IV framework text with Queensland legislation. Not on your list, so it is set here as it was, auto-typeset and lightly proofread.

Certificate IV Units

1. Work within a Bowen Framework

Underpinning Knowledge

Knowledge of philosophical tradition of Western and Eastern body therapies Western therapy has evolved from the early pioneers of Paracelsus and Pasteur and others to modern day medicine as found in western countries such as Europe, America and Australia. It believed that disease is caused by germs, viruses or toxins: although it admits that it does not know the cause to most diseases. It uses mostly synthetic drugs to produce the opposite reaction to the local symptom or process. For example contracted bronchial (windpipe) is creating difficulty in breathing and therefore a drug that possesses a dilating (opening) effect will obviously improve the symptoms. This western approach is known as allopathic or orthodox medicine.

Eastern therapy has evolved over thousands of years particularly from China where disease is considered a state of imbalance caused by an energy disturbance. It believes that energy flows through certain channels in the body to each organ. If the energy supply is either deficient or too high then the tissue or organ will become abnormal in its function. Treatment to rectify the imbalance is given by herbs, acupuncture or by rubbing certain points. This eastern approach is called traditional Chinese medicine.

Bodywork may also be divided up into western and eastern approaches, although there is some overlapping in some areas. Physiotherapy, chiropractic, osteopathy and many soft tissue techniques including massage come more from a western approach following the idea that there is a specific problem or symptom that can be located requiring a specific correction. Acupressure, shiatsu and other meridian based bodywork systems are derived from the east and are concerned more with energy flows that may be interrupted anywhere in the body which in turn will create a disorder of some kind. Bowen therapy while its approach is more western, it nevertheless, has some of the eastern concepts in its understanding.

Knowledge of the history and development of Bowen Therapy See under this section headed '1.2 history of Bowen therapy' Knowledge of the effects of Bowen Therapy on the body surface Bowen Therapy sees the body in terms of energy flows as well as proper body physical alignment. A mechanical distortion caused by a soft tissue "knotting up" may obstruct the energy from flowing to its destination. This soft tissue abnormality is referred to as a muscular lesion. A muscle lesion may create local pain, discomfort or reduced mobility, or it may create referred pain or various may cause the misalignment of the skeletal system which in turn may impinge on nerves creating pain and bodily dysfunctions.

The Bowen therapy moves are designed to release the muscle lesions and bone misalignments. In doing this the energy, circulation and nerve flow will normalise. The typical Bowen move will within a matter of a few minutes of its execution release lymph pooling in the affected area and begin to cool the heated and irritated spot back to normal.

Knowledge of sociology of health and the health care system The health care system in Australia is made up of the mainstream, more largely accepted western orthodox medical system and alternative health care. While the medical profession is still the most accepted way of a person receiving treatment, in more recent years the alternative methods are more widely sought for. In the main the medical profession is the one to go to in emergencies and for operations to correct conditions beyond the body's ability to repair. However, in the areas of general diseases, alternative health care now offer other stiff opposition to orthodoxy. Companies and government agencies representing health rebates and work care claims cover both systems allowing people to make a fairer choice as to which system suites them best. This is also true in the field of body work.

Knowledge of ethical issues in body therapies The following is a quote from Thurston regarding the general behaviour of practitioners towards their patients and colleagues, "in a general way the same policy will hold in dealing with adult patients as with children; kindness, but firmness, with an even temper and perfect self-possession. N indifference or how impatient, exacting and unreasonable the patient may be, one should never be seen to lose temper, however provoked one may feel. It is better with a few kindly expressed and 'fit words aptly spoken', to bid the patient good-bye and leave saying I will be glad to return and do all I can for you when you can be reasonable and treat me right."

Knowledge of OHS requirements in the workplace In Queensland as with other states of Australia legislation have been introduced to ensure that there are regulations regarding safety in the workplace. In Queensland the regulations are under the Workplace Health and Safety Act 1995.

Aim of Act

To ensure that your health and safety is not put at risk because of your association with the workplaces.

Persons covered under the act

- Persons who conduct a business or undertaking
- Employers
- Self Employed people
- Persons in control of workplace
- Principle contractors
- Designers, manufacturers and suppliers of plant
- Erectors and installers of plant
- Owners of specified high risk plant
- Manufacturers and suppliers of substances to be used at workplaces
- Persons in control of buildings or structures used at workplaces
- Persons in control of fixtures, fittings and plant situated in buildings or structures used as workplaces
- Workers and other persons at workplaces – eg customers and visiting sales people.

If this act applies to you then there are workplace health and safety obligations you must meet.

Workplace obligations

As the first three categories apply to Bowen therapists the obligations that you need to meet are as follows:-

- Business- You must ensure the health and safety of each person who performs a work activity for the business undertaking
- Employers- you must ensure the health and safety of each of your workers and the health and safety of yourself. You are also required to ensure the health and safety of other people is not adversely affected by the way you conduct your business and work activities.
- Self-employed- You must ensure that your own health and safety and the health and safety of others is not adversely affected by the way you conduct business and work activities.

Meeting obligations

This can be done in the following ways:-

- Regulations- Either prohibit exposure to a risk or prescribe ways to prevent or minimise exposure to risk.
- Advisory standards- State ways to manage exposure to risks common to industry. To meet your obligations under the act you should follow advisory standards, although you may adopt another way if you think it is more suited to your business or work activity. This flexibility is designed to allow you to choose the most appropriate way to manage exposure to risks at your workplace.
- Industry codes of practice- As under advisory standards you should follow the codes of practice pertaining to your industry, unless you choose more appropriate method according to your circumstances.

Where there are no regulations, advisory standards or codes of practice you may choose your own methods. However you must take reasonable precautions and exercise proper diligence in making sure the risk is managed. At a very least a risk assessment should be conducted to identify hazards and determine appropriate control measures.

Knowledge of the rationalistic, analytical approach to an understanding of disease Disease is a common entity throughout both the animal and plant kingdoms. However at the same time we can observe many living organisms experiencing a state of health whereby they appear to not have any symptoms of disease at all. They appear to have some inbuilt resistance or are living in an environment whereby disease forces are not as strong. In humans this is particularly true because while other life forms live primarily or entirely by instinct, human kind has the power of choice that is governed by the intellect. This power of choice has changed many modern people's environment and lifestyle that is quite diverse from other more simple living peoples and those of the past. In order to understand disease then we need to just digress for a moment.

The facts are that while we are spending more money year by year then ever before on health care, we are in fact no better off. It is true that we are living longer than people of the past that were subject to a wide range of infectious diseases. However we are suffering from heart disease, cancers and a while host of chronic diseases that are a definite pattern of our modern lifestyle. Contemporary peoples of Northern Pakistan and in the Caucasian mountains of Russia are in fact living to an average of well over

one hundred years with an unusual high resistance to disease. These people live a more natural lifestyle which in contrast to ours gives them a greater level of health.

So logic tells me that there are both disease processes and health processes. It tells me that disease processes will gain the ascendancy when the external environment is unclean, the vital elements that sustain living organisms are deficient and the living organism has some primary abnormalities within its structure. On the other hand health processes will gain the ascendancy when the organism possesses a normal structure. While Bowen therapy needs to have some insight into all of these processes that effect human health in particular we are concerned mainly with structure. We are concerned with making sure that the patient's body mechanics is performing at a high level with minimal or no obstructions.

Knowledge of the empirical lines of evidence used in Bowen therapy At this point in time the procedure of Bowen therapy cannot be proven scientifically. However as with most healing modalities there is ample empirical evidence on which to base a strong foundation.

Assessment, treatment and the philosophy of Bowen Therapy

Assessment

The following evidence has in the past been cited:-

- Palpation of soft tissue reveals knotted areas of muscle fibres
- The viewing of certain areas of the body reveals fluid or lymph pooling
- Tests for the mobility of various joints have been undertaken
- Palpation of bones has revealed misalignments of various kinds
- Client presenting symptoms of pain or discomfort have been recorded
- Various medical tests of specific clients have been noted.

After a few visits Bowen Therapists have corrected all or many of the above assessed states.

Treatment

The following information of treatment procedures are based on well established principles.

- The hollows of edges of muscles if challenged by a certain amount of force will create a stimulatory/vibratory effect through the muscle fibres which will in turn create the normal proprioceptive response of relaxation.
- Cross fibre moves over crossed and irregular knotted fibres logically will split the irregularities apart, resulting in a comparative smoother and normal area of fibres.
- Most of the treatment moves of Bowen therapy are performed along the Chinese meridian channels, therefore removal of the muscle fibre blockage and fixated fluid areas will result in an improved energy flow in that area of the body.
- Trial and error over many years have resulted in procedures that produce results despite the scientific proof of what the procedure actually does.

Ability to communicate in group and one-on-one settings See element 4 Element 1. Demonstrate commitment to the central philosophies of Bowen therapy practice 1.1 Definition of Bowen therapy and the Bowen therapy technique in treatment is provided

1.2 HISTORICAL DEVELOPMENT OF BOWEN THERAPY IS PROVIDED

1.3 BOWEN THERAPY PHILOSOPHY IS EXPLAINED

1.4 Practitioner draws on Bowen therapy philosophy to interpret health issues

1.1 DEFINITION OF BOWEN THERAPY

Bowen Therapy incorporates a series of cross fibre muscle moves using the thumb or fingers to release the tension of various body tissues. It could be likened to a moving acupressure. It realigns the body

and the musculature and balances the flow of energy around the spine, extremities and body organs. This technique can assist a wide range of body disorders, including acute and chronic neck, back and joint pain. It also can treat trauma-caused disorders of the feet, knees, wrists, arms and shoulders. Even certain internal organ malfunctions can be assisted with specific routines. All of this information is given out to clients via a clinical brochure.

1.2 HISTORY OF BOWEN THERAPY

The Founder

The late Thomas Bowen (1916-1982) developed this very unique form of soft tissue therapy. He had been continuously applying his methods to a wide range of human disorders since the Second World War. His clinic was situated in Geelong, Victoria, and he received recognition from many areas for his outstanding results. Most of the football clubs and other sporting organisations clamoured for his services for their injured players. The regional jail often called for his assistance for an injured inmate and even the horse and greyhound racing trainers rang for assistance. Tom gave his services freely to the physically handicapped. Every fortnight on a Saturday they came to him to experience his magic fingers on special nerve points. Many of them had not had the use of their limbs from birth. Most of these were delighted to be able to feed themselves and even improve their mobility, including in some cases being able to walk for the very first time.

Tom's success could also be measured by the amount of clients that poured into his clinical premises day after day. During his peak years Tom would see up to one hundred clients per day. This amount is magnified still further when one realises they he only saw the client for 2 visits spaced one week apart. Tom believed that the second visit was just a check-up or final once over.

The development

Oswald Rentsch one of Tom Bowen's students started training other in the technique from the mid 1980's onwards. Oswald spread the technique throughout Australia and finally to other countries. Neil Skilbeck and Kevin Ryan two other students of Tom Bowen's also trained people in Australia. Various schools nowadays offer different forms of Bowen therapy. The chief ones being Fascial Kinetics, Smart Bowen, NST, ISBT, Bowtech and Myopractice. A section of this historical background is also included in literature given out to clients.

1.3, 1.4 Philosophy of Bowen Therapy Bowen Therapy like most other body therapies believes that the body's structure must be in symmetry if it is to function correctly. It also believed that a misaligned structure will create lack of harmony and disorder to the function of organs and systems of the body leading to disease. In other words Bowen therapy believes in holistic approaches to the health of the body rather than a specialised or segmented approach. It believed that nature is the healer rather than a specialised or segmented approach. It believes that nature is the healer and that all the practitioner can do is to improve the structure via the muscles to the best of his or her ability and then let nature do the rest. Bowen therapy believes that as a result of physical and emotional traumas our muscles become contracted and become knotted at specific critical points. These knotted lesions affect the motion of joints, pathways of nerves, lymph and blood vessels and the free flowing energy of the body. Bowen therapy believes that its cross fibre style of moves over specific points of the muscles are the quickest and most efficient way to bring about the necessary changes to most structural abnormalities.

It is important as a practitioner to draw from this philosophy when interpreting the various presenting symptoms that clients will exhibit.

Element 2. Identify and describe the principles and practices of Bowen therapy

2.1 PRINCIPLES OF BOWEN THERAPY ARE EXPLAINED

2.2 THE TREATMENT PROCESS USED IN BOWEN THERAPY IS DESCRIBED

2.3 BOWEN THERAPY ASSESSMENT TECHNIQUES ARE OUTLINED

2.1 PRINCIPLES OF BOWEN THERAPY

The person is assessed to find out if we can help them and if so what treatment technique needs to be applied for the best results.

- Treatment moves are performed by using either the thumb (Mostly on the trunk and some extremity moves) the middle fingers (mostly on the neck) the whole hand or a combination of fingers. The basic move begins with the taking out of skin slack, a challenging or a slight build up of pressure at the edge or the tissue followed by a roll over the muscle fibres.
- The amount of pressure used in an important principal- The amount of pressure in some cases may only be very little, as the following case will illustrate.

I (Neil Skilbeck) was in Tom's treatment room one day, where Tom had previously instructed me to check a client's neck out. After having felt the client's muscles gently with my fingers, Tom returned and processed to check the client's neck himself. He rose from his usual crouched position and said "We will see you next week Mrs A" (I had corrected the problem without knowing it). He would occasionally say to me "you do not use pressure with this method". My interpretation from this was to mean that you require only just enough pressure to move the muscle successfully. If you use too much pressure the surrounding tissues will contract and you then require more pressure to overcome the reactionary tight surrounding muscles. Many practitioners use far too much pressure. This no doubt has been due to years of heavy muscle work such as remedial massage of various kinds. In the time allowed for the practical instruction of this manual, time will be set aside for you to learn the required pressure, which will vary accordingly to the point that you are on and the make up and age of the client. Strong pressure may be necessary. However unless the client understands, they may not express any pain or adverse reactions while they are being treated, but they may just not choose to go back for a further follow up visit believing that it will be too traumatising for them.

- Guidelines on order of moves- All moves are performed to the left side points of the body first, followed by the corresponding right side points unless otherwise directed. Moves lower in the body are normally performed before those above. (5) When should improvement be felt by the client?- The client may feel looser and be freer of pain at the conclusion of the visit or may not feel any noticeable difference at that point at all. The client needs to be advised that the effects of the moves will continue to work over the next few days, as gravity allows the corrections to take full effect.
- It is usual that only 2-3 corrective treatments are necessary for most recent disorders, each treatment being one week apart. Further treatments are done according to the need e.g. if the client is still experiencing pain and/or discomfort, or if a new problem arises. The number of visits will also depend on how long the problem has been there. For best results no massage or any other treatment other than hand/foot reflexology should be given at the same time as a Bowen session.

2.2 BOWEN THERAPY TREATMENT PROCESS

The practitioner will follow their treatment plan using the above principles as a guide for each treatment session.

- For most visits the treatment session begins with the client lying in the prone position. They normally have their outer clothes removed and have a couple of large towels, sheet or blanket covering them.
- The practitioner goes through each move of a particular routine using either two thumbs or fingers accordingly to principal number 2.
- Two minutes pauses are observed after certain selected moves to allow the area to drain of the accumulated lymph fluid.
- The pressure of the moves are adjusted to the type of build of the person and also from feedback that is supplied by the client.
- When the treatment session is completed an assessment is made to determine how effective the treatment moves have been
- All of your treatment procedures given is documented on your client record cards

2.3 BOWEN ASSESSMENT PROCESS

In the past Bowen therapy has either not had any assessment process at all or at the best a very scanty one. In more recent years this has changed a little so that nowadays most schools had some degree of assessment in their program. As this will vary from school to school we will just include some of the basic fundamentals.

The first interview This is where most of the assessment information is gathered. The following would constitute the most important approaches.

- Health history- Previous illness, old injuries and surgical operations.
- Current health problems- diseases or symptoms that the client is currently experiencing.
- Visual observations
- Palpation of relevant body parts, especially muscles and bones.

ELEMENT 3. DEVELOP KNOWLEDGE OF COMPLEMENTARY THERAPIES

3.1 Other complementary therapies to Bowen therapy are identified and described

3.2 INFORMATION ON OTHER COMPLEMENTARY THERAPIES IS PROVIDED

3.3 Similarities and differences between physiotherapy, osteopathy, chiropractic therapy and Bowen therapy are explained
3.4 The characteristics between the allopathic and naturopathic approaches to treatment are described

3.5 RELATIONSHIP BETWEEN THERAPIES IS IDENTIFIED

3.1, 3.2 Complementary Therapies These are the therapies that have found their way into our modern world through gaps that exist in the orthodox system. They also provide another choice of treatment to that of the orthodox in many areas. The following is a list of the most common ones with a short explanation of their approach. This list will be helpful for you when you later may have to refer your

patient on to another practitioner. Most of them should not interfere with the process of the Bowen cross fibre moves and may well complement our work.

Acupuncturist- (may also include acupressurists and shiatsu therapy) One who insert fine needles into certain points on the body to treat various body conditions. These are normally trained in the Chinese traditional methods of meridian pulse testing or by the use of electro-analysis either from the Japanese Ryodarako or the German derived systems.

Herbalist-

One who uses traditional herbs for the treatment of various illnesses. The western orientated person may be trained in various assessment techniques such as symptomology, iridology and electro-

Complementary therapies and their relationship to Bowen

analysis. The eastern or Chinese herbalist is normally trained in detecting energy abnormalities via meridian pulse assessments.

Hydrotherapist-

One who uses water in various forms and various temperatures to treat illnesses.

Psychology, psycho-therapy and Counselling-

These are various systems that assess patients from an mental/ emotional point of view in order to find out imbalances that may be creating not only disturbances in the mental/ emotional areas but which may also be affecting the person's health in general.

Naturopath-

One who uses natural remedies such as herbs, nutrients, homoeopathic medicine, diet and other natural remedies to build up the healing forces to a sick bod. It may use a number of assessment tools to find out where the body is breaking down. These may include:- Iridology, symptomology, electro-analysis, computer analysis, hair, blood, urine, saliva and stool analysis.

Chiropractor-

One who primarily manipulates the spine using sharp thrusts with the hand or hands on offending spinal segments. Most chiropractors are also trained to treat other joints and segments of the body. They believe that the spinal segments are encroaching on to the all-important spinal nerves that may create not only pain but also disease.

Osteopathy-

One who uses various positions of body leverage to manipulate all of the body's joints in order to realign the offending ones back into their proper place. As with chiropractors they believe that the spinal nerves may create various forms of disorders.

Physiotherapy-

This system of treatment which may employ various methods form joint manipulation to soft tissue treatments. These are used to treat various disorders. They are also prescribe various treatments and exercises to rehabilitate people back from accidents or surgery.

Nutritionists-

These people are trained in the uses of certain diets for the improvement of people who have specific disorders.

Homoeopath-

One who uses extremely small diluted liquids or tablets to effect positive changes for various illnesses. The traditional ones are trained in using a very sophisticated system of symptomology to arrive at a medicine.

However many are trained in electro-analysis whereby a particular machine chooses what the person requires to bring back the required balance.

3.3 BOWEN THERAPY & ITS RELATIONSHIP TO REGISTERED BODY WORKERS

Bowen therapy describes a practitioner who uses principally cross fibre muscle techniques to treat body diseases and disorders. Some Bowen therapists use the body skeletal assessment procedures similar to chiropractic and osteopathy as well as established soft tissue assessment procedures of other body workers.

Bowen therapy treatment procedures are confined to the soft tissues of the body, however it uses the well proven physiological principle of muscles moving bones to bring about positive changes in the body's alignment. Therefore it is able to achieve success in many of the areas that the registered body workers also deal with. The average Bowen therapist would however work as a complementary therapist to chiropractors, osteopaths and physio therapists. There would be times when a referral would be an appropriate action taken by the Bowen therapists to one of the registered body workers.

3.4 NATUROPATHY AND ALLOPATHY

Allopathy is the not so well known name for the orthodox western medical profession. Some of its principles have been shown under the section "philosophical traditions of Western and Eastern Therapies." And so it is now necessary to compare this to another system known as Naturopathy. Naturopathy is primarily also a western derived system and while some of its origins were the same as allopathy the two systems have totally different philosophies.

Naturopathy basis its understanding on nature. It believes that disease is process that takes place when the person is out of harmony with the laws of nature. It believes that organisms such as bacteria are not the cause of the disease but are a product of it. Each cell must be fed with the vital ingredients necessary for both its maintenance and building processes and each cell needs to be cleansed of all its waste products to ensure a clean environment devoid of bacteria, to support its living processes. On the quality of these two fundamental processes health and life depend. A "cure of a disease" or a restoration of ill health can only take place when the person brings themselves back into harmony with the natural laws. Its medicines used are those that will supply the body with proper nutrition and yet will not leave behind any deleterious effect. Its primary corrective methods are pure air, pure water, sunshine, proper diet, rest, exercise and a proper mental attitude. In its philosophy it does not believe in treating the disease but in building up health processes such as the immune system so that the body itself will treat the disease.

Allopathy believes in correcting an abnormality primarily by the use of synthetic chemical drugs and surgery. Both of these treatment approaches may have side effects which cause other systems of the

body to malfunction. As stated earlier it does not have an answer as to what causes a wide range of diseases and therefore treatment in most cases is directed at the symptom and not the cause.

3.5 RELATIONSHIP BETWEEN THE VARIOUS THERAPIES

Up until present me time medical system of therapies being conservative by nature is only open to referring patients to the various alternative systems of healing. Although individual medical practitioners do have a very good relationship with other forms of therapies and cross referrals happens on a regular basis. Natural therapists refer clients to one another and will refer clients to the medical profession when it is recognised that the patient needs medical care.

ELEMENT 4. REPRESENT BOWEN THERAPY FRAMEWORK TO THE COMMUNITY

4.1 Practices and principles of Bowen therapy can be explained in an easily understood way in a on-to-one and group setting

4.2 ENQUIRIES ARE CLARIFIED AND APPROPRIATE INFORMATION IS PROVIDE

4.3 The importance of client/ patient to bringing relevant data to the consultation is explained 4.4
Alternative sources of information / advice are discussed with the client/ patient

Representing Bowen Therapy to the community

4.1,4.3 The initial communication of Bowen therapy Normally the first communication that you will have with a client will be over the phone. It is important that you are able to understand their requests and provide the information required.

- Answering phone calls should begin by saying “Good morning or good afternoon ABC Bowen Therapy Centre, this is (name) speaking, how may I help you”. Smile while you are talking as if you were talking face to face with the other person, they cannot see your smile but they can feel it- wait for a response.
- If a client is wishing to make an appointment be as accommodating as possible but directing them to a time that you have available on or around the day of their request. It is important that the receptionist suggest the time and not be dictated to by the client. This shows firmness and direction that is an attribute that clients are looking for. However, at the same time the receptionist needs to consider the client's wishes particular if they are busy and are hard pressed to make an appointment at the time of our choosing.
- If any information needs to be supplied to the inquirer it should be performed in a positive and confident manner. Ahs and Ums and any hesitations should not be displayed. If the inquirer's questions cannot be answered successfully then you need to say so but assuring them that you will contact them back or you will get someone else to contact them with the information that they are seeking.
- All of your words need to be warm and friendly but at the same time firm and confident.
- If a client wants to talk past a reasonable time (it could be just a couple of minutes if clients are waiting for attention at the desk, or no more than 5 minutes during other times) you need to be able to close the conversation tactfully. For example, the client may be telling the details of their recent accident. You would say well I can understand why you need treatment; however I need to go now so we will see you this Thursday at 10am. During these kinds of situations it is important not to be short and sharp with inquirers as you need to display an interest of their welfare but you need to be firm about your commitment to the demands of your duties.
- Regarding the ability to treat specific conditions. If they are the common conditions that we have on a day-to-day basis you can express that we can normally handle these types of health problems successfully. If it is something less common and complex but nevertheless within the scope of our work you need to avoid making a judgement and suggest an appointment time. In all cases you need to say that we cannot make judgements over the phone as to how successful we can help the person. The next step is for them to be examined by one of our practitioners and they can advise you accordingly.
- New clients need to come prepared for their first visit. They may need you bring bathers or tight fitting clothing so that we can obtain useful postural views which may include photos.

They need to bring any medical reports or other information given to them by other therapists.

- Further information on Bowen therapy should be given on their first visit in the form of a Bowen brochure or other clinic literature.
- If you need to address a group on your work as a Bowen therapist then explaining the definition of Bowen therapy and the principles that you use would be an excellent start, followed by a short demonstration.

ELEMENT 5. WORK WITHIN CLINIC AND REGULATION GUIDELINES

5.1 CLINIC GUIDELINES ARE ACCESSED AND FOLLOWED

5.2 LEGAL AND REGULATORY GUIDELINES ARE IDENTIFIED AND FOLLOWED

5.3 RELEVANT DOCUMENTATION IS DESCRIBED

Clinic guidelines and the client's rights

5.1 CLINICAL GUIDELINES

The following are the clinic guidelines that all Bowen therapists need to follow in their association with their clients in private practice.

- Importance of the client The client should be your primary focus. You are not working with a set of symptoms, a misaligned posture or a neuromuscular lesion you are working with your client, a living breathing person. It is important to understand the needs of your client and to understand their fears/ doubts/ concerns. You need to provide the necessary reassurance to make them feel comfortable with you as a practitioner prior to commencing treatment. Remember, respect is earned, it does not automatically go with the title of Bowen Therapist.
- Importance of Communication Establishing a good rapport will provide you with valuable information about the cause of their condition. This will provide you with the possible precipitating factor.
- From physical perspective e.g. type of work performed, leisure activities, a pattern to the symptoms
- From an emotional perspective e.g. holding patterns of stress related to job, relationship, finance etc.
- Greeting your client First impressions are lasting impressions! It is important to greet your client in a friendly, cheerful manner. Even if you are experiencing your own hardships at that particular time. Your client come first and deserves your full attention and a smile.
- Client History Client history may be collected by:-
 - A standard questionnaire, which the client completes, or
 - Interviewing the client Regardless of which method you use, it is important to keep accurate details of your clients history.

This will not only assist you in formulating their plan, but may be required for your protection if any legal proceedings take place. Further information on client history will be covered in subsequent practical units.

- Client privacy A) All communication, both written and oral, between you and your client, is privileged information, and must be kept in the strictest confidence.

Documents relating to your client should be kept in a secure location and preferably lockable.

B) Although your assessment and treatment of the client is best performed with the client in their underwear, this may not be acceptable to every client. In this situation, client needs come first, the client should not feel pressured to meet your requirements -it is your responsibility to compromise at times to meet your clients' needs or wishes.

- Special considerations

It is important to address all factors regarding your client's condition whilst you are with them. Some of these factors include: age, sex, previous medical history, mental/ emotional state, frailty

- Clients rights The following is extracted from the “Australian Charter” of Natural Health Practitioners “Executive Summary and Code of Ethics”.

Professional service without discrimination Article 5: Recognise a responsibility which each in each practitioner to render professional service to any person regardless of race, colour, religion or political belief and, so long as it lies within the limits of expertise and legal allowance as a Natural Health Practitioner, render that service regardless of the nature of the ill-health suffered by the patient.

Patients to be informed of their state of health Article 6: Recognise and accept the right of all patients to be informed of the nature of any ill-health from which they are known to suffer, the probable cause of that ill-health if it is known, and its available treatments.

Patients’ rights to choice of Practitioner Article 7: Without seeking to unduly influence the decision of a person, allow all patients the right to choose their practitioners freely.

Alternative Professional opinions to be sought Article 8: Recognise ones professional limitations and, where it is properly indicated, recommend to the patient that additional opinions and services should be obtained.

Confidential information not to be divulged Article 9: Keep in confidence all information derived from a patient, or from a colleague regarding a patient, and, except where the law requires otherwise, divulge the information only with the express permission of the patient.

Recommendations of particular therapies Article 10: Recommend only those procedures which are, in your professional opinion, necessary and lawful and which may assist in the care of the patient and recommend only a particular therapy which, in your professional opinion, is necessary for the well-being of the patient. Exchange of information with patients Article 11: Exchange such information with patients as may be necessary for them to make informed choices where alternatives to treatment exist and, where requested, assist any patient by supplying information that may be required so as to enable the patient to receive any benefits to which he or she may be entitled.

Urgent medical care requiring assistance Article 12: Within the limits of one’s abilities, render all assistance possible to any patient where an urgent need for medical care exists until the responsibility for the patient can be assumed by other appropriate medical personnel.

What is expected of a Natural Therapist Adapted from Harrison’s “Principles of Internal Medicine”, 10th Edition- Part 1 Introduction to Clinical Medicine.

“Tact, sympathy and understanding are expected of the practitioner for the patient is no mere collection of signs, disordered functions, damaged organs and disturbed emotions. He is human, fearful, and hopeful, seeking relief help and reassurance. To the practitioner, as to the anthropologist, nothing human is strange or repulsive. The misanthrope may become a same diagnostician of organic disease, but he can scarcely hope to succeed as a practitioner. The true practitioner has a Shakespearean breadth of interest in the wise and the foolish, the proud humble, the stoic hero and the whining rogue. He cares for people.” The responsibilities of the Bowen Therapist

- To provide a safe, nurturing environment for the client
- To act in a professional manner at all times
- To respect the rights, privacy and confidentiality of the client at all times
- To comply with all statutory obligations

- To educate the client about their condition in easy way to understand language
- To understand the needs and concerns of their client
- To maintain strict personal hygiene standards
- To refer the client to an appropriate practitioner for tests/ treatment where indicated
- To treat fellow Bowen therapists and other health professional with respect and dignity
- To only apply pressure, which is appropriate to your client's condition.

Ethical Behaviour

The following is a quote from Thurston regarding the general behaviour of practitioners towards their patients and colleagues In a general way the same policy will hold in dealing with adult patient as with children; kindness, but firmness, with an ever temper and perfect self-possession. No indifference how impatient, exacting, unreasonable the patient may be, one should never be seen to lose temper, however provoked one may feel. It is better with a few kindly expressed and “fit words aptly spoken”, to bid the patient good-bye and leave saying, “I will be glad to return and do all I can for you when you can be reasonable and treat me right”.

The following is extracted for the “Australian Charter” of Natural Health Practitioner “executive

Summary and Code of Ethics”

Ensure that all professional conduct within the practice of the professionals is above reproach, and that neither physical, emotional nor financial advantage is taken of any patient.

Rules for Prognosis

Prom Thurston's ‘Philosophy of Physiomedicalism’

1. Never venture to predict the outcome of a case without a careful and thorough examination of the patient. As already stated, only true basis of prognosis is scientific and accurate diagnosis. Of course, the practitioner is often called to cases of sickness or injury that the conditions are self-evident as to require little examination for a prognosis; but if he is naturally loose in diagnosis, or even if he is a careful diagnostician and relaxes his vigilance in prognosis because of the seeming self-evident conditions, he is surely doomed to make a grave mistake sooner or later, for nature always has surprises in store for the different practitioner.
2. Be reserved and conservative as to positive predictions, unless there is most unmistakable data for definite prognosis. There is so much of the unknowable in the inscrutable potentialities of vital force and living matter that the therapist who justly appreciates the grand concept of physiologic vitalism, is awake to the possibility of his being easily mistaken in apparently most positive surface signs. Therefore, the judicious prognosticator will provide liberal margin for possible chances of mistake in his predictions. It is far more pleasant to give a reserved and even vague opinion than to find oneself utterly mistaken in a very positive prognosis.
3. Be deliberate, systematic and logical in making up an opinion as to the outcome of a case, carefully weighing every prognostic factor with a broad comprehension of their relative values.

There is nothing the Practitioner says about his patient that is so carefully noted, treasured up, and anxiously looked forward to by patient and friends, as his prognostications; and also there is no subject that he is so often misunderstood and misconstrued as in his prognosis.

4. Use plain, common sense language and demeanour in rendering a prognosis, always giving logical reasons for your conclusions. There are some people who will not be satisfied with anything less than a medical deity in their physician, and are therefore subject to very frequent and bitter grievances against medical men. But an intelligent clientele will readily understand the difference between prognosis and prophesy. Therefore, beware of attempting to make an intelligent public believe that you are the seventh son of a seer.

5.2 LEGAL AND REGULATORY REQUIREMENTS

The following acts will cover most of the legal requirements for Bowen therapy practitioner.

Legislation

WORKPLACE HEALTH & SAFETY

Workplace Health & Safety Act 1995 & 1999 www.whs.qld.gov.au

ANTI-DISCRIMINATION & SEXUAL HARASSMENT

Qld Anti-Discrimination Act 1991

Federal Racial Discrimination Act 1975

Federal Sexual Discrimination Act 1984

Federal Disability Discrimination Act 1992 www.acdq.qld.gov.au

DEPARTMENT OF EMPLOYMENT AND TRAINING

www.det.qld.gov.au www.qld.gov.au/you_andyour_government/legislation.html

TRAINING AND EMPLOYMENT LEGISLATION

www.training.qld.gov.au/admin/trainleg.htm www.training.qld.gov.au/registration INDUSTRIAL RELATIONS, WORKCOVER, HEALTH & SAFETY, FREEDOM OF INFORMATION
www.dir.qld.gov.au/legislation.htm

QUEENSLAND LEGISLATION

Contains QLD electronic reprints. Acts passed, and subordinate legislation as made
www.legislation.qld.au/Legislation.htm

Legal and regulatory requirements

Heather: the legislation links here are Queensland sites from 2016. They need South Australian and national replacements or removing.

COPYRIGHT

www.privacy.gov.au/act

AGED CARE STANDARDS

www.accreditation.aust.com

POISONS ACT

www.health.qld.gov.au/atods/legislative/drugpoisons/htm

CHIROPRACTIC AND OSTEOPATHY

www.healthregboards.qld.gov.au

SECTION 11

Plan a treatment

Strategy, contra-indications, time allocation and the language of anatomy.

Plan the Bowen Therapy treatment strategy

Any changes to the treatment plan are negotiated with the client to ensure optimal outcomes

PLAN THE BOWEN THERAPY TREATMENT STRATEGY

Underpinning Knowledge

There are 17 aspects regarding human body This is covered under Anatomy and Physiology Knowledge of indications and contra-indications for Bowen therapy Covered under basic assessment procedures/ underpinning knowledge Knowledge of basic assessment procedures and options See previous one Skills in applying basic assessment techniques This is best demonstrated at the workshop Demonstrated ability to comprehend common medical terminology This is best demonstrated at the workshop Ability to identify prominent bones, structures and muscle groups through palpation This is best demonstrated at the workshop Ability to transcribe assessment findings and treatment in a patient history This is best demonstrated at the workshop Knowledge of ethical and legal implications of enquiry and treatment See under 5.1 Principles of Bowen therapy and 5.2 Legal requirements Knowledge of environmental physiology and practice of Bowen therapy

Covered under Anatomy and Physiology

Ability to manage time throughout consultation and treatment This is best demonstrated at the workshop Knowledge of indications for Bowen therapy After conducting the assessment procedure supplied on the previous page and taken into account the contra-indications given in the index you will be able to give the indications for Bowen therapy. Demonstrate communication skills to gain and convey required information This is best demonstrated at the workshop Knowledge of ethical and legal implications of enquiry and treatment See under “Work within a Bowen Framework” -5.1 Principles of Bowen therapy and 5.2 Legal requirements.

ELEMENT 1. DEVELOP A TREATMENT STRATEGY AND PLAN

1.1 Alternative treatment approaches and strategies for treatment are evaluated according to assessment of client/ patient condition and circumstances 1.2 Contra-indications to treatment and possible complicating factors are ascertained and treatment strategy is modified according to Bowen therapy principles 1.3 A treatment plan appropriate to the client/patients condition and circumstances is developed to include time allocation and dates as required.

1.1 ALTERNATIVE TREATMENT

After going through the clients health history, reading any medical reports, recording their presenting symptoms and performing all Bowen assessments pathways of treatment may open up to you. If the problem is clearly a medical issue r needs some medical tests then it will be necessary to refer the client back to their medical doctor. It may that the condition is more functional than structural and so another complementary practitioner may be more applicable. It ay be that part of the solution lies in some Bowen therapy visits coupled with another form of treatment.

1.2 CONTRA-INDICATIONS

It is important in planning your Bowen therapy treatment strategy that you're aware of contra-indication or cautions to treatment. Following basic list with a more comprehensive list supplied in the appendix.

1. The leg lever move (as used on the lumbar/ thoracic section on the spine and coccyx procedures etc)- Hip replacements, an significant knee injuries or reconstructions.
2. Coccyx moves f the women is pregnant. Although it is useful in later stages to induce the birth process
3. Cervical moves C3 in cases of cysts, tumours in the brain. Tom Bowen performed his moves for the physically handicapped in this region and he believed that as these moves have direct access to the brain they could generate enough vibration to burst the encased abnormality.
4. All abdominal work such as on the psoas is very fresh abdominal operations, pregnancy, hernias and aneurysms
5. Jaw moves with people who have had major dental work, unless authorised by the client.
6. Posture changing moves in the very old or those that have permanently fixed postures

1.3 TIME ALLOCATION AND THE PATHWAY OF FUTURE VISITS

During the initial visit/s where time has been allocated to a comprehensive assessment process then more time needs to be given. One or two of these visits would take up as much as an hour. Follow up visits should take no longer than around 30 minutes. With experience, visits will most likely be reduced right down to 15 minutes. A pathway of future visits will most likely be 3 or 4 weekly visits and then depending on the age of the complaint, fortnightly or monthly visits over a period of months or years will be in order.

Element 2. Confirm and gain agreement to the treatment strategy & Plan with the client/ patient 2.1 The treatment strategy and plan is discussed with, questions answered and understanding confirmed 2.2 Any perceived risks of the client/ patient's condition and treatment are explained 2.3 The client/ patient agreement with the strategy and plan is confirmed 2.4 The roles of practitioner and client/ patient within the treatment plan are discussed 2.5 Client/ patient acknowledgement their role in recommended post treatment activities is negotiated and recorded.

Medical terminology

Abdomen	Underside of the stomach
Abductor	A muscle which draws a limb away from the midline of the body
Abduction	To move a limb away from the body midline
Adductor	A muscle which draws a limb towards the midline of the body
Adduction	To move a limb towards the body midline
Anatomy	The science of the structure of the body
Anterior	Situated at or facing the front of the body
Anteriorly	Towards the front
Brow	Forehead
Buttock	Back of the leg, from the tail to the knee
Cannon bone	Distal to the knee (front leg) and hock (hind leg)
Chestnut	Almond-shaped callus on the inside of the legs
Coccyx	Terminal bones of the spinal column
Coronet	Hoof attachment
Croup	Just in front of the highest point on the rump, through to the top of the horse's tail
Distal	Situated away from the centre of the body or point of origin
Distally	Towards the end of the limb, moving away from the trunk of the body
Dorsal	Relating to the back or posterior part of an organ
Dysfunctional	Not a normal action
Extensor	Muscle which extends or straightens a limb
Extension	The straightening out of a joint, e.g. the knee
Fetlock	Bone distal to the cannon bone; part of the wrist or ankle joint
Flexor	Muscle which flexes or bends a limb or joint
Flexion	The bending of a joint
Gaskin	Hind leg bone distal to the stifle joint
Haunch	Point just anterior to the iliac crest (hip bone)
Hoof	Foot of the horse
Iliac crest	The crest of the hip bone or pelvis

Inferior	Towards the bottom or lower point
Inferiorly	Move downwards
Lateral	Situated at the side or towards the outer edge of the body
Laterally	Move outwards, away from the centre of the body
Loins	Lumbar region of the back
Medial	The middle or inner side
Medially	Move towards the centre line of the body
Nape	Top of the head between the ears (poll)
Palpation	Examination of the body tissue by touch, usually with the fingers or the flat of the anterior surface of the hand

We know the skin is the largest organ of the body, comprising approximately 16% of bodyweight, and has two main functions: protection and sensory.

Under the skin is connective tissue, which converts any stimulation (pressure etc.) into electrical impulses. When the skin and tissue are stimulated, the information is conveyed to the brain via nerve cells.

The brain has the ability to switch off and ignore pain signals. If a condition goes on for more than four to six weeks, the brain learns to accept the problem and we then experience non-healing problems or progressive diseases, such as arthritis, diabetes or glaucoma.

By stimulating certain skin areas, we can change the perception or messages the brain is receiving. This causes the brain to release certain chemicals (neuro-transmitters), pain killers and anti-inflammatories, which activate the body's healing processes.

The last two paragraphs of page 83 (2016) were removed at Heather's request.

SECTION 12

Perform a treatment

Providing the treatment, the contra-indications, the point locations and the 21 stress points.

Provide the Bowen Therapy treatment

Underpinning knowledge

Knowledge of history, philosophy and beliefs of Bowen Therapy within a health framework. See under element 1 of “work within a Bowen Therapy Framework” There are nine aspects regarding knowledge of the human body Refer to your qualifications in Anatomy and Physiology.

Knowledge of indications and contra-indications for Bowen therapy After performing the health assessment (see below) you will be able to work out your indications for Bowen therapy treatment. For contra-indications see Appendix.

Knowledge of basic assessment procedures and options

- **Health History** The best way to obtain this information is by using a client questionnaire. This is normally a set clinic confidential form that can be given to the client on the first visit prior to their interview.

After greeting your client, show them to the room, subtly observing any postural deviations and other general observations about the client. Ensure you are familiar with your clients history. During the interview extra information may be gathered by asking the right questions to gain an expansion on what was recorded in the questionnaire. Areas that are important to know in advance are:- is the client pregnant or suspects she may be pregnant? Does the client have any artificial hip(s)? Does the client have cancer? Does the client have osteoporosis?

The health history and client current problems help you to establish whether there are any indications or contra-indications for Bowen Therapy. It also helps you to determine if a referral is necessary to medical doctors or alternative practitioners.

- **Current Health Problems** Their current health problems will include the reason why they have come to see you. To obtain all of the information regarding their condition you may need to ask some relevant questions. These would include:

-When did the problems occur?

-What do they believe caused the problem?

-Is this been an ongoing problem?

-Have they had previous treatment from a practitioner in the past for this problem? -What type of treatment has produced the best results for them?

- **Visual Observations** You need to observe the clients gait and the way they hold themselves right from the time that you greet them in the waiting area through to the consultation room. First of all you have the weight bearing examination.
- **Walking**
- **Standing** During these examinations you will be noticing their posture, whether they are limping, the direction their feet are pointing the way their hips, shoulders and other joints are moving when

walking or are placed when standing. Next you will conduct an examination while they are laying prone on the

Manage, apply, advise and review

Heather: page 87 sits between "86 remove" and "88 adjust" in your note with no instruction, and page 88 is marked "adjust". Both are set here as they were until you say what changes.

formation of fixed lesions, postural imbalances, old age, work or lifestyle stresses and contra-indications to specific techniques

- You will need to explain to the client about the principles of Bowen therapy and the method of treatment that you will be administering to them according to the treatment plan.
- Ensure that you obtain the client's consent to give them treatment, even if their consent is implied in that you get no objections when proceeding with the treatment.
- The client is draped to expose only the part of the body being worked on.
- The client needs to monitor any reactions that they may have after any treatments and to contact the practitioner if at all necessary
- Any reactions to treatment are recognised and responded to if necessary.

ELEMENT 2. APPLY BOWEN THERAPY TECHNIQUE

2.1 Bowen Therapy techniques are applied according to the treatment plan 2.2 Client feedback is sought, acknowledged and acted on.

2.1-2.2- Apply Bowen therapy technique The practitioner will follow their treatment plan incorporating the following steps.

1. For most visits the treatment session begins with the client lying in the prone position. They normally have their outer clothes removed and have a couple of large towels, sheet or blanket covering them.
2. The practitioner goes through each move of a particular routine using either the thumb or fingers
3. Two minute pauses are observed after certain selected moves to allow the area to drain of the accumulated lymph fluid
4. The pressure of the moves are adjusted to the type of build of the person and also from feedback that is supplied by the client.
5. When the treatment session is completed an assessment is made to determine how effective the treatment moves have been.
6. All of your treatment procedures given is documents on your client record cards.
7. While giving treatment obtain some feedback from the client from time to time as to how they are feeling. Are they experiencing too much pain? Act on any reactions that they provide for you so that the treatment will be as comfortable and yet as effective as possible.

ELEMENT 3. ADVISE AND RESOURCE THE CLIENT/ PATIENT

3.1 Client/ patient queries are answered with clarity using the appropriate language 3.2 Honesty and integrity are used when explaining treatment plans and recommendations to the client/ patient 3.3

Appropriate interpersonal skills are used when explaining treatment plans and recommendations to the client/ patient 3.4 Client/ patients independence and responsibility in treatment are promoted wherever possible. 3.1-3.4 Advise and resource the client/ patient During your consultation with a client it is important that you are able to communicate the information that you are giving to them particularly in response to their queries with clarity using appropriate language.

As a practitioner your reputation is vital and so be conscious of being honest upholding your integrity at all times when explaining treatment plans and recommendations to the client. Use appropriate interpersonal skills when explaining treatment plans and recommendations to the

client. Remember to promote a client's independence and responsibility in their pathway of treatment wherever possible. Advise a client of any recommendations that you make regarding referring them off to another practitioner I light of the evidence that you have gathered.

ELEMENT 4. REVIEW TREATMENT

4.1 TREATMENT OUTCOMES ARE EVALUATED WITH THE CLIENT/ PATIENT

4.2 Progress from any of previous treatments are identified and all outcomes recorded

4.3 PREVIOUS TREATMENT PLAN IS REVIEWED

4.4 NEED FOR ONGOING AND/ OR ADDITIONAL TREATMENT IS EVALUATED

4.5 Changes to the plan are negotiated with the client/ patient to ensure optimal outcomes 4.1-4.5 Review the treatment plan Progress is evaluated with the client at selected intervals. These intervals would include;- (A) at the commencement of each treatment a simple "how have you been going" will initiate a response from the client. (B) On the twelfth week or 3 months standing postural photos may need to be taken. All of these periodical assessments are then compared to the previous ones to review the treatment plan.

Contra-indications and Cautions for Bowen Therapy

Definition

From "Dorland's Illustrated Medical Dictionary (30th Edition- Page 414):

- Contra-indication: "any condition, especially any condition of disease, which renders some particular line of treatment improper or undesirable." From "The Australia Concise Oxford Dictionary (1987 edition –page 159)
- Caution: "prudence, taking care, avoidance of rashness, attention to safety"

Source

The members of Council of Schools (COS), from the Bowen Therapists Federation of Australia Incorporated, have developed this list of contra-indications and cautions. COS members at the time of writing were Fascial Kinetics (FK), International School of Bowen Therapy (ISBT), Myopractic Neuro Structural Integration Technique (NST), and Smart Bowen.

Introduction

There is currently only a short list of contra-indications and cautions in Bowen Therapy, because the technique is relatively gently and non-invasive. Relying on a list of specific contraindications is unwise, because the very nature of a contraindication means that it can vary from person to person and region to region in the body. A good medical dictionary and access to the internet are important resources for researching specific information as needed. Be aware that contradictions are just as relative for mental health problems as they are for physical. At any time, if you are in doubt, refer, or seek medical advice.

When referring onto a medical practitioner either as a precaution or seeking clarification regarding a contraindication or caution, it is important that you don't attempt to make a diagnosis. It is generally best to indicate that the symptoms that are present are outside of your normal scope of practice and would like the medical practitioner to investigate the further. Referral for a medical investigation is also advisable when a client hasn't responded in any way to your treatments. Practitioners are not

Contra-indications: regional avoidance

The coccyx move is contra-indicated at any time during pregnancy. This contra-indication has been handed down in Bowen Therapy training since its inception. The theory is that it may cause a spontaneous abortion of the fetus. I am unsure of the reasons for this, but do not wish to prove the theory!

Everything else on this page removed at Heather's request ("coccyx move only").

Cautions

Posture changing moves in the very old or those that have permanently fixed postures.

Skin conditions: bacterial, viral, fungal, benign and allergic. Open wounds or sores. Recent burn.
Undiagnosed lump. Gouty arthritis.

Cautions

Unconscious. Any person who has been unconscious for any reason in the preceding 48 hours should be treated with caution, and only after the cause of the unconscious state has been established by a medical practitioner.

Transplant recipient clients should be treated after consultation with their medical practitioner or specialist, as we are unsure of any reactions that Bowen Therapy may have with the client's anti-rejection or other drugs.

Implants. Breast, pectoral and buttock implants should be worked over with caution, as there is an extremely small chance they may rupture with site-specific pressure on them. Treatment when applied on these implant areas should be gentle.

Post-surgery. When working with clients post-surgery of any kind, caution must be exercised when working in the region where the surgery was performed. This includes abdominal work such as on the psoas, in very fresh abdominal operations, pregnancy, hernias and aneurysms. Remember that Bowen work at the site of surgery can be extremely beneficial and should be applied whenever possible, and post-operatively as soon as possible, but with appropriate caution and pressure. Working the scar tissue is very beneficial for the client.

Pregnant women in their third trimester should not lie supine for any length of time; side-lying is OK, preferably on the left side. This is because the baby can put a fair amount of pressure on the inferior vena cava (a large vein), reducing the return blood flow from the legs to the heart and thus reducing the effectiveness of the whole circulatory system.

Areas of haematoma (bruising) should be avoided during a treatment. Working gently around the area is the best approach and will assist in the healing process.

Areas of high inflammation should be avoided. This includes conditions such as cellulitis.

Fever. People with a significant fever should be treated with caution.

Prescribed drugs. Any client who is taking large quantities of prescribed drugs should be treated with caution. Bowen appears to increase the actions of some medications, making them more effective within the body. This can be detrimental in some cases, so if in doubt about the effects or side effects of the drugs someone is taking, treat them with caution by applying only a small treatment, especially during the first visit. It is advisable to contact the client's medical practitioner if you are still unsure about the drugs being taken. The above may also apply to complementary medicines.

The oedema paragraph has moved to the start of the treatment section (page 94) at Heather's request.

Heather: pages 89 and 90 either side of this one are removed or cut to one paragraph. Does the rest of this page stay?

Further cautions and other considerations

Anecdotal evidence would indicate that some client's may experience some adverse reactions to Bowen treatments while they are taking some medications. This applies to both legal and illegal drugs.

The ankle moves need caution in a case where the injury is new and has not been assessed by a medical practitioner. It is always wise to remember the term "RICED"- rest, ice, compression, elevation and Doctor in these circumstances, as there is a risk of there being a fracture in any ankle injury. This caution exists in all limb and or joint injuries of a violent nature. Sprains and Strains of any kind need to be treated with caution as underlying tissue damage may be greater than anticipated.

Hernias- caution applies as this condition is painful and may be aggravated with the application of any pressure over the site of the hernia.

Cancer- there are two streams of thoughts on the treatment of patients with any form of cancer.

- Most people now believe that applying Bowen Therapy to cancer patients is beneficial. The experience of touch therapy is nurturing is believed to be essential for the general wellbeing of cancer patients. This belief is now beginning to be promoted by some medical practitioners and oncologists with some even referring patients to Bowen and Massage therapists.

Many practitioners have treated patient's right through both Radiation therapy and Chemotherapy treatment regimes, assisting them to cope with those therapies in a very positive manner. People receiving the treatments have enjoyed a greater quality of life and most have enjoyed life for much greater periods of time than the original medically diagnosed prognosis had anticipated.

- There is another believe in some quarters that physical therapies such as Bowen or Massage therapy may hasten the movement of free cancer cells within the body. Because of this theory it is important to have 'informed consent' when working with these patients. Both sides of the coin should be explained to the patient, and allow them time to absorb and process the pros and cons of the situation before they make their decision on progressing with treatments.

From Bowen Therapy prospective, it is ideal to work with the medical general practitioners and specialists when working with patients who have been diagnosed with any form of cancer. It is not in our interest or that of the patient to alienate the western medical world.

Haemophilia- many of these people bruise very easily. It is advisable to communicate with their medical practitioners regarding treatment with Bowen Therapy.

Any medical condition that you do not understand as a practitioner, should be considered a caution to treatment, until your investigations into that condition prove otherwise.

If in doubt, don't do it! Remember a truly professional Therapists refers to other people when the problem they are presented with is outside of their knowledge and skills range.

Other considerations

It is worth noting that if a client is injured at work and turns up for a treatment (without medical referral) then we have a duty of care to let them know that to proceed with a treatment on that day (without referral) may affect the outcome of any future work-cover claim.

- If a client turns up as a result of a MVA (motor vehicle accident), then if we treat them- then this may also affect their ability to claim via the RTA (Road Traffic Authority)

Apply basic Bowen Therapy techniques

The distances in the measurements below are all relative to the animal being treated.
The measurements given are for an adult horse.

Caution: oedema (moved here from page 91). Any large area of oedema should be treated with extreme caution. There is always a reason for the oedema and this should be sought prior to treatment. The area should be treated with caution.

Lumbar

This area is often highly stressed and tight. It is involved with the flexion of the body laterally. One of the many causes of this injury is poorly fitting saddles in horses, or from serving females in males.

Start from the left side of the body.

MUSCLE	ACTION
Longissimus costarum	Largest and longest muscle of the body; extends the back or turns it to one side
Multifidus dorsi	Extends the back or turns it to one side
Intertransversalis lumborum	Holds the back rigid or turns it to one side
Coccygeus	Presses the tail down or turns it to one side
Sacro-coccygeus	Raises the tail and/or turns it to one side

LOCATION	At the hip protuberance at the top of the tensor fasciae latae.
INDICATIONS	Constipation, colic, flatulence.
MOVE	Place the heel of the right hand on the point of the hip. Hold for 10 seconds, then make a gentle roll with your thumb towards the hip, crossing over the edge of the tensor fasciae latae. Repeat on the right side.
LOCATION	At the midpoint of an imaginary line from the tuber coxae to the dorsal ridge, one hand width from the spine.
INDICATIONS	Constipation, colic, flatulence.
MOVE	Place the thumb on the muscle and roll gently towards the spine. Repeat on the right side.

Middle of back and thoracic

Once again this area can be affected by poorly fitting equipment in horses. Other animals have their own particular causes for this. Each of these moves is to be performed on the right side directly after each left move.

LOCATION	One hand width below the dorsal ridge, in line with the interspace between the transverse processes of L1 and L2. This acts as a blocker.
INDICATIONS	Pain in the lumbar region, constipation, diarrhoea.
LOCATION	Approximately one hand width below the dorsal ridge, between C10 and C9, in the body of m. iliocostalis.
INDICATIONS	Breathing problems.
LOCATION	Approximately one hand width below the dorsal ridge, between C18 and C17, in the body of m. iliocostalis.
INDICATIONS	Digestive problems.
LOCATION	Approximately one hand width below the dorsal ridge, between C18 and C17, in the body of m. iliocostalis.
INDICATIONS	Digestive problems.

HEATHER: this point and the one above have identical text in the 2016 edition (points 6 and 8). Is one of them a different vertebra? Also, "C18" and "C17" read as thoracic (T18, T17).

LOCATION	Approximately one hand width below the dorsal ridge, between C14 and C13, in the body of m. iliocostalis.
LOCATION	Approximately one hand width below the dorsal ridge, between C12 and C11, in the body of m. iliocostalis.
INDICATIONS	Breathing problems.
LOCATION	Caudal to the scapula, at the junction of the scapula and the scapular cartilage of prolongation.
INDICATIONS	Pain of the suprascapularis.
LOCATION	Approximately one hand width and two finger widths below the middle of the superior border of the scapular cartilage of prolongation.
INDICATIONS	Pain of the suprascapularis, shoulder lameness, shoulder atrophy, shoulder inflammation.
LOCATION	Approximately three finger widths below the thoracic vertebral spinous processes and two finger widths caudal to an imaginary continuation of the line of the scapular spine onto the scapular cartilage of prolongation.
INDICATIONS	Breathing problems.

Coccyx

On the dorsum of the tail, in the depression between the first and second tail vertebrae.

Neck

MUSCLE	ACTION
Brachiocephalicus	Moves the head and neck and pulls forward; a sprain causes lameness
Sternocephalicus	Moves the head and neck

Sterno-thyro-hyoideus	Assists in swallowing and sucking movements
Omo-hyoideus	Moves the hyoid bone and root of the tongue
Cervicalis ascendens	Extends the neck
Rectus capitis ventralis minor	Flexes the head
Longus colli	Turns the neck to the side
Splenius	Extends the neck to the side
Longissimus capitis et atlantis	Extends the neck or turns it to the side
Complexus	Extends the neck or turns it to the side
Multifidus cervicis	Extends the neck or turns it to the side
Obliquus capitis posterior	Rotates the head
Obliquus capitis anterior	Extends the head or turns it to the side
Rectus capitis dorsalis major	Extends the head
Rectus capitis dorsalis minor	Extends the head

LOCATION Anterior border of the scapula at the junction of the scapula and scapular cartilage of prolongation, in a depression about four finger widths below the mane line.

INDICATIONS Pain of the suprascapularis, shoulder lameness.

LOCATION Approximately four finger widths behind the ear and three finger widths lateral to the mane line.

INDICATIONS Pain in the nuchal region, feverish shivering.

LOCATION About two finger widths below the mane line and some four finger widths anterior to the superior angle of the scapula.

INDICATIONS Pain in the nuchal region, wheezing.

LOCATION About two finger widths below the mane line, approximately three finger widths from the last position.

INDICATIONS Pain in the nuchal region.

LOCATION About two finger widths below the mane line, approximately three finger widths from the last position. Repeat the neck points on the right side.

INDICATIONS Pain in the nuchal region.

Thigh

Heather: this is the content of page 97, which is on your remove list. It is kept here because the thigh muscles and these six points sit in the middle of the treatment sequence. Please confirm.

MUSCLE	ACTION
Biceps femoris	Extends the limb in rearing, kicking and galloping

Semitendinosus	Extends the hip joint and adducts the leg
Semimembranosus	Extends the hip joint and adducts the leg
Sartorius	Flexes the hip joint and adducts the leg
Gracilis	Adducts the leg
Pectineus	Adducts the leg and flexes the hip joint
Adductor	Adducts the limb and extends the hip joint
Quadratus femoris	Extends the hip joint and adducts the thigh
Obturator externus	Adducts the thigh
Obturator internus	Rotates the femur outward
Quadriceps femoris (rectus femoris, vastus lateralis, vastus medialis, vastus intermedius)	Extends the stifle and flexes the hip joint
LOCATION	Between m. biceps femoris and m. semitendinosus at the posterior border of the ischium bone depression.
INDICATIONS	Hormonal problems.
LOCATION	In the middle of the trochanter major line.
INDICATIONS	Sacral and femoral nerve damage.
LOCATION	Lateral to the tail root, two hand widths laterally below the dorsal ridge at the level of the ischium, in the muscle groove formed by m. biceps femoris and m. semitendinosus.
INDICATIONS	Sacral and femoral nerve damage, hip joint inflammation.
LOCATION	In the centre of the depression over the anterior limit of the hip joint.
INDICATIONS	Disturbed gait rhythm, joint and hindquarter pain.
LOCATION	In the depression behind and below the trochanter tertius femoris.
INDICATIONS	Pain in the hindquarters.
LOCATION	In the muscle groove between m. semitendinosus and the caudal part of m. biceps femoris, four finger widths above the hollow at the distal end of this muscle, at the level of the knee joint.
INDICATIONS	Hip lameness or pain in the hind limb.
LOCATION	Between m. flexor hallucis longus and tibialis posticus, about half way along the tibia, approximately two finger widths from the caudal side of the flexor tendon.
INDICATIONS	Stifle joint pain or inflammation.
LOCATION	At the lower third of a line joining the point of the hock to the external malleolus, about a finger width below this line.
INDICATIONS	Hock joint pain, inflammation.

Stifle and hindquarters

MUSCLE	ACTION
Psoas minor	Flexes the pelvis on the back
Psoas major	Flexes the hip joint and rotates the thigh outwards
Iliacus	Flexes the hip joint and rotates the thigh outwards
Quadratus lumborum	Flexes the pelvis on the back
Tensor fasciae latae	Flexes the hip and extends the stifle joint

LOCATION In the depression above the patella.

INDICATIONS Pain in the hind limb or knee joint.

LOCATION Inner aspect of the thigh, on the vena saphena, some finger widths below the midpoint where thigh and torso join.

INDICATIONS Hip or knee joint pain or inflammation.

LOCATION Lower border of the patella, between the lateral and medial ligaments.

INDICATIONS Pain or inflammation in the hind limb.

Lower legs (hind)

MUSCLE	ACTION
Long digital extensor	Extends the toe and flexes the hock
Lateral digital extensor	Extends the toe and flexes the hock
Peroneus tertius (entirely tendinous)	Mechanically flexes the hock when the stifle is flexed
Tibialis anterior	Flexes the hock joint; a bursa is placed between the tendon of the muscle and the medial ligament of the hock joint
Gastrocnemius	Extends the hock and flexes the stifle joint; a bursa lies between the tendon of the muscle and the point of the hock; the tendon is known as the Achilles tendon
Superficial digital flexor	Flexes the toe and extends the hock; a bursa is placed under the joint; the tendon of the muscle runs behind the hock
Deep digital flexor	Flexes the toe and extends the hock; a synovial sheath surrounds the tendon behind the hock
Popliteus	Flexes the stifle

LOCATION In the muscle triangle formed between m. extensor digitalis longus and extensor pedis lateralis on the lateral ligament. The point lies in a depression below the head of the fibula.

INDICATIONS Arthritis of the knee or hock joint.

LOCATION	On the concave surface over the vena saphena superficialis ramus cranialis, at the level of the metatarsal joint.
INDICATIONS	Hock joint, flexor tendon.
LOCATION	On the vena digitalis lateralis, at the upper border of the fetlock joint.
INDICATIONS	Fetlock, hock joints and tendons.
LOCATION	Anterior centre of the coronary band at the junction of hairy and hairless integument.
INDICATIONS	Sole of the foot, frog.
LOCATION	Medial lower segment of the leg, between m. flexor digitalis longus and m. tibialis posticus where they become sinewy, on the subjacent portion of m. flexor hallucis longus, about three finger widths from the caudal border of the flexor tendon.
INDICATIONS	Inflammation of the metatarsal joint.
LOCATION	On the vena digitalis medialis at the upper border of the fetlock joint.
INDICATIONS	Contusion of the fetlock and hock joints; tendon and tendon sheath inflammation.

Lower legs (fore limbs)

MUSCLE	ACTION
Biceps brachii	Flexes the elbow joint; a bursa is present between the tendon of biceps brachii and the humerus
Brachialis	Flexes the elbow joint
Tensor fasciae antebrachii	Extends the elbow joint
Triceps brachii (long, medial and lateral heads)	Extends the elbow and flexes the shoulder joint
Anconeus	Extends the elbow joint
Extensor carpi radialis	Extends the knee and flexes the elbow; the tendon has a synovial sheath from 4 inches (10 cm) above the middle of the knee
Common digital extensor	Extends the toe and knee and flexes the elbow; the tendon has a sheath from above the knee to the upper cannon and a bursa at the fetlock joint
Lateral digital extensor	Extends the toe and knee; synovial sheath over the knee and bursa at the front of the fetlock
Extensor carpi obliquus	Extends the knee joint; synovial sheath over the knee
Flexor carpi radialis	Flexes the knee and extends the elbow; synovial sheath from 3 inches (7.5 cm) above the knee to the cannon
Flexor carpi ulnaris	Flexes the knee and extends the elbow
Ulnaris lateralis	Flexes the knee and extends the elbow
Superficial digital flexor	Flexes the toe and extends the elbow; synovial sheaths from above the knee to the middle third of the cannon, and from the lower cannon to the middle of the second phalanx


Superior check ligament	Supports the superficial flexor tendon above the knee
Deep digital flexor	Flexes the toe and knee and extends the elbow; shares synovial sheaths with the superficial digital flexor; the navicular bursa lies between the tendon and the navicular bone behind the pedal bone
Interosseus medius (suspensory ligament)	Broad elastic band of fibrous tissue behind and attached to the cannon bone; a branch continues across the pastern to join the extensor tendon inserted into the front of the pedal bone
LOCATION	In the depression about two finger widths below the olecranon process, medially from the elbow to the lower part of the vena thoracica externa.
INDICATIONS	Pain and paresis in the region of the elbow and chest; shoulder and elbow joint inflammation.
LOCATION	One hand breadth below the elbow joint, in the depression under the lateral tuberosity of the radius, between m. extensor digitorum communis and m. extensor carpi ulnaris.
INDICATIONS	Shoulder lameness, elbow and carpal joint inflammation, radial paralysis, myositis of the shoulder musculature.
LOCATION	About four finger widths below the above position, in a groove between m. extensor carpi radialis and m. extensor digitorum communis.
INDICATIONS	Arthritis of the elbow and carpal joint, radial paralysis, tendonitis and tendovaginitis in the area.
LOCATION	At the junction of the middle and distal thirds of the radius on the medial aspect of the fore limb, between m. flexor carpi and the humeral head of m. flexor carpi ulnaris.
INDICATIONS	General debility, over-strain.
LOCATION	About two finger widths above the lateral aspect of the carpal joint, in the hollow formed by the posterior border of the radius and m. flexor digitorum profundus.
INDICATIONS	Carpal joint inflammation, stiffness of the joint.
LOCATION	Forefoot, medial aspect, between the metacarpus and the medial splint bone at the proximal quarter of the metacarpus and the proximal third of the splint bone.
LOCATION	Forefoot, lateral aspect, between the metacarpus and the lateral splint bone at about the proximal quarter of the metacarpus and the proximal third of the splint bone.
LOCATION	Forefoot, lateral aspect, on the vena digitalis lateralis at the upper limit of the fetlock joint.
INDICATIONS	Fetlock strain.
Points 99 and 100 of the 2016 edition had identical text and have been merged into this one entry.	
LOCATION	About 1 cm lateral to the midpoint of the anterior coronary band at the junction of the hairy and hairless integument.
INDICATIONS	Pedal, hoof, frog and fetlock joint discomfort.

The stress points

Twenty-one places where a horse's muscles tighten under stress. Each page shows where the point lies, what you will feel, the problem it causes, the therapy and the muscle's job.

All 21 pages use the same two drawings of the horse: the forequarter for the head, neck and shoulder points and the whole horse for the back and hindquarter points. The pink shape is the muscle; the dark dot is the stress point.

Heather: the highlight and dot on each page are placed from your 2016 drawings and are approximate. Please mark any that need moving. The text on these pages refers to numbered points from the source it was adapted from ("SP-1", "Point 3", "SP-25"); those numbers have been removed.



Where to find it Just behind the poll, on the side of the neck below the ear, running back along the base of the skull.

Muscle Stress point

Rectus capitis lateralis

M. rectus capitis lateralis · poll

STRESS POINT

When mild pressure applied to the stress point produces the reaction of flinching, pulling away and dropping the head, excessive tightening and stress build-up are present.

It will be felt as a tight line of fibres running to the base of the skull; it will be tender along the entire length.

PROBLEM

At rest: head pulled to one side with a tendency to hold the head low. The horse makes continuous stretching movements with the head.

In motion: obvious head discomfort; resists sideways movement in the opposite direction.

THERAPY

Direct pressure and cross-fibre friction to the stress point.


Follow with light active exercise, no collected work.

This particular problem will usually require a number of treatments, no closer than three days apart.

A neck yoke or other restraint is advisable in acute cases to prevent the horse accidentally overstretching.

MUSCLE ACTION

To flex the head; to incline the head to the side.



Where to find it The long line of the neck from just behind the poll down to the front edge of the shoulder blade. The knot sits against the anterior edge of the scapula.

 Muscle  Stress point

Multifidus cervicis

M. multifidus cervicis · neck

STRESS POINT When moderate pressure to the point causes the horse to flinch and move away from you, excessive tightening and stress build-up is present.


The cause will be felt as a rigid knot lying right against the anterior edge of the scapula (shoulder blade).

PROBLEM The horse resists neck motion in the opposite direction.

THERAPY Follow with exercises that require a short turning radius.
To retain neck flexibility, the best ongoing mounted exercise is to turn the horse from a standstill into a complete nose-to-tail circle, thus forcing extreme bending of the neck.

Usually one treatment suffices. Doing this as part of the warm-up will keep the neck muscles as supple as possible.

MUSCLE ACTION Flexes the neck to the side of the contraction; rotates the head to the opposite side.



Where to find it The top of the neck just in front of the withers, running from the vertebrae down to the upper edge of the shoulder blade.

Muscle Stress point

Rhomboids and trapezius

Mm. rhomboideus and trapezius · withers

STRESS POINT

When drawing the finger across the area with moderate pressure causes a tremor in the forequarter, excessive tightening and stress build-up is present.

When drawing the finger produces a rocking movement of the forequarter, extreme tightening and stress build-up is present.

Will be felt as tight lines running from the vertebrae to the upper edge of the scapula.

PROBLEM

Generalised tightening of the shoulders and loss of free scapula action, resulting in non-specific loss of power, coordination, motion and ability.

Very often responsible for setting up a compensatory problem behind; will always be accompanied by other shoulder spasms.


THERAPY

Follow with active exercise using as much free forward motion as the fitness of the horse will allow.

Responds very quickly when caught early.

MUSCLE ACTION

To draw the scapula upwards and forwards; to elevate the shoulder; to draw the scapula upwards and backwards.




Where to find it Over the front half of the shoulder blade, between the base of the neck and the point of the shoulder. Work across the muscle fibres.

 Muscle  Stress point

Supraspinatus

M. supraspinatus · shoulder

- STRESS POINT** When moderate pressure causes the horse to flinch, move away or bend his knee, excessive tightening and stress build-up is present.
- You will feel a tight knot about an inch (2.5 cm) long running across the muscle.
- PROBLEM** Will refer symptoms into the shoulder joint as an up and down or backwards and forwards lameness.
- THERAPY** Follow with graduated forward exercise up to and including a canter.
- Responds very quickly, even when spasm has been present for some time. Long-standing cases will often recur. If so, repeat the therapy until completely cured.
- MUSCLE ACTION** Extends the shoulder joint and acts as a lateral ligament to prevent dislocation.



Where to find it Over the back half of the shoulder blade, behind the spine of the scapula, running down towards the point of the shoulder.

 Muscle  Stress point

Infraspinatus

M. infraspinatus · shoulder


STRESS POINT When moderate pressure causes flinching, moving away and knee bending, excessive tightening and stress build-up is present.
Spasm will be felt.

PROBLEM Will refer into the shoulder joint as an up and down or backwards and forwards lameness.

THERAPY Follow with graduated forward exercise up to and including a canter.
Responds very quickly even when spasm has been present for some period of time. Long-standing cases will often recur. If so, repeat therapy until completely cured.
The two spinatus muscles are most stressed by lateral work such as half-pass. They also serve as lateral ligaments to prevent dislocation of the shoulder joint and can become stressed by casting in the stall. They are the most susceptible muscles to strain.

MUSCLE ACTION

Abducts the arm and rotates it outward. Serves as a lateral ligament to prevent dislocation.



Where to find it Behind the shoulder blade, at the top of the triceps where it meets the back edge of the scapula, running down the arm towards the elbow.

 Muscle  Stress point

Upper end of triceps

M. triceps brachii, upper end · arm

STRESS POINT When the horse moves away or bends the knee in response to moderate pressure, excessive tightening and stress build-up is present.

Spasm will be felt as a small knot against the back edge of the scapula.


There will be a tight line of muscle fibres running down the length of the muscle to the knee.

PROBLEM Shortened stride; horse jumping flat or hanging a leg; may look lame at extended trot.

THERAPY Follow with active exercise. Walking up hills is best; gradually work up to fully extended trot.

Two treatments are usually adequate when caught early.

MUSCLE ACTION To flex the shoulder joint.



Where to find it The lower part of the triceps, just above and behind the elbow, where the muscle narrows to its tendon.

 Muscle  Stress point

Lower end of triceps


M. triceps brachii, lower end · arm

STRESS POINT When the horse stiffens and moves the leg away in response to mild pressure, excessive tightening and stress build-up is present.
Spasm will be felt as a small rigid knot of tissue.

PROBLEM Shortened stride; uncomfortable lead and may avoid that lead when jumping; will not lock out the knee joint completely.

THERAPY The best exercise is walking up hills.
Will require four or five sessions to release completely.

MUSCLE ACTION Extends and locks the elbow joint.



Where to find it Under the belly just behind the foreleg, a tight line of muscle running forward to its attachment under the back of the foreleg.

 Muscle  Stress point

Posterior pectoral

M. pectoralis profundus · behind the foreleg

STRESS POINT

When flinching, moving away, or when pronounced contraction of the area muscles takes place with mild pressure, excessive tightening and stress build-up is present.

There will be a tight line of muscle running forward to the attachment under the back of the foreleg.

A very sensitive area, especially forward against the ribcage.

The back of the foreleg area will be more sensitive and will feel like a wire.

PROBLEM

The most common cause of shortened extension, switching or refusing to take proper leads.

May react to girth tightening by showing discomfort or becoming stilted.

THERAPY

Follow with active exercise of walking up hills, jogging, and forward motion up to an easy gallop.

Responds very quickly.

MUSCLE ACTION

To draw the leg backwards.




Where to find it Along the top of the back just behind the withers, where the long back muscle attaches, a hand width below the spine. ■ Muscle ● Stress point

Forward attachment of longissimus dorsi

M. longissimus dorsi, cranial attachment · behind the withers

STRESS POINT	When mild pressure causes flinching, arching or moving away, excessive tightening and stress build-up is present. Spasm will be felt as a rigid knot.
PROBLEM	Muscular sore back; loss of coordinated power while in motion; produces compensatory tightening to the longissimus dorsi on the opposite side. A common cause of back problems in jumping horses due to the jar of landing.
THERAPY	Follow with active exercise; when the back problem is severe, hand walk or lunge at walk, trot and canter; when mild, ride at walk, trot and canter. When caught early, responds quickly; severe cases will require a number of follow-up treatments.
MUSCLE ACTION	Extensor of the back and loins; lateral flexion.



Where to find it Along the side of the back over the ribs, below the longissimus dorsi, with the knot against the last rib.

 Muscle  Stress point

Longissimus costarum

M. iliocostalis · along the ribs

STRESS POINT	When mild pressure causes flinching or moving away, excessive tightening and stress build-up is present. Spasm will be felt as a rigid knot against the last rib.
PROBLEM	Will restrict lateral bending; will often develop secondary to a back problem or may refer its tightening into the back.
THERAPY	A very sensitive area. Follow with forward movement exercises including canter and side bending. Responds very quickly.
MUSCLE ACTION	Lateral flexion of the trunk.



Where to find it Over the loins where the long back muscle meets the gluteal muscles of the croup, about two inches from the spine.

Muscle Stress point

Junction of gluteus maximus and longissimus

Gluteus and longissimus junction · croup

STRESS POINT

When the horse sinks down or sags in response to light or moderate pressure, excessive tightening and stress build-up is present. Will be felt as a rigid knot about two inches (5 cm) away from the spine.

PROBLEM

Sore back! Cold back!

The combination of the gluteus and longissimus provides the main source of power for running, jumping and rearing.

This one point receives more constant stress than any other point; the chief cause of muscular back problems with horses.

THERAPY

Follow with active exercise. When severe, hand walk or lunge at walk, trot and canter.

When mild, walk up hills, free rein at walk, trot and canter.

Canter is the absolute best motion because pelvic action takes place that utilises the longissimus in concert with the gluteus. It is also the most efficient movement of the horse.


Let the horse dictate the pace; as the pain eases, the horse will automatically pick up the pace.

When caught early, responds quickly; severe cases will require a number of follow-up treatments.

There are three main checks for superficial lower back problems (cold back). Run your finger lightly down the spine: if the horse reacts, saddle pressure is causing the problem. Draw the fingers lightly down the side about three inches from the spine: if the horse reacts it can be neuritis or sensitive skin; check your pad. When pressure to the two loin points produces a reaction it is muscular. When none of the above produce a reaction, have your vet check for urinary or other internal infection.

MUSCLE ACTION

Forward propulsion.



Where to find it The big muscle of the outer thigh, running from the croup down and forward towards the stifle. The tightened mass sits about two inches from the spine at the top.

Biceps femoris

M. biceps femoris · thigh

STRESS POINT When light to moderate pressure causes the horse to tuck his hind end under, excessive tightening and stress build-up is present.


It will be felt as a tightened mass of muscle about two inches (5 cm) from the spine.

PROBLEM Scuffing with the hind leg; shortening of forward movement.

THERAPY Follow with active exercise at all rates of movement.

Unless there has been an accident causing tearing or excessive straining of tissues, this will show tremendous results with one session of therapy.

MUSCLE ACTION To extend and abduct the limb; to extend the hip and flex the stifle; assists in extending the hock.



Where to find it The thick middle of the biceps femoris on the back of the thigh, where the muscle divides to serve both the stifle and the hock.

 Muscle  Stress point

Belly of biceps femoris

M. biceps femoris, belly · thigh


STRESS POINT Not a reaction point. There will be a hard, unyielding mass of muscle; this is normal thickening.

A bifurcation area: the biceps femoris serves both the stifle and the hock.

PROBLEM Scuffing with the hind leg; shortening of forward movement.

THERAPY Pressure is inward and sideward.
The idea is to make the mass move from side to side. In the beginning the mass will not do this; once it moves sideways for you, the entire length of muscle will have released its tightening and will take the pressure off.

MUSCLE ACTION To flex the stifle and hock.



Where to find it The back of the gaskin, about three inches above the point of the hock, where the muscle runs into the Achilles tendon. ■ Muscle ● Stress point

Gastrocnemius

M. gastrocnemius · gaskin

STRESS POINT When moderate pressure causes flinching or lifting of the leg, excessive tightening and stress build-up is present.

Will be felt as a tight, hard, stringy area about three inches (7.5 cm) above the stifle.

PROBLEM Restricted motion, stifle or hock; discomfort while standing; stifle will not straighten fully.


THERAPY Direct pressure and cross-fibre friction with both thumbs.
This area of the gastrocnemius is heavily interspersed with tendinous fibres and is not easily moved. It requires deep pressure and, therefore, should be applied for a short period of time.

Exercise should be easy walk, trot and canter; no jumping until recovered.

Slow to fully respond; will require a number of follow-up treatments no closer than three days apart.

Due to its tendinous interspersing, the gastrocnemius can reinjure from overstretch more quickly than areas with more pliability and resiliency.

MUSCLE ACTION To extend the hock and flex the stifle.



Where to find it The long hamstring muscle running from the point of the buttock down the back of the thigh to the inside of the gaskin.


Muscle Stress point

Semitendinosus

M. semitendinosus · hamstring

- STRESS POINT** When the horse tucks the hind end under in response to light or moderate pressure, excessive tightening and stress build-up is present.
- Spasm may be felt either as a rigid knot or as a tight line of tissue running down from the attachment.
- When a tight line is felt, it has already assumed dangerous proportions.
- PROBLEM** Shortening of forward movement; discomfort straightening the stifle.
- The initial cause of a severe pulled or torn hamstring.
- THERAPY** Follow with exercise tailored to the severity of the problem.
- If a pull or tear has occurred, hand walk until the horse starts to track evenly; gradually increase to walk, trot and canter on the lunge line, walk mounted up hills.
- If mild, mounted at walk, trot and canter on the flat and up hills at walk.
- Very susceptible to reinjury.
- Once discovered, keep an eye on it and maintain tissue pliability.

MUSCLE ACTION To extend the hip and hock joints; to flex the stifle and rotate the leg inwards.




Where to find it The inner hamstring on the back of the thigh, from the point of the buttock down the inside of the thigh. Seen best from behind.

Muscle Stress point

Semimembranosus

M. semimembranosus · inner hamstring

STRESS POINT	When flinching or tightening of the hind leg occurs in response to mild or moderate pressure, excessive tightening and stress build-up is present. Will be felt as a rigid knot or tight line of tissue running down from the attachment. When a tight line is felt it has already assumed dangerous proportions. Retained tightening will often be the cause of a horse carrying the tail to that side.
PROBLEM	Shortening of forward movement; discomfort straightening the stifle; resists lateral movement; tracks inward during forward movement. Initial cause of a severe hamstring pull or tear to the inner thigh.
THERAPY	Follow with exercise tailored to the severity of the problem. If a pull or tear has occurred, hand walk until the horse starts to track evenly; gradually increase to walk, trot and canter. Walk up hills. Very susceptible to reinjury; keep an eye on it.
MUSCLE ACTION	To extend the hip joint and adduct the leg.



Where to find it On the front of the hip, fanning down from the underside of the tuber coxae (the point of the hip) towards the stifle.

■ Muscle ● Stress point

Tensor fasciae latae

M. tensor fasciae latae · point of hip

STRESS POINT When moderate pressure causes flinching, moving away and stiffening of the leg, excessive tightening and stress build-up is present.


Will be felt as a tight knot against the underside of the tuber coxae (the visible bony projection).

PROBLEM Throws the leg outwards on the forward stride; restricts lateral movements.

THERAPY Follow with active exercise at any level of movement. Easy on lateral work at first. Responds well to therapy; while this can be an aggravating problem, it is seldom a dangerous one.

Due to the consistency of the muscle and its action there is little chance of an actual pull or tear.

MUSCLE ACTION To flex the hip and extend the stifle.




Where to find it Deep on the front of the hip, a tight line from the pelvis to the head of the femur, felt below and behind the point of the hip.

 Muscle  Stress point

Iliacus

M. iliacus · inside the hip

STRESS POINT	When moderate pressure causes flinching, tucking under, stiffening and drawing the leg inwards, excessive tightening and stress build-up is present. Will be felt as a tight line against the bone; as rigidity from the bone to the head of the femur, and as a knot at the femur (thigh bone).
PROBLEM	Off in hind leg movement; may actually buckle; will be more pronounced on circles to that side; may appear as back discomfort.
THERAPY	Resume normal activity except for jumping if symptoms are severe. Jumping and racing horses will constantly be stressing this area. If you keep ahead of it, you will save both of you a great deal of problems in the hind end.
MUSCLE ACTION	To flex the hip joint and rotate the thigh outward.



Where to find it Over the croup, about an inch above the point of the hip, running back from the loins across the top of the hindquarter.

 Muscle  Stress point

Gluteus accessorius


M. gluteus accessorius · croup

STRESS POINT When flinching, sagging, moving away from moderate pressure, excessive tightening and stress build-up is present.
A hard little knot will be felt about 1 inch (2.5 cm) above the tuber coxae (one of the more easily felt lesions).

PROBLEM Restricted hip motion; back discomfort; shortened forward stride.

THERAPY Follow with moderate exercise of all movements.
This problem usually develops as the result of a back problem and should always receive attention when there has been a back problem.
Has a tendency to recur; therapy should be maintained for a period of time even though symptoms have disappeared.

MUSCLE ACTION Assists the gluteus muscle in extending the hip; rotates the thigh outward.



Where to find it On the flank just in front of and below the point of the hip, where the belly muscle attaches to the edge of the bone.

Muscle Stress point

External oblique

M. obliquus externus abdominis, attachment to tuber coxae · flank

STRESS POINT Attachment to the tuber coxae. When light to moderate pressure causes flinching and arching away, excessive tightening and stress build-up is present. Will be felt as a small knot against the edge of the bone.

PROBLEM Lugging in of the hip; restriction of lateral movement in the opposite direction.


THERAPY Follow with active exercise at any level.

This point should always be checked and worked if the horse has had severe tying-up.

This muscle arises from the rectus abdominis in the belly; it is partially responsible for a tied-up horse being unable to move the hind legs backwards, as the posterior pectoral restricts the forward movement of the forelegs.

Following a tying-up, treatment will effectively restore the ability to walk and move normally.

MUSCLE ACTION To flex the trunk; to flex the trunk laterally.



Where to find it Further forward on the flank, where the external oblique attaches to the last ribs; a thickened area against the rib.

Muscle Stress point

External oblique (rib attachment)

M. obliquus externus abdominis, rib attachment · flank

- STRESS POINT** When mild pressure to the point causes flinching and moving away, excessive tightening and stress build-up is present.
Will be felt as a thickened area against the rib.
- PROBLEM** By itself this point is not associated with any motion problem, but it must be especially treated in conjunction with the external oblique in a tying-up situation.
- THERAPY** The horse will dictate the amount that you can apply as it is a sensitive area.
Use easier pressure therapy, applied daily, until you are satisfied with the condition.
- MUSCLE ACTION** To flex the trunk; to flex the trunk laterally.

SECTION 13

Record observations and treatment given

Keep a case card for every animal you treat.

Record forms

Record every consultation on the case card, and the first assessment on the equine analysis form. Both forms, the markings sheet and the dog and cat health care chart are in Section 7, where they can be photocopied for use.

In the 2016 edition this section repeated all five forms from Section 7 unchanged (pages 125, 127, 128, 129 and 130) and included a scanned vet clinic flyer (page 126). The forms are printed once, in Section 7; the flyer is not carried over.

Heather: you have not mentioned these pages yet. If you want the forms printed here again, say so and they go back in.

SECTION 14

Assessment techniques: be a detective

Analysing, recording and explaining what you find.

Apply the Bowen Therapy assessment framework

Heather: pages 132 to 136 are the human Cert IV assessment framework (draping, removing outer clothing). Not on your list, so they stay as they were.

Apply Bowen Therapy Assessment Frame Work

Underpinning Knowledge

7 Aspects of the human body

Covered under Anatomy and Physiology

Ability to identify bone landmarks, structures and individual muscles through palpation Covered at the workshop Knowledge of the indications, possible responses and contra-indications to treatment After conducting the assessment procedure supplied and taken into account the contra-indications given in the index you will be able to give the indications for Bowen therapy. Ability to access and interpret Covered at the work shop Knowledge of data analysis techniques This is simply referring to your knowledge of being able to access client's files and being able to analyse the various places of data that has been stored away by you in the past. Demonstrate ability to interpret up-to-date information Covered at the workshop Knowledge and understanding of methods of preparing treatment and management plans Under "Provide the Bowen therapy treatment" you were trained on the steps required on how to provide a Bowen therapy treatment and how to manage the treatment. Included in these steps was the recording of the information of the individual client. This therefore forms the bases for your treatment and management plans.

Knowledge of the correct preparations required for specific treatment Under " Provide the Bowen therapy treatment" the knowledge was given under Manage treatment. Knowledge and understanding of further investigation available Under "Plan the Bowen therapy treatment strategy"- Alternative treatment was presented. This gave you information on the knowledge to refer the client to other health professionals for further investigation outside of your area of expertise.

Interpersonal and questioning skills Covered at workshop Knowledge of ethical and legal implications of the practice of Bowen therapy See under "Principles of Bowen therapy" and "Legal requirements" Element 1: Analyse, interpret, evaluate, utilize and record assessment outcomes

1.1 RESULTS OF THE HEALTH ASSESSMENT ARE CORRELATED WITH CASE HISTORY

1.2 Identified signs and symptoms of possible underlying conditions in the client/ patient are evaluated as indicators or contra-indicators of treatment procedures 1.3 Information is collated, recorded and organised in a way which can be interpreted readily by other professionals 1.4 Body patterns are analysed and differentiated by assessing signs and symptoms

1.1-1.4 Analyse and record assessment outcomes The following are important actions required in analysing and interpreting information received during the client's visit:

- The results of the overall assessment are correlated with the case history.
- Signs and symptoms of the condition in the client are recognised and identified as pre- requisites or contra-indications for treatment/care.
- Information gathered is assessed and assigned priority in consultation with the client using the knowledge and experience and theoretical principles applied by the practitioner.
- Information is gathered, recorded and organised in a way which can be interpreted readily by other professionals
- Body patterns analysed by weight bearing and non-weight bearing assessments and are noted separately to the presenting symptoms of the client.

ELEMENT 2. INFORM THE CLIENT/ PATIENT

2.1 Rationale for the treatment priorities are discussed with the client/ patient 2.2 Practitioner responds to client/ patient enquires using language the client/ patient understands 2.3 Referral and collaborative options are discussed with the client/ patient as necessary.

2.1 INFORMING THE CLIENT

If you as a practitioner perceive that there are treatment priorities that need to be undertaken to achieve the best outcome then this needs to be discussed with them so that they can understand your reasons. For instance you may see a casual principal (eg. In their pelvis) that is a priority which may be far removed from their symptoms (a painful neck).

2.2 While medical terms are the health professionals special language it is important to break this down into simple everyday terms when answering any of the client's queries.

2.3 If you are deciding to refer a client to another health professional it is vital that they are told the reasons and who you would suggest. If you feel you are dealing with a special case that needs the collaborating of another practitioner then it may be important to inform them of your intentions. Although this will depend on the case and the person involved.

Perform a Bowen Therapy health assessment

Perform Bowen Therapy Health Assessment

Underpinning Knowledge

Skills in using appropriate assessment techniques Covered at the workshop Knowledge of history, philosophy and beliefs of Bowen therapy within a health framework See under “Work within a Bowen therapy framework” There are 4 aspects of knowledge of the human body

Covered under Anatomy and Physiology

Knowledge of best practice Bowen therapy principles See under “Work within a Bowen therapy framework- clinic guidelines” Ability to identify prominent bones/structure and phasic and postural muscles Covered at workshop Ability to gather and interpret information through the tactile senses Covered at workshop Ability to identify contra-indications for Bowen therapy Covered at workshop Knowledge of indications for Bowen therapy After conducting the assessment procedure supplied on the previous page and taken into account the contra-indications given in the index you will be able to give the indications for Bowen therapy. Knowledge of technical and practical knowledge treatment Knowledge of treatment procedures have been given under “provide Bowen therapy treatment techniques- Apply the Bowen therapy treatment techniques” Knowledge of indications, possible reactions and contra-indications to treatment After conducting the assessment procedure supplied on the previous page and taken into account the contra-indications given in the index you will be able to give the indications for Bowen Therapy. Ability to manage time throughout consultation and treatment Covered at the workshop Demonstrate communication skills to gain and convey required information Covered at workshop Knowledge of ethical and legal implications of enquiry See under “Principles of Bowen Therapy” and “Legal requirements”

Element 1. Determine the scope of assessment and the client/ patients’ needs

1.1 The client/ patients reasons for seeking a consultation are established and the symptoms experienced are identified

1.2 The client/ patients suitability for treatment is determined based on Bowen principles and clinic/ personal policies

1.3 The treatment able to be provided and any limitations are clearly explained

1.4 The client/ patients expectation of treatment/ clinic are explored and clarified

1.5 Factors that may influence or limit assessment are identified in consultation with the client/ patient any such limitations are explained and discussed as to how they may be overcome

1.6 Professional practice guidelines and parameters of the role are explained to the client/ patient as the basis of treatment and case management

1.7 Client/ patient is referred to other health care professionals where the needs of the client/ patient are identified as beyond the scope of treatment able to be provided, or if in the opinion of the practitioner the needs of the client/ patient are best met by doing so

1.8 THE LEGAL RIGHTS OF THE CLIENT/ PATIENT ARE IDENTIFIED

1.1 REASON FOR THE CONSULTATION

You will need to know the reason for the clients visit to you. You may include this question in your initial client questionnaire. However it will be necessary to discuss it with them at the first interview so that you can obtain a clear picture of the symptoms that they are experiencing.

1.2 TREATMENT SUITABILITY

From your preliminary investigations you may be able to determine the client's suitability for Bowen therapy treatment. If not then at a point that you determine, you need to be able to express to the client whether you believe that you can help them or not.

1.3 TREATMENT LIMITATIONS

After your assessment it may be clear that you may be able to assist the client but let them know at the same time if there are any limitations to the help that you can give to them

1.4 CLIENTS EXPECTATIONS

Expectations by clients will vary from person to person. Ensure you explore just what they expect from their visits to you.

1.5 FACTORS INFLUENCING ASSESSMENT

A proper assessment includes visual assessment. If a client does not want to remove their clothing for example then your ability to help them will be hindered. This needs to be discussed and ways of overcoming this problem could be suggested.

1.6 PROFESSIONAL PRACTICE GUIDELINES SEE UNDER "CLINIC GUIDELINES"

It is not necessary to relate all of these to the client as most of them are implied within a professional setting.

1.7 REFERRALS

From time to time a client's problem will fall outside of your field of expertise and it will be necessary for you to make this clear to them and offer any assistance necessary for them to obtain some help.

1.8 ETHICS

See under "Clinic Guidelines"

Element 2. Obtain and record an accurate history of the client/ patient 2.1 Preliminary information required from the client/ patient for completing the client/ patients history to complement assessment is sought in a professional manner 2.2 Accurate, relevant and well organised information is collected and recorded in a form which can be interpreted readily by other professionals

2.3 INFORMATION IS MANAGED IN A CONFIDENTIAL AND SECURE WAY

2.1-2.3 See under "Provide the Bowen therapy treatment- Health History"

ELEMENT 3. PREPARE THE CLIENT FOR ASSESSMENT

3.1 Client/patients body is not unnecessarily exposed during the assessment/ treatment 3.2 Client/patient boundaries are established and respected at all times

3.3 CLIENT/PATIENT FEEDBACK IS SOUGHT ON COMFORT LEVELS

3.1 – 3.3 Draping of client Ask client to remove their outer clothing, leaving the room whilst the client is preparing. Observing the client's right to privacy, knock or request permission before re-entering the room. Your client is within their rights to refuse your request to remove their outer clothing. If in this case, your treatment can still proceed, however you will need to adjust to completing both the assessment and treatment entirely through their clothing.

A client needs to be draped at all times by the use of a towel, sheet or blanket. Always ensure that sexual organs (including breasts for females) are covered at all times. Only uncover those areas which you are examining or treating at the time. Remember, being semi-clothed and lying on the treatment table generally increases your client's feelings of vulnerability and apprehension. Paying attention to draping not only demonstrates your professionalism and regard for your client, but leaves the client feeling more relaxed and comfortable.

ELEMENT 4. PERFORM AND RECORD ASSESSMENT OF THE CLIENT

4.1 Informed client/patient consent is obtained prior to conducting assessment in accordance with the relevant regulations and legislation 4.2 Essential requirements for the maintenance of clinical and practitioner hygiene are identified, and routinely observed 4.3 Potential sensitivities of the client/patient are anticipated and the practitioner's approach is adapted accordingly.

4.4 CONTRA-INDICATIONS TO ANY SUBSEQUENT TREATMENT ARE IDENTIFIED

4.1 CLIENT CONSENT FOR ASSESSMENT

It is not necessary to literally ask the client for their consent to perform an assessment on them; however you will need to explain your examination procedures. In addition to this you will need to explain when you are going to perform them. In the case of a standing postural assessment you would say to them, I would like to see your posture now while you are standing over in this corner. I would like your coat and shoes off. This gives them the opportunity to agree or disagree with your instructions.

4.2 HYGIENE

The practitioner should always wash their hands before and after every client to prevent the possibility of spread of disease. Cuts or wounds should be covered and suitable clothing should be worn if either party has a severe skin condition.

4.3 SENSITIVITY OF THE CLIENT

We are not all of the same makeup. Some clients may be very sensitive about a whole lot of things. It is important that the practitioner anticipate any event in the consultation that could potentially affect the client/practitioner relationship. In short practitioners need to be flexible to accommodate the full range of client peculiarities that come into their clinic.

4.4 CONTRA-INDICATIONS TO TREATMENT

As one has previously been stated it is important to note any contra-indications to any one of the treatment techniques (See appendix for the full list)

SECTION 15

Infection control

Biosecurity and disinfection when you move between properties.

Biosecurity and disinfection procedures (PIRSA)



Government of South Australia
Primary Industries and Resources SA

Disinfection procedures for skin, clothes and equipment

Modified by PIRSA Animal Health 4 Sep 2007 from NSW Dept Ag Factsheet

1800 675 888

Infected horses excrete huge quantities of Equine Influenza virus when they cough or sneeze. People who have been in contact with infected horses can spread the virus.

The virus can survive on hard, non-porous surfaces such as plastic and stainless steel for up to 48 hours. It can survive on fabrics and skin for up to 12 hours or longer. It can be killed easily by cleaning and disinfection. You just need to be thorough.

When disinfecting yourself or equipment, make sure you pay extra attention to areas in the firing line of coughing, sneezing or snorting. Remove all snot and mucus!

Stables and floats

Remember to scrub clean walls and ceilings as well as floors.

Yourself

Follow a rigorous scrub-in and scrub-out procedure when visiting horse properties.

Wear a protective overcoat or overalls when handling an infected horse. Single-use disposable overalls are preferable. Remove the overcoat or overalls after handling horses from one property. Discard as contaminated if disposable, otherwise launder before using again. If clothing is to be laundered, put it into a plastic bag to take home to clean.

Blow your nose into a tissue and discard the tissue. Your own nose may be a source of contamination, so do this **BEFORE** you wash your hands.

Wash your hands thoroughly with soap or detergent. That means every finger and under fingernails as well. Wash right up to the elbows and keep washing for at least two minutes.

Beware of bridles, feed bowls, troughs, lead ropes and twitches

This equipment can harbour snot and mucus.

Bridles should be thoroughly cleaned and disinfected. Where possible, do not share bridles between horses and certainly don't share bridles between properties.

Feed bowls and troughs may be disinfected satisfactorily but lead ropes and rope twitches should be discarded if they may have been used on an infected horse.

Equipment must not be brought into SA from interstate.

Recommended disinfectants for surfaces

Clean away all dirt and faecal material with water and a household detergent then spray with a disinfectant such as household bleach or citric acid. Read label directions and take recommended precautions when handling these disinfectants.

For further information, see Guidelines for the horse industry to minimise the spread of equine influenza.

© State of South Australia through Primary Industries and Resources SA 2007. You may copy, distribute and otherwise freely deal with this publication for any purpose, provided that you attribute Primary Industries and Resources SA as the owner.

Disclaimer

Use of the information in this Fact Sheet is at your own risk. The Department of Primary Industries and Resources and its employees do not warrant or make any representation regarding the use, or results of the use, of the information contained herein in terms of its suitability, correctness, accuracy, reliability, currency or otherwise. The entire risk of the implementation of the information which has been provided to you is assumed by you. All liability or responsibility to any person using the information is expressly disclaimed by the Department of Primary Industries and Resources and its employees.

Placeholder · Third-party material, permission or replacement needed. Government of South Australia (PIRSA) fact sheet as scanned into the 2016 edition. PIRSA material is Creative Commons BY 4.0, so it can be retyped with attribution; that is the plan for this page.

Biosecurity and disinfection procedures (PIRSA)



Government of South Australia
Biosecurity SA

www.pirsa.gov.au/factsheets

FS 04/10

Biosecurity and Disinfection Procedures For Horse Owners

Dr Mary Carr, PIRSA Biosecurity – Animal Health

This fact sheet provides information and advice to horse owners on how to manage their day to day activities in relation to the health care of their horses.

Good on-farm Biosecurity and personal hygiene is important not only in the prevention of exotic diseases but any infectious disease that can affect horses. It is up to all horse owners and people employed within the industry to ensure these practices are implemented as part of their husbandry regime to ensure their horses health.

"Prevention is better than cure". Every horse owner needs to do everything they can to reduce the risk of an infectious disease being introduced to their property and spread by themselves or the horses in their care.

What is Biosecurity?

Biosecurity is a set of disease control measures designed to break the cycle of and reduce the spread of infectious diseases.

New Arrivals


The most common way infectious diseases are spread is via a new horse arriving at the property. Even though the horse may not be showing symptoms it could still be a carrier of disease. A veterinary examination is recommended prior to purchasing a horse. Depending on where the horse has originated, the veterinarian may advise for specific tests to be conducted to rule out infectious diseases.

Upon the arrival of any new horse to the property it is advisable to:

- Isolate from the resident horses for at least two weeks;
- Check the horse twice daily for signs of illness, taking the horses temperature in addition to monitoring food and water intake;
- Make sure you have separate equipment for the new arrival (stable/yard equipment, buckets, grooming supplies, and tack etc);

Top Biosecurity Tips:

- Wash your hands
- Isolate sick horses, new arrivals and horses returning to the property
- Clean and disinfect properly (3 steps)
 1. Remove loose material
 2. Wash
 3. Disinfect
- Disease can be spread by horses, people & equipment. Assess the risk for your property
- Take action to improve your biosecurity today.



Isolation paddock for new horse arrivals

For further information phone (08) 8207 7900, or any office of Primary Industries and Resources South Australia.
Information may be used with acknowledgement.

ISSN 1323-0409
January 2011

Placeholder · Third-party material, permission or replacement needed. Government of South Australia (PIRSA) fact sheet as scanned into the 2016 edition. PIRSA material is Creative Commons BY 4.0, so it can be retyped with attribution; that is the plan for this page.

Biosecurity and disinfection procedures (PIRSA)

- Handle the newly arrived horse last, morning and night, or put on disposable overalls and change footwear (remove before tending to other horses on the property);
- Wash your hands upon leaving horse's yard.

Attending Activities (Coming and Going)

Horse to horse or human to horse contact with an infected horse at an event/activity is another common way disease is spread.

Simple Steps owners can take at events:

- Take your own equipment (buckets, tack and grooming supplies);
- Do not share your equipment;
- Do not use communal water troughs;
- Monitor your horse's health while at the event;
- Avoid tying/yarding your horse with other horses so there is minimal direct contact;
- Don't allow your horse to graze at the event (take your own feed)
- Pick up any manure & dispose of at the designated place
- Using insect repellent on yourself & your horse can help prevent transmission of disease via insect bite
- Wash your hands if you have touched other people's horses;
- Monitor your horse's health upon returning home and where possible isolate for two weeks and avoid nose to nose contact with other horses on your property;
- Keep records of horses movements on and off the property (dates, time, venue etc);
- Clean and disinfect your float/truck, tack, grooming equipment and stable equipment immediately upon returning home;
- Do not touch other horses at your property until you have showered, changed your clothes and cleaned and disinfected your footwear.



Wash your hands after contact with other horses

Visitors to your Property

So far we have looked at disease spread from horse to horse but many diseases can be spread just as easily from human to horse. This can be from the owner visiting a horse on another property or someone visiting your property. This could be a friend or a service provider like a farrier, dentist, vet, or riding instructor.

Simple measures owners can put in place with people visiting their property:

- Have only one entrance and a designated parking area for visitors away from the horses;
- If a service provider needs to park closer have an area for this;
- If you have many different visitors coming and going you may like to have foot baths at the entrance;
- Be well set up for visitors to wash hands and disinfect equipment e.g. anti bacterial hand gels, disinfection wipes, spray pack with disinfectant etc.
- Keep a record of visitors i.e. date, time, name and purpose of visit. On larger properties record details of horse/s the visitor came in contact with.

Placeholder · Third-party material, permission or replacement needed. Government of South Australia (PIRSA) fact sheet as scanned into the 2016 edition. PIRSA material is Creative Commons BY 4.0, so it can be retyped with attribution; that is the plan for this page.

Biosecurity and disinfection procedures (PIRSA)

Visiting Other Horse Properties

Simple measures owners can put in place if they have been in contact with other horses away from their property:

- Wash your hands, change your clothes and disinfect your boots before handling horses on your property;
- If you work in the industry or regularly visit properties with horses keep a detailed log of where you have been;
- If you work in the industry or regularly visit properties and take any equipment, make sure it is cleaned and disinfected before using on other horses or your own horses;
- If you work in the industry and visit many properties have equipment and clothing and boots for work purposes only. Keep this separate from your horses and ensure your vehicle is kept clean.

Neighbouring Properties

The problem of nose to nose contact over neighbouring fencing lines can be managed by double fencing and the planting of trees between fences. Electric fencing will not completely eliminate contact but it can serve as a deterrent to most horses if the other options are not available.

Good husbandry

Good husbandry practised on a day to day basis is an effective way to reduce the spread of diseases. Horses should be checked daily to ensure they are healthy and not at risk of injury. Worming and vaccination programs should be implemented and records for each horse should be maintained.

Where horses are stabled or yarded it is important that manure is cleaned up twice a day and disposed of properly.

Keeping vermin and insects under control is also important in preventing spread of disease. Steps to deter insects and vermin can include having the manure pit emptied regularly, having feed in vermin proof containers, disposing of old and un-eaten feed and limiting places for vermin to hide and breed.

Keeping equipment and tack well cleaned and washing and rinsing of feed and stable water buckets daily is also recommended. Water troughs in paddocks should be cleaned weekly.

Ensure prompt removal/hygienic disposal of deceased stock.

Signs of Illness

Any horse that is suspected of being ill must be isolated immediately. Call your local vet. Do not handle any other horses until you have changed your clothes and washed your hands.

Wash and disinfect any gear and equipment including rugs, halters and leads, feed bins, water buckets, and grooming equipment that have come in contact with the horse.

Disease Reporting

It is important that if you have a high number of horses fall ill or any sudden unexplained deaths that you call your local vet or the Emergency Animal Disease Watch Hotline. Do not allow



Double fencing to prevent nose to nose contact



Placeholder · Third-party material, permission or replacement needed. Government of South Australia (PIRSA) fact sheet as scanned into the 2016 edition. PIRSA material is Creative Commons BY 4.0, so it can be retyped with attribution; that is the plan for this page.

Biosecurity and disinfection procedures (PIRSA)

anyone to come in contact with your horses and do not remove any deceased horses until your vet has assessed the situation.

Under South Australian legislation, if you suspect the presence of an Emergency (Exotic) Animal Disease, you must report it to PIRSA Biosecurity – Animal Health.

To report, please call the Emergency Animal Disease Watch Hotline: 1800 675 888. You'll be put into contact with PIRSA Biosecurity Animal Health staff who will give detailed advice on how to proceed.

Disinfecting

How to disinfect

There are three steps in order for this process to be effective:

Step One – Remove Loose Material

Surfaces must first be cleaned in order for disinfectants to be effective. Ensure all manure and dirt is brushed off the surface.


Step Two – Wash

Wash the item or surface with warm soapy water, then rinse thoroughly and dry.

Step Three – Disinfect

Once item or surface is dry disinfectant can be applied. Tack items and footwear can be wiped with a disinfectant wipe or can be sprayed with disinfectant and wiped over with clean dry cloth.

Horse Transport vehicles and floors of stables can be sprayed with disinfectant made up in a spray bottle. For larger surface areas a weed sprayer is ideal.



Step 2: Wash



Step 3: Disinfect

Using Disinfectants

Always wear gloves when mixing up disinfectants, read/follow manufacturer's instructions and be careful with your clothes and equipment.

Disinfecting Equipment (These products are readily available in supermarkets.)

Bleach (any bleaching agent containing hypochlorite) – Mixing one part bleach to 10 parts water is a cost effective way to disinfect buckets, stable forks and shovels, and grooming equipment.

Spray Disinfectants – Any quaternary Ammonium Compounds. Make sure you mix up as per instructions on label. These are good for disinfecting inside of transport vehicles and tyres, stable floors and walls, and stable equipment. Some are suitable for footbaths.

Anti-bacterial/Alcohol Wipes – Make sure they kill both virus and bacteria. Wipes are quick and effective for wiping over helmets and tack without the use of water.

Disinfecting a Person

Soap – Soap and warm water is sufficient for skin.

Waterless Antibacterial Hand Gels – These are available in gel or wipes at most supermarkets and pharmacies.

Placeholder · Third-party material, permission or replacement needed. Government of South Australia (PIRSA) fact sheet as scanned into the 2016 edition. PIRSA material is Creative Commons BY 4.0, so it can be retyped with attribution; that is the plan for this page.

Biosecurity and disinfection procedures (PIRSA)

Chlorhexidine – Any hand wash that has Chlorhexidine compound used in most hospitals and veterinary surgeries.

Please note: In rare cases some people can be hypersensitive to Chlorhexidine so it is recommended that products containing Chlorhexidine not be used on damaged skin surfaces of allergy sufferers.

For further advice:

Mary Carr, PIRSA Biosecurity – Animal Health, 08 8207 7872

Additional information

- Horse and Donkey Biosecurity – DAFF
http://www.daff.gov.au/animal-plant-health/pests-diseases-weeds/biosecurity/animal_biosecurity/biosecurity_and_horses

Hendra Virus Information

- PIRSA Factsheet: Flying-foxes and Hendra virus – Advice for Horse Owners
- Queensland DPI Hendra virus website
www.dpi.qld.gov.au/4790_2900.htm

Authors:

Dr Mary Carr, PIRSA Biosecurity – Animal Health

Acknowledgements

© State of Victoria Department of Primary Industries 2008.

Content in this factsheet has been reproduced with permission.

The advice provided in this publication is intended as a source of information only. Always read the label before using any of the products mentioned. The State of Victoria and its employees do not guarantee that the publication is without flaw of any kind or is wholly appropriate for your particular purposes and therefore disclaims all liability for any error, loss or other consequence which may arise from you relying on any information in this publication.

Disclaimer

Use of the information in this Fact Sheet is at your own risk. The Department of Primary Industries and Resources and its employees do not warrant or make any representation regarding the use, or results of the use, of the information contained herein in terms of its suitability, correctness, accuracy, reliability, currency or otherwise. The entire risk of the implementation of the information which has been provided to you is assumed by you. All liability or responsibility to any person using the information is expressly disclaimed by the Department of Primary Industries and its employees.



Placeholder · Third-party material, permission or replacement needed. Government of South Australia (PIRSA) fact sheet as scanned into the 2016 edition. PIRSA material is Creative Commons BY 4.0, so it can be retyped with attribution; that is the plan for this page.

SECTION 16

When to call the veterinarian

Call immediately, call the same day, or call within 24 hours.

When to call your veterinarian

When to call your veterinarian

A. Call immediately

Choke

- distressed
- extends head and neck
- salivates
- coughs
- grunts
- paws ground
- Food and saliva may be regurgitated through nostrils.

Collapse or loss of balance

- over-reaction to external stimuli
- depression
- staggering
- knuckling over
- walking in circles
- down, unable to get up
- general muscle tremor
- rigidity
- paddling movements of legs
- coma

Continual straining

- attempting to defaecate (pass a motion) or urinate with little or no result.

146

Placeholder · Third-party material, permission or replacement needed. Scanned from an unnamed book in the 2016 edition. Needs permission, or rewriting in Heather's words. The triage structure is worth keeping.

When to call your veterinarian

Heavy bleeding

from any part of the body, will not stop. Apply pressure.

Difficulty in breathing

- gasping
- noisy breathing

Inability to foal

- if no foal appears after about 25 minutes of obvious contractions and straining.
- if mare gives up after straining for 20 minutes.
- if part of foal appears eg, leg but nothing else appears after 20 minutes of straining.

Injury

- severe continuous pain
- severe lameness
- cut with bone exposed
- puncture wound, especially chest or abdomen.

Pain

severe, continuous or spasmodic.

Poisoning

Chemical, snake or plant. Retain for veterinarian to identify the type of poison quickly.

Urine or diarrhoea

- evidence of blood
- putrid, fluid diarrhoea in young foal.

147

Placeholder · Third-party material, permission or replacement needed. Scanned from an unnamed book in the 2016 edition. Needs permission, or rewriting in Heather's words. The triage structure is worth keeping.

When to call your veterinarian

B. Call same day

Abortion

Afterbirth

if retained for 8 hours.

Breathing difficulties

- laboured breathing (heaving)
- rapid and shallow breathing with or without cough.

Diarrhoea

motion fluid, putrid.

Eye Problem

- tears streaming down cheeks
- eyelids partially or completely closed
- cornea (surface of eye) hazy, opaque or bluish-white in colour.

Injuries

- not urgent but liable to become infected
- a cut through full thickness of skin which needs stitching
- a puncture wound of foot
- sudden acute lameness.

Itching

- self mutilating
- damaged skin
- bleeding sores.

148

Placeholder · Third-party material, permission or replacement needed. Scanned from an unnamed book in the 2016 edition. Needs permission, or rewriting in Heather's words. The triage structure is worth keeping.

When to call your veterinarian

Not eating

- depressed - in conjunction with other signs such as:
 - laboured breathing
 - diarrhoea
 - lying down
 - pain
 - sweating.

Swelling

hot, hard and painful or discharging.

C. Call within 24 hours

Diarrhoea

- cow-like
- no indication of abdominal pain
- no sign of blood
- no straining.

Itching

- moderate
- no damage by self-mutilation.

Lameness

- ability to bear weight on leg
- not affecting eating or other functions.

Not eating

no other sign or symptom.

149

Placeholder · Third-party material, permission or replacement needed. Scanned from an unnamed book in the 2016 edition. Needs permission, or rewriting in Heather's words. The triage structure is worth keeping.

SECTION 17

Equine first aid

The kit, wounds and bandaging, vital signs, and saddle fitting.

Suggestions for an animal first aid kit

Vet's phone number:

- Torch
- Lead ropes and halter
- Dog collars and leads
- Carry cage
- Scissors
- Tweezers
- Splinter probe
- Bowl for washing wounds
- Old towels
- Bandages
- Cotton wool
- Thermometer
- Stethoscope
- Syringes
- Vaseline
- Plastic bags
- Antihistamine
- Berg oil
- Tape measure
- Swabs
- Rubber gloves
- Paper towels
- Washing soda
- Colloidal silver
- Feeding tube
- Spray bottle
- Nail brush
- Bucket
- Ear cleaning equipment
- Blanket
- Thermal blanket
- Peroxide or alcohol
- Vegetable oil
- Hand washing equipment
- Clippers
- Note book and pens
- Betadine
- Panadol
- Cetrigen (purple spray)
- Water
- Rapid gel
- Pottie's electric oil
- Hoof tester
- Black cotton cloth
- Wire cutters
- Pliers
- Bailing twine
- Twitch
- Hoof pick
- Fire blanket
- Mentholated spirits
- Tissue salts
- Bot scraper
- Duct tape
- Bran

Please add any of your own requirements. Check the kit regularly to keep it up to date.

First aid: restraint and approach


First Aid

First Aid may be given to a horse before it is treated by a veterinary surgeon. First aid can significantly affect the outcome of that treatment. It is essential that the owner or carer know what action is required and also know how to avoid any procedure that may exacerbate the condition.

The result of the first aid given may be so important as to save the horse's life but, in all cases, it should prevent the condition deteriorating and may sometimes be enough so that professional attendance won't be necessary. The first aid will, of course, vary according to the condition. Some common problems are listed below. Understanding the development of the injury / illness will ensure correct application of the appropriate treatment.

Regardless of the problem always:

- restrain the horse (but do not put yourself at risk).



- calm the horse.



- move to an environment suitable for treatment.

Placeholder · Third-party material, permission or replacement needed. Scanned from an equine first aid textbook in the 2016 edition and on Heather's artwork list. The drawings can be redone as original art; the text is also third-party and needs permission or rewriting.

Types of wounds and the process of wound healing

Types of wounds

- **incisions:** cut wounds caused by a very sharp object, eg, glass, sharp metal, jagged wood.
- **abrasions:** a wound caused by friction that wears away the top layer of skin and hair, eg, rubbing by leg straps, rope burns, chaffing by brushing boots or a horse getting down in a float.
- **lacerations:** A torn, ragged wound can be caused by skin being caught in wire etc.
- **punctures:** a wound that is deeper than it is wide, usually only a small surface wound but may extend deep into the flesh (usually caused by penetration of a nail stakes or wire).
- **contusions:** a bruise or swelling type of injury that is usually incurred without breaking the skin – caused by horse receiving a hard blow or falling onto a hard surface or object.
- **burns:** Damage to the skin by excessive heat or cold, electric currents or chemicals.

The Process of Wound Healing

Management of wounds in horses is a problem common to all horse owners. In this section only those that break the skin will be discussed (i.e. not swellings). See *haematomas/bruises*.

Wound healing can broadly be divided into four general phases.

- Inflammatory Phase

After the injury, bleeding is controlled by clotting mechanisms and swelling (*oedema*) occurs in the adjacent tissues. The more severe the wound, the greater the swelling. This phase lasts for 0 – 3 days.

- Destructive Phase


White blood cells (*leucocytes*) migrate via the blood to the injured tissue, destroying dead/dying cells and a new layer of cells begins to form under this 'scab'. This phase lasts from 1 – 6 days and is prolonged if there is a lot of dead tissue or foreign bodies.

Placeholder · Third-party material, permission or replacement needed. Scanned from an equine first aid textbook in the 2016 edition and on Heather's artwork list. The drawings can be redone as original art; the text is also third-party and needs permission or rewriting.


Preventing further haemorrhage

Preventing further Haemorrhage


Apply pressure to the area. Gauze swabs or cotton wool, held over the wound with gentle pressure, will reduce bleeding in most cases. A bandage can then be applied over this pad and be left in place until the vet arrives. Tourniquets are best avoided because they can block off blood supply for too long and cause tissue damage.



1. Apply a non-stick dressing first. This will not disturb the blood clot when you change it.



2. Wrap padding around the leg. Don't worry if the wound is bleeding - it can take up to 30 minutes to stop.



3. Bandage over the padding. Start at the top to secure the dressing then move down to the wound area.



4. Use all the bandage, leaving an edge of padding at top and bottom. Take time to do it well.

Placeholder · Third-party material, permission or replacement needed. Scanned from an equine first aid textbook in the 2016 edition and on Heather's artwork list. The drawings can be redone as original art; the text is also third-party and needs permission or rewriting.

Controlling infection

Controlling Infection

Any wound in which treatment has been delayed beyond twelve hours past injury should be considered to be **infected**. Infection is less likely to occur in those wounds treated with antibiotics during the first six hours.

Topical Antibiotic Treatment

Useful in small, open wounds - eg, *Terramycin* powder or spray.

A small wound on the neck is suitable for a light application of **antibiotic spray**.



Antibiotic Spray

Hold the can upright 30-48 cm (12-19 inches) from the skin and spray briefly. Some horses dislike the noise, so spray in the air first to assess the horse's reaction. It will probably get used to it. Cotton wool plugs in the ears may help if there is a problem.

Systemic Antibiotics

Should be used as early as possible in wounds where infection is likely to occur. Usually a broad spectrum antibiotic is used eg, penicillin but this should be determined by the attending Veterinarian.

Preventing Tetanus

Horses with current tetanus vaccination status should be given a booster tetanus toxoid. Unvaccinated horses should receive both a tetanus antitoxin, giving instant but temporary protection, and a tetanus toxoid vaccination (followed by another toxoid in 4 weeks time to boost immunity).

156

Placeholder • Third-party material, permission or replacement needed. Scanned from an equine first aid textbook in the 2016 edition and on Heather's artwork list. The drawings can be redone as original art; the text is also third-party and needs permission or rewriting.

Reducing swelling and proud flesh

Reducing Swelling

To reduce the swelling that occurs in the inflammatory phase of wound healing (0-3 days), a poultice can be applied. Systemic anti-inflammatories may also be prescribed by the veterinarian eg, *phenylbutazone* injection or powder. Keeping a leg wound bandaged will help prevent swelling.

Proud Flesh – Treatment and Prevention

Excessive granulation tissue or *Proud Flesh* – is predominantly a problem in those wounds below the knee and hock. The best way to minimise its growth is to apply pressure to the wound and to prevent skin movement by immobilizing the area. Depending on the size and severity of the wound, an elastoplast bandage may suffice but, in larger wounds, more rigid support may be necessary. Cortisone ointments applied to the wound also help to limit proud flesh but must not be put on too soon after injury and must always be used with care if there is a risk of infection (as cortisone reduces the defence mechanisms of the body).

If proud flesh has become established, it must be reduced to below the level of the skin or it will prevent the skin from covering the wound. Depending on the size of the wound and the amount of proud flesh, it can be treated by using the following methods:

- cutting off the proud flesh (usually performed by a Veterinary Surgeon) in cases where there is too much tissue to consider just using copper sulfate.
- skin grafts – performed by a Veterinary Surgeon - when large areas of skin have been lost and there is a large amount of proud flesh.




Proud Flesh

Placeholder · Third-party material, permission or replacement needed. Scanned from an equine first aid textbook in the 2016 edition and on Heather's artwork list. The drawings can be redone as original art; the text is also third-party and needs permission or rewriting.

Eye injuries

Eye Injuries



A horse with an eye injury may have a tacky discharge leaking from the eye

It is important to recognize and treat eye injuries promptly or permanent damage and impaired vision may ensue.

The eyeball (especially the cornea) may be damaged by:

- grass seeds
- sand
- chaff particles
- mud from other galloping horses
- fly worry (especially in summer).

Symptoms

- discharge may be clear or infected (pus)
- inflamed conjunctiva
- photophobia (squinting). (Light causes pain to horse.)
- cornea becomes “cloudy” and “blue” over all or part of its surface.

158

Placeholder · Third-party material, permission or replacement needed. Scanned from an equine first aid textbook in the 2016 edition and on Heather's artwork list. The drawings can be redone as original art; the text is also third-party and needs permission or rewriting.

Assessing the vital signs: temperature

Because eyes are so critical and so easily damaged, veterinary assessment and treatment is recommended. If unavailable:

- remove foreign body, eg, grass seed if possible. Horse may need to be twitched. Flush the eye with saline or use a swab dampened with saline.
- Keep horse in darkened stall.
- If there is any change in the appearance of the corneal surface, prompt veterinary attention should be sought.
- A fly veil will help protect eyes from flies.

Assessing the Vital Signs

(a) Temperature

1. Shake the mercury down in the thermometer.
2. Insert two thirds thermometer into anus with the end of the thermometer resting on the rectal wall.
3. Leave in place for **at least two minutes**.
4. Remove and read.

Normal range 37.0° C - 38.5 ° C



Taking a horse's temperature

Placeholder · Third-party material, permission or replacement needed. Scanned from an equine first aid textbook in the 2016 edition and on Heather's artwork list. The drawings can be redone as original art; the text is also third-party and needs permission or rewriting.

Pulse, respiration and mucous membranes

(b) Pulse rate / heart rate

1. Locate **facial artery** where it runs over the ventral mandible (jaw bone).
2. Count over 1 minute.
3. Using a stethoscope, the heart rate can be taken on the left-hand side on the lower part of the chest behind the elbow.

Normal heart rate / pulse rate at rest 30 – 40 beats / minute.



Taking a horse's pulse rate

(c) Respiration rate

- Count the number of breaths taken over 1 minute.

Normal respiration rate at least 10 – 12 breaths/minute.

(d) Mucous membranes

Membrane colour is a useful monitor in the sick horse. To be able to interpret the changes, you must be familiar with the normal appearance. The mucous membranes of the gums are most commonly used but the vulval mucous membranes can also be used.

Irregularities to look for are as follows:

- very pale – anemia, shock (Many normal horses have pale, pink membranes.)
- injected (very red or 'brick' red), and septicaemia (overwhelming infection), toxemia (toxins in blood) or dehydration
- blue – anoxic (lacking oxygen).

160

Placeholder • Third-party material, permission or replacement needed. Scanned from an equine first aid textbook in the 2016 edition and on Heather's artwork list. The drawings can be redone as original art; the text is also third-party and needs permission or rewriting.

Capillary refill and lymph nodes

(e) Capillary Refill Time

Capillary refill is tested by applying finger pressure to the gums causing them to go pale white. On removal of the finger, the gum colour should then return to normal (ie, refill with blood).

The normal value is for normal colour to return within one/two seconds of the finger being removed. The time will be prolonged if the horse is in shock.



Pressing the gums to determine capillary refill time

(f) Lymph Nodes

The submandibular lymph nodes are easily palpated midway between the horse's cheeks. In some diseases, they will become enlarged and may abscess, eg, Strangles but will also be enlarged in cases of infection in the head and neck or in cases of generalized disorders of the lymphatic system. Infections caused by grass seeds in the mouth or respiratory tract infections would cause enlargement.

Injectons

Injection

The three main sites for injections are:

- subcutaneous (**under the skin**)
- intramuscular (**into the muscle**)
- intravenous (**into the vein**).

The choice of the route of administration will depend on the drug being injected. **It is dangerous to inject any drug by the wrong route.**

Sterility is essential regardless of route. Always use a **sterile needle** and syringe. **Do not reuse needles** under any circumstances and only reuse syringes if they can be sterilized between uses.

Needle sizes will vary, depending on (a) the drug being administered and (b) site for injection. (18 gauge needles are most commonly used in the horse.) Syringe sizes will be dependant on the amount of drug. **Large doses for i.m.** injections (ie greater than 20 mls) may be given in **two separate sites**. If daily (or twice daily) injections are needed, always use a different site.

Subcutaneous

Given anywhere under the skin – usually on the neck.



Subcutaneous injection - given under a fold of skin

Placeholder • Third-party material, permission or replacement needed. Scanned from an equine first aid textbook in the 2016 edition and on Heather's artwork list. The drawings can be redone as original art; the text is also third-party and needs permission or rewriting.

Examining the mouth and worming

Examining the mouth



Worming



165

Placeholder · Third-party material, permission or replacement needed. Scanned from an equine first aid textbook in the 2016 edition and on Heather's artwork list. The drawings can be redone as original art; the text is also third-party and needs permission or rewriting.

Bandages: general principles

Bandages

General principles

Bandages have many uses:

- wound protection
- immobilization of limb
- support dressings, eg, poultice
- leg protection during exercise.

When applying a bandage the following points must be taking into account.


- They must not slip or unravel. Must be secure. Exercise bandages should be stitched or taped (insulation tape) and, if using self-adhesive bandages, they should extend onto the hair to prevent slipping.
- Always apply with firm, even pressure. Self-adhesive bandages should be unrolled in small lengths and then placed around the leg. They will be too tight if unrolled as they go around the leg. Uneven pressure over a tendon can cause inflammation of the tendon sheath. Always use padding.
- Bandaging over joints will reduce flexibility in working horses.
- Great care must be taken when using rigid immobilization that all pressure points are well padded. For example, at the back of the knee, a small slit should be made to prevent pressure *necrosis* (destruction of skin) over the accessory carpal bone.
- Do not stop a bandage mid-tendon. Continue to nearest joint.

166

Placeholder · Third-party material, permission or replacement needed. Scanned from an equine first aid textbook in the 2016 edition and on Heather's artwork list. The drawings can be redone as original art; the text is also third-party and needs permission or rewriting.

Bandaging below the knee

Bandaging below the knee




non stick wound dressing

At least half the width of the bandage is overlapped with each turn.

stretch gauze bandage


Place additional padding here if the pastern is to be included.



gamgee or cotton wool

Place the end of the bandage under the overflap of the padding.

Spiral once around the limb before working downwards.



padding

The tapes are laid flat and tied at the side of the limb.

conforming elastic bandage

167

Placeholder · Third-party material, permission or replacement needed. Scanned from an equine first aid textbook in the 2016 edition and on Heather's artwork list. The drawings can be redone as original art; the text is also third-party and needs permission or rewriting.

Bandaging materials and an injured knee

Bandaging Materials

- **Wound Dressings** - must not adhere to wound.
Examples include: *Sofra tulle*, *Jelonet*, *Melonin*, *Healtostat*, swab (gauze) with ointment.
- **Padding** – used over dressings to ensure outer bandages do not put uneven pressure on leg.
Examples include: cotton wool, combine dressing, sponge rubber leg protectors – mainly for exercise.
- **Gauze Bandages** – applied over the padding.
Examples include: *Kling*, *Fairlie*.
- **Adhesive Bandages** – self adhesive bandages
Examples include: Elastoplast, Vetwrap, 3M equine support bandage.
- **Poultices** – useful to reduce swellings and to encourage abscess maturation. Applied over the wound dressing or skin if there is no wound.
Examples include:
Animal lintex – can be used as a non-stick dressing or hot or cold poultice.
Amoricaïne paste or powder – clay-based with an astringent antiseptic and disinfectant properties. Does not require a bandage.
Heat-producing poultices. (Ingredients produce heat when applied to skin), contain *ichthammol*.

Bandaging an injured knee

- The most sensitive point is the bone at the back of the knee. If a bandage restricts the circulation at this point, even a minor knee injury could become severe.
- Plenty of padding around the knee is essential.
- Use the figure of eight method of bandaging.
- Leave the back of the knee free from pressure.
- Allow adequate movement. Stable bandages should always be applied for support before the knee is bandaged.


168

Placeholder • Third-party material, permission or replacement needed. Scanned from an equine first aid textbook in the 2016 edition and on Heather's artwork list. The drawings can be redone as original art; the text is also third-party and needs permission or rewriting.

Bandaging an injured hock


Step 1:
Apply stable bandage

Step 2:
Apply gamgee



Step 4

Step 5



- When finished, check no bony prominences have pressure applied. A second bandage or circuit of elastoplast may need to be applied above the bandage to keep it in place.


Bandaging an injured hock

1. Start by bandaging both hind legs for support and to help keep the hock bandage in place when it is applied.
2. The prominent bone on the inside of the hock is vulnerable to pressure, so take care to avoid it.
3. Use a large roll of gamgee to pad both above and below the joint. Bandage a couple of turns above the hock, cross over the front, take a few turns below and over the stable bandage then take the bandage up the leg again in front of the hock.


Placeholder · Third-party material, permission or replacement needed. Scanned from an equine first aid textbook in the 2016 edition and on Heather's artwork list. The drawings can be redone as original art; the text is also third-party and needs permission or rewriting.

Stable bandages and recording treatments

4. Check that the bandage does not press on the prominent bone
5. Check the point of the hock is well protected. (Two bandages may be necessary.)
6. Elastoplast bandage around the top part of the leg and bandage will help to hold it in place.



Apply stable bandages, then apply padding around the whole area. Start above the hock and then a turn down in front, avoiding the prominent bone on the inside.



Recording veterinary treatments


A trainer should record all treatment that has been administered to the horses in their care. A method of recording information should be established and maintained. Some suitable recording methods may be:

- a diary
- an exercise book
- a computer data base
- a card file system


Placeholder • Third-party material, permission or replacement needed. Scanned from an equine first aid textbook in the 2016 edition and on Heather's artwork list. The drawings can be redone as original art; the text is also third-party and needs permission or rewriting.

Bandaging: the three standard bandages


Three bandages cover most first aid on a leg. Always pad first, wrap in the direction that pulls the tendons towards the bone (front to back on the outside of the leg), keep the pressure even and never finish with the tie over a tendon.



Lower leg. Padding from below the knee to the fetlock, then the bandage wrapped over it with even overlaps.



Knee. A figure of eight over the joint, leaving the bony point at the back of the knee free.



Hock. A figure of eight around the hock, leaving the point of the hock free so the bandage does not rub.

Heather: the step-by-step bandaging text on the 2016 pages (166 to 170) is from a textbook and still needs permission or rewriting. These drawings and captions are original and can stay either way.

Equine influenza: taking a horse's temperature (PIRSA)

Equine influenza



Government of South Australia
Primary Industries and Resources SA

Equine influenza – taking a horse's temperature

Modified by PIRSA Animal Health 4 Sep 2007 from NSW Dept Ag Factsheet

1800 675 888

Clinical signs of EI are usually a sudden increase in temperature (38.5°C or higher).

Types of thermometers

Two types of thermometers are available:

- Mercury bulb thermometer – cheap but easily broken
- Electronic thermometer – more expensive but longer lasting and easy to read

You can purchase a thermometer from your veterinarian or chemist.

Technique

- Stand to the near side (left hand side of the horse), close to the horse to avoid being kicked.
- Lubricate the end of the thermometer with soapy water.
- If using a mercury thermometer gently shake the mercury down to the bottom of the tube.
- Lift the tail and gently insert the thermometer into the horse's rectum. Make sure the tip of the thermometer rests against the rectal wall (i.e. make sure it is not inserted into dung).
- Hold the end of the thermometer to stop it disappearing up the rectum.
- If you are using a mercury thermometer wait at least 60 seconds before removing the thermometer and reading it.
- Electronic thermometers will 'beep' when an accurate reading is obtained.

© State of South Australia through Primary Industries and Resources SA 2007. You may copy, distribute and otherwise freely deal with this publication for any purpose, provided that you attribute Primary Industries and Resources SA as the owner.

Disclaimer

Use of the information in this Fact Sheet is at your own risk. The Department of Primary Industries and Resources and its employees do not warrant or make any representation regarding the use, or results of the use, of the information contained herein in terms of its suitability, correctness, accuracy, reliability, currency or otherwise. The entire risk of the implementation of the information which has been provided to you is assumed by you. All liability or responsibility to any person using the information is expressly disclaimed by the Department of Primary Industries and Resources and its employees.

Placeholder · Third-party material, permission or replacement needed. PIRSA fact sheet, Creative Commons BY 4.0. To be retyped with attribution.

Normal rectal temperatures and heart rates

RECTAL TEMPERATURES – NORMAL

- Cats 38.3 – 38.9
 - Dogs 38.3 – 38.9
 - Cattle 38.3 – 38.6
 - Goats 38.9 – 39.4
 - Horses 37.2 – 38.3
 - Pigs 38.3 – 39.2
 - Chickens/guinea fowl 41.1 – 42.2
 - Ducks/geese 40.6 – 41.1
 - Turkeys 40.6 – 41.1
 - Guinea pigs 37.8 – 39.5
 - Rabbits 38.3 – 39.4
 - Sheep 38.3 – 38
 - Alpaca 37.5 – 38.3
- Shock can reduce temperature 1 or 2 degrees and could suggest the animal is dying.
 - Fever can increase temperature 1 or 2 degrees and could cause brain damage.

HEART RATE – NORMAL

	RANGE
• Cattle 55	45- 70
• Horses 40	23- 70
• Cats 120	110-140
• Dogs	100-130
• Sheep 75	60-120
• Goats 90	70-135
• Rabbits 205	123-304
• Guinea Pigs 280	260-400
• Alpaca	60-90

173

Placeholder · Third-party material, permission or replacement needed. Reference table from the 2016 edition (source unknown). To be retyped as a clean table with the source cited.

Vital signs: pulse, respiration, gut sounds and dehydration

It is recommended that you check and record your animal's vital signs regularly so that you have a diary of their activities and responses to refer back on and if necessary to give to the vet.

PULSE

HOW TO MEASURE

The pulse in the horse can be taken from an area under the jaw, from beneath the tail at its bone or from an area on the side of the horse's foot.

The simplest and most effective way is by placing your hand or stethoscope on the left (near side) of your horse's chest under the elbow. (If you can't find the pulse your veterinarian will be happy to show you). Since most horses will not stand still enough to count heart beats for a full minute, count for 15 seconds and multiply by four.

Be sure to count each lub-dub as 1 beat.

UNDERSTANDING THE INFORMATION

The pulse measures the rate and strength of the heartbeat. A normal resting horse has a rate of 38- 40 beats per minute, foals 70-120, yearlings 45-60 and 2 year olds 40-50, cats 120, dogs, 100> alpacas 60>, goats 90>, Maximum heart rate in a horse can exceed 180 bpm, but a rate above 80 should be considered serious in most non exercising horses. Heart rates that stay above 60 in a horse that is can be a sign of trouble.

Exercise, stress, fear, pain and excitement will elevate the animal's heart rate. Infection will cause an increased rate as will traumatic cuts, kicks, fractures and so forth. The most common cause of elevated heart rate is colic or intestinal pain. Such pain can cause mild to severe elevations, and the degree of increase can be a sign of the severity of the colic pain.

The intensity or force of the pulse is sometimes an indicator of other problems in the horse. A weak or soft pulse means the heart is not pumping forcefully and may indicate heart disease. A hard, forceful pulse can be felt in a horse that has been exercising and is pumping a lot of blood to carry oxygen to working muscles. This forceful pulse can also be felt as a reaction by the body to some drugs, toxins or some disease condition. Knowing your animal's normal heart rate and pulse quality allows you to make comparisons in order to evaluate situations and judge your animal's response.

RESPIRATION

The average respiration rate of a mature horse at rest is 8-15 breaths per minute. An animal's respiration rate increases with hot or humid weather, exercise, fever or pain. Rapid breathing at rest should receive veterinary attention and keep in mind that the respiration rate should NEVER exceed the

pulse rate. A horse should spend equal time inhaling and exhaling. You should wait at least 30 minutes after work before checking the respiratory rate at rest to obtain a true reading.

HOW TO UNDERSTAND THE INFORMATION

Watch of feel your animal's ribcage for one minute. Be sure to count 1 inhale and 1 exhale as one breath (not 2) each breath is fairly slow if you are having difficulty seeing the rib café move try watching the animal's nostrils or place your hand in front of the nostrils to feel the animal exhale. An even better method is to place a stethoscope to the animal's windpipe to listen to his breathing. This will also give you strange sounds if the animal's windpipe is blocked by mucous or if he has allergies or heaves.

GUT SOUNDS

he gut sounds that come from your animal's stomach and intestines can be very important information which your vet uses to diagnose an illness. Gut sounds should always be present. The absence of gut sounds is more indicative of a problem than excessive gut sounds. Usually an absence of gut sounds indicates colic. If you can't hear any sounds contact your veterinarian.

HOW TO CHECK FOR GUT SOUNDS

Press your ear up against your animal's barrel just behind his last rib. If you hear gurgling noises, he's fine. Be sure to check gut sounds from both sides if you do not hear any sounds, try using a stethoscope in the same area.

DEHYDRATION

Healthy horses drink a minimum of 20 litre of water per day. If your horse is dehydrated it is very important that you urge him to drink. If he refuses to drink water, try adding flavour to it (molasses or cordial) and contact your veterinarian if he still won't drink.

During hot, humid conditions horse' should drink a lot more. A horse in work may drink up to 70 litres per day.

If a horse is stabled all day it is better to use buckets for the water rather than automatic systems so that you can keep a check on how much it is drinking.

HOW TO PERFORM A PINCH TEST

Pinch the skin on your horse's neck. If the skin flattens back into place in less than 1 second when you let go, the horse is fine. If it doesn't, it means he isn't drinking enough water and is dehydrated. The longer the skin stays pinched up before flattening, the more dehydrated the horse is.

Always refer to your vet: shock and fever

ALWAYS REFER TO YOUR VET

TREATMENT FOR SHOCK

Shock can kill so quick action is important.

Raise the temperature by using heat lamps or heat pads, blankets by themselves are not enough. The silver emergency blankets available for chemists may help until other means of heating can be provided. Check the colour of the gums, pale gums means shock or internal bleeding or both.

FEVER

High temperature can destroy brain cells. In an emergency it may help to administer aspirin and cool the patient down to reduce the fever until the antibiotic begins to work. Do not use these techniques at the same time as the antibiotic unless suggested by your vet.

177

Placeholder · Third-party material, permission or replacement needed. Scanned card from the 2016 edition. To be retyped.

Post dental care

Post Dental Care

- Your pet may be quiet and less active for the next 24 hours
- Keep them inside and warm for the first night- body temperature is lowered during the anaesthesia and their ability to regulate their own body temperature is restricted for up to 12 hours after surgery.
- There may be a minor amount of swelling around the jaw line - this is normal. If there is a lot of swelling, or foul smelling discharge from the mouth, please call the clinic.
- Your pet will need to continue on pain relief for at least 3 days, and then until there is no discomfort evident. Start medication the day after surgery.
- Continue with antibiotics as instructed until they are all finished. Start medication the day after surgery.
- If teeth have been extracted, your pet will need to be fed on raw, chunky meat for at least 7 days, so food cannot pack into the open sockets.
- Please book in for a check with a vet 7 days after surgery so it can be assessed when normal food will be able to be fed

178

Placeholder · Third-party material, permission or replacement needed. A small-animal vet clinic handout scanned into the 2016 edition. Section 21 of the old contents ("Dental care, guest speaker") had no content; this may be where it belongs. Heather to decide.

Saddle fitting: questions and answers

SADDLE FITTING QUESTIONS AND ANSWERS

Q. Is it true some makes of saddles just won't fit some types of horses?

A. Absolutely. One of the worst things that happen is that a customer rings up and says 'I want this model in that colour'. We'll have it in stock but we say 'please keep an open mind. Let me bring a big range of saddles based on the description you've given and we'll find the one that's right for you and your horse.'

If you demand a particular saddle, Murphy's Law says that'll be the one that doesn't fit. If you want a certain brand, we hope it will fit but we don't want to be in a position of selling you something because you've seen it in a catalogue or your friend's got one, if that isn't the one that fits. At the end of the day, that's the difference between a saddle seller and a saddle fitter.

Q. Are there any particular saddle brands that are more suitable for certain types of horses?

A. Most certainly. It won't come as a surprise that German saddles tend to fit Warmblood and German horses quite well and English saddles tend to fit English rangy Thoroughbred types quite well. It doesn't mean that German saddles won't fit some English horses and English saddles won't fit some German horses very well but it is certainly often the case.

You can't say one make of saddle suits every horse, that's rubbish. What is of tremendous advantage for fitting is an adjustable tree - I don't mean a 'nut and bolt' adjust, I mean saddles like Keiffer which have infinitely adjustable trees that we can adjust using an infra-red machine we have, which gives us a lot of flexibility.

Q. Do you fit the horse first and then the rider - or vice versa?

A. The horse first. Before we go to visit a client, we ask for a full description of the horse, as accurate as possible, details such as age, type, how much wither, kind of work being done; then we ask for the saddle required - dressage, GP, jumping and so on - and the height and weight of rider. Bearing on those, we'll choose saddles in that realm.

What we want to avoid is having more than about 300g per square cm of pressure being transmitted to the horse's back through the panel. If you can't come back a long way because of the horse's last rib, you've got to come down the side.

Saddle fitting: questions and answers

Once we have all the relevant details, we pick out a number of saddles that fit into the profile they've given us. We also take some wider and some narrower saddles in case the horse owner's description isn't very accurate, then we very rarely can't fit a saddle straight away.

Q. Should you still oil a new saddle?

A. Twenty years ago, you had to soak a new saddle in oil because it was like sheet steel! Many good new saddles are made of pre-oiled leather, so all you'd do is make them more oily! Now you might only have to oil once a year if your saddle gets exposed to the sun or is near the sea etc. Many of the proprietary soaps and creams have enough oil in them to do the job.

Q. What about numnahs and saddle pads? Is it best to put as little as possible under a saddle?

A. When we fit a horse, we fit the saddle without anything underneath, straight onto the horse's back - we want to see it without a disguise. We know of course that most people will put a thin quilted numnah or saddle cloth underneath and we'll have a look at it - it shouldn't affect the fit, just keep the saddle clean and maybe a bit more comfortable for the horse.

There is a place for gel pads etc. for horses with historic, chronic sore backs - it makes life a bit easier for them. But if you have a horse like that, you should have the saddle fitted with the gel pad at the same time.

If you add a thick numnah or saddle pad after fitting, it will just make the saddle 'off fit' - like wearing very thick socks in your shoes!

Q. Often a saddle sits crookedly because of uneven muscle tone in the horse. What can be done about that?

A. This is a very common problem. If the horse is old and set in its musculature - and isn't going to change - then you can make the saddle panel crooked so it sits the rider straight. But you wouldn't want to do that with a young horse - you want to see what the problem is and work out how to fix it.

You may get a young horse with one shoulder bigger than the other, particularly if it has a problem with the sacro-iliac which throws the weight onto the forehead and builds it up artificially. What you do is fit the saddle correctly and work on the 'bad rein' maybe 70% of the time - out of any 10 circles, say seven to the right, three to the left. Do four or five thousand circles - and it's amazing how quickly you'll do this, training a young horse - and you'll even it up. This is something we like to do in conjunction with the person's riding instructor.

Q. Is it OK to buy a second hand or used saddle?

180

Placeholder · Third-party material, permission or replacement needed. Third-party course notes (Saddleworld, September 2008) as scanned into the 2016 edition. Permission or rewrite.

Saddle fitting: questions and answers

A. The problem with every used saddle is the shape of the horse it was last on. It's like wearing somebody else's shoes. You never get quite the same quality of fit with a second hand saddle because you're not starting with a clean sheet of paper, you're starting with something that's already been twisted.

Q. Some riders have saddles made to fit them, then ride lots of horses in that saddle - especially on the Continent. Is that a good idea?

A. No! Happily this is not so common. It's much more technical nowadays and particularly if you're competing, the difference between first and fifth may be three or four percent, so you've got to get every little thing right, including the saddle. It's a dreadful idea to just pick any saddle and put it on a horse. Twenty years ago people used to say 'I'll have a medium, most of my horses are medium' - or course that's rubbish. It's like saying my pair of shoes will fit the whole family!

Q. How can you be sure that the person who fits your saddle is competent?

A. Make sure firstly they are a Qualified Saddle Fitter. They should be able to offer a very wide range of saddles to ensure you'll get something that suits you and your horse. If you only have 20 saddles in stock, how can you possibly cover dressage, jumping, all purposes, small horses, big horses?

The Saddle Fitter will run through the seven-point fitting plan plus a lot more besides. Expect it to take time - I'm usually with a horse and rider about an hour and may get them to try about eight saddles.

Q. How often should you have your saddle checked?

A. Every six months - the horse changes from season to season, as he gets older, depending on his feeding and work pattern, there will also be changes in the flocking.

Placeholder · Third-party material, permission or replacement needed. Third-party course notes (Saddleworld, September 2008) as scanned into the 2016 edition. Permission or rewrite.

Saddle fitting: questions and answers

Saddleworld Saddle Fitting Course September 22-24 2008

SADDLE FITTING

Before we can assess something it is important to know what we are aiming for.

WHAT IS THE PERFECT FIT?

The perfect fit is that which is not only comfortable for the rider, but most importantly, is comfortable for the horse. **The horse is the first priority.** The horse's comfort is determined by the positioning of the saddle, the saddle's gullet width, how the saddle panels contact the horse's back, the saddle length and how these factors impact on the saddle's balance.

The most difficult part of achieving the perfect fit is the fact that your horse's back shape is always changing. It is impacted on by things like the amount of work the horse is getting, the type of work, amount and type of feed in the paddock, the seasonal conditions, the horse's age etc. There are many more.

It is for these reasons that a saddle's fit must be constantly checked. As riders, we owe it to our horses to make sure they are comfortable. In the end, the more comfortable our horse, the better ride we generally get and the more fun we have. Isn't that what it is all about?

If the perfect fit is the aim,


What are the most common problems saddle fitters see?

- Saddle Position. Most people seem to put their saddle too far forward.
- Gullet width. Too narrow or too wide. There are problems caused by both situations. A saddle that 'rocks' like a see-saw is often an indicator a gullet is too wide or there is not enough packing in the front part of the panels.
- Bridging. This is where the front and back of the saddle panel touches the horse's back but the middle portion of the panel does not.
- Spine clearance. Clearance not only at the top of the wither, but also either side of the spine.

182

Placeholder · Third-party material, permission or replacement needed. Third-party course notes (Saddleworld, September 2008) as scanned into the 2016 edition. Permission or rewrite.

Saddle fitting guide (Bonnetts)




183

Placeholder • Third-party material, permission or replacement needed. Bonnetts' own guide, scanned. Craig from Bonnetts is acknowledged, so permission may be simple to ask for; otherwise the diagrams are redrawn.

Parts of a saddle and bridle

Parts of a saddle




- | | | |
|-----------------|--------------------|---------------------------------|
| 1 Pommel | 6 Skirt | 9 Girth straps and buckle guard |
| 2 Waist | 7 Saddle flap | 10 Stirrup leather |
| 3 Seat | 8 Panel and lining | 11 Stirrup iron |
| 4 Cantle | | |
| 5 Stud (D ring) | | |

How to measure

1. Tree size is measured from the saddle stud to the centre of the cantle.
2. Seat size: measure to the lowest point on the seat.

The snaffle bridle




- | | | |
|---------------|---------------------|--------|
| 1 Browband | 4 Cheek strap | 6 Rein |
| 2 Headpiece | 5 Cavesson noseband | 7 Bit |
| 3 Throat lash | | |

Heather: the 2016 page also showed a Weymouth (double) bridle with twelve numbered parts. It can be drawn the same way if you want it kept.

Diagnosis aids and the tendon palpation exercise

The lower leg: tendons and the palpation exercise



- | | | |
|-----------------------|-------------------------------------|--------------------------|
| 1 Knee | 4 Deep digital flexor tendon | 6 Common extensor tendon |
| 2 Cannon bone | 5 Superficial digital flexor tendon | 7 Fetlock |
| 3 Suspensory ligament | | 8 Pastern |
| | | 9 Hoof |

Directions: proximal = towards the spine; distal = away from the spine; anterior or dorsal = the front of the leg; posterior or volar = the back of the leg. Flexion closes the joint, extension opens it.

Exercise

Run your hand down one side of the leg and a finger down the other. Feel the following:

- A thick fibrous ligament with a diameter greater than two fingers at the back of the leg. This is the **superficial digital flexor tendon**.
- Move your hand closer to the cannon and feel the hollowing of the leg.
- Move your hand closer again and feel the very tight tissue next to the cannon. It extends from one side of the leg to the other. This is the **suspensory ligament**.
- Move your fingers onto the back of the cannon bone and run them down towards the fetlock. You will feel the bumps of the ends of the splint bones on each side of the back of the cannon. These bumps are commonly known as the **"buttons" of the splints**.
- Go back to the flexor tendon and feel it a little more closely. You will feel a little indentation on either side dividing it into front and back sections. The part towards the cannon is the **deep digital flexor**

tendon.

- Run your fingers down the front of the cannon. You will feel the **common extensor tendon**, not nearly so big as the flexor tendons.

SECTION 18

Incident and injury reporting

Record any incident on the day it happens.

Incident and injury report form

INCIDENT/INJURY REPORT FORM

Please print clearly

Position: ☐ Employee ☐ Volunteer ☐ Contractor
 Outcome: ☐ Near miss ☐ Injury ☐ Property damage

1. DETAILS OF PERSON INVOLVED

Name: _____ Phone: (H) _____ (W) _____
 Address: _____ Sex: ☐ Male ☐ Female
 Date of birth: _____
 Position: _____
 Experience in the job: _____ (years/months)
 Start time: _____ ☐ am ☐ pm
 Work arrangement: ☐ Casual ☐ Full-time ☐ Part-time ☐ Other

2. DETAILS OF INCIDENT

Date: ____ / ____ / ____ Time: _____
 Location: _____
 Describe what happened and how: _____

3. DETAILS OF WITNESSES

Name: _____ Phone: (H) _____ (W) _____
 Address: _____

4. DETAILS OF INJURY

Include nature of injury (eg burn, cut, sprain), cause of injury (eg fall, grabbed by person), location on body (eg back, left forearm), agent (eg lounge chair, another person, hot water)

5. TREATMENT ADMINISTERED

First Aid given ☐ Yes ☐ No
 First Aider name: _____ First Aider signature: _____
 Treatment: _____
 Referred to: _____

Placeholder · Third-party material, permission or replacement needed. Generic workplace form scanned into the 2016 edition. To be replaced with a one-page form of the College's own, or dropped.

Incident and injury report form

INCIDENT/INJURY REPORT FORM

SECTIONS 6-9 MUST BE COMPLETED BY CO-ORDINATOR

6. DID THE INJURED PERSON STOP WORK?

☐ Yes ☐ No

If yes, state date: _____ Time: _____ Time lost (days) _____

Outcome:

☐ Treated by doctor ☐ Hospitalised ☐ Workers compensation claim

☐ Returned to normal work ☐ Alternative duties ☐ Rehabilitation

7. INCIDENT INVESTIGATION (comments to include causal factors - add extra sheets if needed)

8. RISK ASSESSMENT

Likelihood of recurrence: _____

Severity of outcome: _____

Level of risk: _____

		PROBABILITY				
		Very likely	Likely	Unlikely	Highly unlikely	
CONSEQUENCE	Probability					
	Fatality		High	High	Medium	Low
	Major injuries	High	High	Medium	Medium	Low
	Minor injuries	High	Medium	Medium	Low	Low
		Medium	Medium	Low	Low	Low

9. ACTIONS TO PREVENT RECURRENCE

Action	By whom	By when	Date completed
_____	_____	_____	_____
_____	_____	_____	_____

10. ACTIONS COMPLETED

Signed (Manager): _____ Title: _____

Date: ____ / ____ / ____

☐ Feedback to person involved

Date: ____ / ____ / ____

11. REVIEW COMMENTS

OHS committee / staff meeting: _____

Reviewed by Manager (signed): _____ Date: ____ / ____ / ____

Reviewed by HSR (signed): _____ Date: ____ / ____ / ____

Placeholder • Third-party material, permission or replacement needed. Generic workplace form scanned into the 2016 edition. To be replaced with a one-page form of the College's own, or dropped.

SECTION 19

Student section

Competency assessment and the learning journal.

Assessment

Heather: you asked for "a good amount of assessments". This is what the 2016 edition had. Tell me whether you want more self-test questions here, and on which topics.

Assessment should be on 10 horses And include

- Owners name, phone number, horses name, age, bands or specific markings
- Any WH&S problems you felt you needed to address
- Temperature- mentioning if it was taken prior and or post exercise
- Pulse rate- Mentioning if it was taken prior and or post exercise
- Record your observation of the horse
- List your treatment and what the horse did while you were treating it
- What Changes did you or the owner notice? o Straight away o The next day o Four days later
- List any other problems you noticed and what you did to correct them
- What advice did you give the owner after the treatment and why

Please retype all your answers on the computer.

Cross reference information of pre-reading with the work book.

SCENARIO

You have received a call out for a dog which is having problems getting up

1. What questions will you ask the client?
2. What advice could you give prior to your arrival?
3. What equipment could you need when attending this animal consultation?
4. How would you assess the animal?
5. What treatment would you give?
6. What follow up advice would you give at the end of the consultation?

QUESTIONS

Explain the following:

1. WH&S Regulations regarding a Bowen Therapy practice
2. List the safety precautions you would consider when attending a property to treat an animal
3. What infection control measures would you put into practice?
4. Draw the animal of your choice and mark its points

Learning journal

Please include the date of each event.

THE FACTS	YOUR THOUGHTS AND ACTION PLAN

SECTION 20

Course and lecturer evaluation

Tell us what worked and what did not.

Course assessment form

What did you like about this course?

What did you like least about this course?

Any suggestions?

Would you be interested in an animal-specific course? YES ☐ NO ☐

If yes, please nominate:

Feedback form

Session: Bowen Therapy for Large Animals

I would appreciate your feedback to ensure my session is both interesting and relevant. On a scale of 1 to 6, where 1 is poor and 6 is excellent, please circle one to rate the following.

Overall professionalism 1 2 3 4 5 6

How interesting did you find the presentation? 1 2 3 4 5 6

Please state any improvements you think I could make

If you would like more information please write your contact details below.

NAME

PHONE

ORGANISATION

Index

Always refer to your vet: shock and fever	187	Contra-indications	39	Infraspinatus	114
Anatomy, physiology and the schools of Bowen	25	Contra-indications: regional avoidance	95	Injections	174
Anti-discrimination legislation	28	Controlling infection	168	Insurance	30
Apply basic Bowen Therapy techniques	100	Course assessment form	206	Junction of gluteus maximus and longissimus	121
Apply the Bowen Therapy assessment framework	138	Deeper muscles of the horse	53	Learning journal	204
Assessing the vital signs: temperature	171	Defects in the way of going	58	Legal and regulatory requirements	83
Assessment	203	Dehydration	185	Longissimus costarum	120
Assessment, treatment and the philosophy of Bowen Therapy	69	Diagnosis aids and the tendon palpation exercise	196	Lower end of triceps	117
Bandages: general principles	176	Diarthrodial joints: movements of the limbs	55	Lumbar	22
Bandaging an injured hock	179	Eligibility, counselling and recognition of prior learning	13	Manage, apply, advise and review	92
Bandaging below the knee	177	Equine analysis form	42	Medical terminology	87
Bandaging materials and an injured knee	178	Equine influenza: taking a horse's temperature (PIRSA)	182	Multifidus cervicis	110
Bandaging: the three standard bandages	180	Evaluation of farriery procedures	63	Neck	22
Belly of biceps femoris	124	Exact markings to be shown	46	Normal rectal temperatures and heart rates	184
Biceps femoris	123	Examining the mouth and worming	175	Occupational health and safety guidelines	28
Biosecurity and disinfection procedures (PIRSA)	145	Explanation of this technique	22	Palpation	39
Bowen Therapy history	20	External oblique	133	Parts of a saddle and bridle	194
Capillary refill and lymph nodes	173	External oblique (rib attachment)	134	Perform a Bowen Therapy health assessment	140
Care advice before and after a Bowen treatment	39	Eye injuries	170	Plan the Bowen Therapy treatment strategy	85
Case card (horse)	44	Feedback form	207	Points of the horse	51
Cautions	96	Fees, withdrawal, what you need and the code of conduct	16	Post dental care	188
Client and owner information, first visit	32	Fetlock	49	Posterior pectoral	118
Client data	33	First aid: restraint and approach	164	Preventing further haemorrhage	167
Clinic guidelines and the client's rights	79	Flexible learning	4	Professional expertise	26
Coccyx	39	Flexion tests	39	Professional presentation	35
Code of ethics	37	Forward attachment of longissimus dorsi	119	Provide the Bowen Therapy treatment	90
Competency-based standards and training	8	Further cautions and other considerations	98	Pulse	43
Complementary therapies and their relationship to Bowen	74	Gastrocnemius	125	Pulse, respiration and mucous membranes	172
Conformation and flight patterns: the hoof and pastern	59	Gluteus accessorius	132	Record forms	136
Conformation of the deviation of the pastern	62	Gut sounds	185	Rectus capitis lateralis	108
Conformation of the legs	60	Health care chart (dog and cat)	43	Reducing swelling and proud flesh	169
		Hock	49	Representing Bowen Therapy to the community	77
		Hoof care	57	Respiration	43
		Horse outline for marking	47	Rhomboids and trapezius	111
		Iliacus	131	Saddle fitting guide (Bonnetts)	193
		Incident and injury report form	200		

Saddle fitting: questions and answers	189	Student facilities, staff and assessment	10	Types of wounds and the process of wound healing	165
Semimembranosus	129	Suggestions for an animal first aid kit	163	Underpinning knowledge and assessment map	23
Semitendinosus	127	Supraspinatus	113	Upper end of triceps	116
Skeleton of horse and man compared	49	Tensor fasciae latae	130	Vital signs: pulse, respiration, gut sounds and dehydration	185
Stable bandages and recording treatments	180	The lower leg: tendons and the palpation exercise	197	When to call your veterinarian	158
Stifle	49	Thigh	51	Work within a Bowen framework	65
Striding leg interference	56			You need to be a detective	41